

## **BRINGING INNOVATION HOME**

Vol.16 2022



## INTELLIGENT HOME APPLIANCES



**AWARDS OF** REDDOT, IF **GMARK & IDEA** 













### Mancity and AFF Suzuki Cup





## **AIR CONDITIONER**

Cool homes the natural way



# WALL MOUNTED airsti



#### 1.0HP

#### **MSFAAU-09CRFN8**

- Cooling capacity: 1.0HP
- Application area (sq.ft): 100~160

### 1.5HP

#### **MSFAAU-12CRFN8**

- Cooling capacity: 1.5HP
- Application area (sq.ft): 130~190

#### **UNIQUE FEATURES**



World's 1st
TwinFlap with Mini-holes



**Soft** 7928 Mini-hole matrix leaving purely the cool in still air.



**Surround** 3-Way Airflow, Providing 360° even, immersive cooling



2 years

Full Warranty | Compressor

**Sense**Flexible Twin-flap Design
Choosing from 3-mode sensitive care



Speed

Cool your space in the Boost mode thanks to the high-speed fan and powerful compressor.



**Silent** 

Optimized duct and turbine design makes the air conditioner much quieter during its operation.



**Smart**Control Your AC, Anytime and
Anywhere



Saving Save icco

Just click the SmartSavE ieco button to activate the mode: your AC can keep you cool over an 8-hour night period, saving up to 60% energy. \*

\* Data base on testing lab, term & condition apply.

## WALL MOUNTED ALLEASY Pro

AIR CONDITIONER

#### **All Easy Pro SERIES**







Easy Installation





(optional)



### R32 INVERTER

- iECO Mode (Energy Saving)
- Golden Fin (Cooling Coil)
- High Density Filter
- · 2-way Draining
- · Dual Filtration
- air magic
- Cold Catalyst Filter
- 3D Airflow
- Wired Controller (optional)
- WIFI Control (optional)



#### 1.0HP

#### **MSEP-10CRFN8**

- Cooling capacity: 1.0HP
- Application area (sq.ft): 100~160

#### **1.5HP**

#### MSEP-13CRFN8

- · Cooling capacity: 1.5HP
- Application area (sq.ft): 150~230

#### 2.0HP

#### **MSEP-19CRFN8**

- Cooling capacity: 2.0HP
- Application area (sq.ft): 200~300

#### 2.5HP

#### MSEP-25CRFN8

- · Cooling capacity: 2.5HP
- Application area (sq.ft): 300~450



#### **R32 NON INVERTER**

- Golden Fin (Cooling Coil)
- High Density Filter
- · 2-way Draining
- Dual Filtration
- air magic

- Cold Catalyst Filter
- 3D Airflow
- Smart Diagnosis
- Wired Controller (optional)
- WIFI Control (optional)

#### 1.0HP

#### **MSAPB-10CRN8**

- Cooling capacity: 1.0HP
- Application area (sq.ft): 100~160

#### **1.5HP**

#### **MSAPB-13CRN8**

- Cooling capacity: 1.5HP
- Application area (sq.ft): 130~190

#### 2.0HP

#### **MSAPB-19CRN8**

- Cooling capacity: 2.0HP
- Application area (sq.ft): 200~300



#### **UNIQUE FEATURES**



#### 1 Screw, 1 Minute for **Deep Clean**

With the innovative 1-screw fixed design, it only takes 1 minute to dissemble the inside fan to clean. Save your time, save your technician



#### 1 Lift To Clean

No need to bother opening up the front panel anymore. Clean you filter as offen as you want.

6 round magnetic connectors on the filter, the cover filter can be easily removed and put back just witin 1 soft 'click'.



#### **Fast Cooling**

Quickly cools from corner to corner, so you're always comfortable wherever you are.



#### **3D Airflow**

The directional air-outlet moves automatically both horizontally and vertically, directing nice and cool airflow with the angled airflow to fill in every corner of the room.

# WALL MOUNTED AIR CONDITIONER TREME SavE

#### Xtreme SavE SERIES





- Golden Fin
- air magic
- Flash Cooling
- Low Noise
- Smart Diagnosis
- ThermoStatic Technology
- Diamond Cabinet
- Follow Me
- WIFI Control (optional)

# WARRANTY 2 years Full Warranty Compressor

#### 1.0HP

#### **MSXS-10CRDN8**

- Cooling capacity: 1.0HP
- Application area (sq.ft): 100~160

#### 1.5HP

#### **MSXS-13CRDN8**

- Cooling capacity: 1.5HP
- Application area (sq.ft): 130~190

#### 2.0HP

#### **MSXS-19CRDN8**

- Cooling capacity: 2.0HP
- Application area (sq.ft): 200~300

#### 2.5HP

#### MSXS-25CRDN8

- Cooling capacity: 2.5HP
- Application area (sq.ft): 240~350

#### **UNIQUE FEATURES**



### **Experience the air magic** with Super Ionizer

Upon starting up, the air magic builtin device generates ions to remove airborne bacteria and dust. Making sure every breath take in clean, fresh and healthy air.



#### PrimeGuard™

Midea's PrimeGuard™ is more resistant in oxidation & corrosion than ordinary fins for condensers to furnish a steadier and long-lasting performance. It can also efficiently prevent bacteria from breeding and oil stain from adhering, and withstand weather elements to enhance durability.



#### WIFI Control (Optional)

Wherever you are, you can keep your home comfortable using the Smart MideaAIR App.





Just click the SmartSavE ieco buttor to activate the mode: your AC can keep you cool over an 8-hour night period, saving up to 60% energy. \*

\* Data base on testing lab, term & condition apply.

### WALL MOUNTED TREME AIR CONDITIONER

#### Xtreme Dura SERIES







VARRANTY

Full Warranty | Compressor

**2**vears



• Golden Fin

- air magic
- Cold Catalyst Filter
- Low Noise
- Smart Diagnosis
- Follow Me
- WIFI Control (optional)



#### 1.0HP

#### MSXD-09CRN8

- Cooling capacity: 1.0HP
- Application area (sq.ft): 100~160

#### **1.5HP**

5 years

#### MSXD-12CRN8

- · Cooling capacity: 1.5HP
- Application area (sq.ft): 130~190

#### 2.0HP

#### MSXD-18CRN8

- · Cooling capacity: 2.0HP
- Application area (sq.ft): 200~300

#### 2.5HP

#### MSXD-24CRN8

- Cooling capacity: 2.5HP
- Application area (sq.ft): 240~350

#### **UNIQUE FEATURES**



#### **Experience the air magic Cold Catalyst Filter** with Super Ionizer

Upon starting up, the air magic builtin device generates ions to remove airborne bacteria and dust. Making sure every breath take in clean, fresh clean and healthy air for you. and healthy air.



Cold Catalyst filtration system thoroughly eliminates harmful substances and decomposes a variety of harmful gases, providing



#### **PrimeGuard™**

Midea's PrimeGuard™ is more resistant in oxidation & corrosion than ordinary fins for condensers to furnish a steadier and long-lasting performance. It can also efficiently prevent bacteria from breeding and oil stain from adhering, and withstand weather elements to enhance durability.



WIFI Control (Optional)

Wherever you are, you can keep your home comfortable using the Smart MideaAIR App.

#### **FAIRY SERIES**

#### **R32 NON INVERTER**



- Super Cool
- "Diamond-Edged" Casing
- Refrigerant Leakage Detect
- Self-diagonsis and Auto-protection
- High Density Filter
- Cold Catalyst Filter
- Self-cleaning
- · 2-way Draining
- Louver Position Memory
- Auto Restart Function
- 24-hour Timer
- Timer/On/Off Manual Button



Super Ionizer







Golden Fin

Follow Me Smart Control (optional)





#### **1.0HP**

#### MSMF-10CRN8

- Cooling capacity: 1.0HP
- Application area (sq.ft): 100~160

#### **1.5HP**

#### MSMF-13CRN8

- Cooling capacity: 1.5HP
- Application area (sq.ft): 130~190

#### 2.0HP

#### MSMF-19CRN8

- · Cooling capacity: 2.0HP
- Application area (sq.ft): 200~300

### 2.5HP

#### MSMF-25CRN8

- Cooling capacity: 2.5HP
- Application area (sq.ft): 240~350

AIR CONDITIONER

# LIGHT COMMERCIAL CEILING CASSETTE



360° air outlet (Non inverter model)



### **WARRANTY**

5 years

#### **UNIQUE FEATURES**



230mm 205mr Super Slim 🛕 Conventional

**Independent Vane Control** 

(By wired controller)

**Super Slim Design** 

**Built-in Drain Pump** 

The drain pump can pump the condensing water up to 1000mm.






Reserves the space for air outlet from the indoor




Cool Surround 360°

Unique seamless airflow louver design equipped with DC fan motor allows cool air to diffuse and sink in 360° direction, offering uniform cooling experience throughout the space.



and more comfortable.

Fresh Air



**Reserved Air Outlet** 


side: It's available to connect air duct from the four sides to the nearby small rooms.

- Fresh Air
- Built-in Drain Pump
- Sleep Mode
- LED Display
- Wide-angle Air Flow
- Quiet Design
- Auto Restart Function
- Timer
- Wired Controller (optional)
- Golden Fin

#### **Re-structure Water Pump**

Fresh air makes air quality healthier

Water pump re-structure to external, more convenience for service. Over 20% increased airflow with hidden water pump structure, 5% larger heat exchanger, achieve higher energy efficiency, even more lower nosie level.



	R32 Ceiling Cassette Inverter											
Cooling Capacity (HP)		1.5HP	2.0HP	2.5HP	3.0HP	4.0HP	4.0HP 3Phase	4.5HP	5.0HP			
Indoor model		MCA3-12CRFNX	MCX-24CRFNX	MCX-24CRFNX	MCX-30CRFNX	MCX-36CRFNX	MCX-40CRFNX	MCX-42CRFNX	MCX-48CRFNX			
Outdoor model		MOUX-12CFN8	MOUX-18CFN8	MOUX-24CFN8	MOUX-30CFN8	MOUX-36CFN8	MOUX-40CFN8	MOUX-42CFN8	MOUX-48CFN8			
Power source	V/ph/Hz	220-240~/1/50	220-240~/1/50	220-240~/1/50	220-240~/1/50	220-240~/1/50	380-415~/3/50	220-240~/1/50	380-415~/3/50			
Refrigerant piping	Liquid/Gas	Ф6.35/Ф9.52 (1/4"/3/8")	Φ6.35/Φ12.7 (1/4"/1/2")		Φ9.52/Φ15.9(3/8"/5/8")							


	R32 Ceiling Cassette Non Inverter											
Cooling Capacity (HP)         1.5HP         2.0HP         2.5HP         3.0						4.0HP	5.0HP					
Indoor model		MCA3-12CRN8	MCDX-18CRN8	MCDX-25CRN8	MCDX-30CRN8	MCDX-36CRN8	MCDX-48CRN8					
Outdoor model		MOUX-12CN8	MOUX-18CN8	MOUX-25CN8	MOUX-30CN8	MOUX-36CN8	MOUX-48CN8					
Power source	V/ph/Hz	220-240~/1/50	220-240~/1/50	220-240~/1/50	220-240~/1/50	380-415~/3/50	380-415~/3/50					
Refrigerant piping	Liquid/Gas	Φ6.35/Φ9.52 (1/4"/3/8")	Φ6.35/Φ12.7 (1/4"/1/2")	Φ9.52/Φ15.9(3/8"/5/8")								

AIR CONDITIONER

# LIGHT COMMERCIAL CEILING CONCEALED




#### **UNIQUE FEATURES**



#### **Up to 160Pa High Static Pressure**

With new eccentric fan motor, the A6 Duct can be installed in various application that requires high static pressure up to 160Pa.



#### **Built-in Drain Pump**

The drain pump can lift the condensing water up to 750mm, which is convenient to install drainage pipes under most conditions. It also allows parts be replaced from the side where maintenance is



#### **PrimeGuard Coating for Longlasting Performance**

The unique anti-corrosive golden coating on the heat exchangers can withstand the salty air, rain and other corrosive elements. It also effectively prevents bacteria from breeding and improves heat efficiency.



#### **Light Weight and Compact** Design

With the weight decreases almost 20% and the size shrinks 12.5% in comparison with conventional one, the A6 duct save lots of installation efforts and time as well as creates bigger maintenance space.

	R32 Ceiling Conceal Inverter											
Cooling Capacity (HP)		1.5HP	2.0HP	2.5HP	3.0HP	4.0HP	4.0HP 3Phase	4.5HP	5.0HP	6.0HP		
Indoor model		MTI-12CRFNX	MTI-18CRFNX	MTI-24CRFNX	MTI-30CRFNX	MTI-36CRFNX	MTI-40CRFNX	MTI-42CRFNX	MTI-48CRFNX	MTI-60CRFNX		
Outdoor model		MOUX-12CFN8	MOUX-18CFN8	MOUX-24CFN8	MOUX-30CFN8	MOUX-36CFN8	MOUX-40CFN8	MOUX-42CFN8	MOUX-48CFN8	MOUX-60CFN8		
Power source	V/ph/Hz	220-240~/1/50	220-240~/1/50	220-240~/1/50	220-240~/1/50	220-240~/1/50	380-415~/3/50	220-240/1/50	380-415~/3/50	380-415~/3/50		
Refrigerant piping	Liquid/Gas	Φ6.35/Φ9.52 (1/4"/3/8")	Φ6.35/Φ12.7 (1/4"/1/2")		Φ9.52/Φ15.9(3/8"/5/8")							

	R410A Ceiling Conceal Non Inverter											
Cooling Capacity (HP)		2.0HP	2.5HP	4.0HP	5.0HP	6.0HP						
Indoor model		MTI-18HRN1	MTI-24HRN1	MTI-36HRN1	MTI-48HRN1	MTI-60HRN1						
Outdoor model		MOU-18HN1	MOU-24HN1	MOU-36HN1	MOU-48HN1	MOU-60HN1						
Power source	V/ph/Hz	220-240~/1/50	220-240~/1/50	380-415~/3/50	380-415~/3/50	380-415~/3/50						
Refrigerant piping	Liquid/Gas	Φ6.35/Φ12.7 (1/4"/1/2")	Φ9.52/Φ15.9 (3/8"/5/8")		Φ9.52/Φ19 (3/8"/3/4")							



#### **UNIQUE FEATURES**



#### **Easy Maintenance**

More than 60% parts and assemblies (such as fan wheels, plastic cases, metal parts etc.) are universal for 3 different bodies, which makes the production and maintenance much easier.



#### Fresh Air

Air outside can be led into the room via a connection pipe, which keeps the indoor air fresh and healthy.



#### **3D Airflow**

The unit has horizontal swing and auto vertical swing function, which supplies more even and comfortable air flow.

_										
	R32 Ceiling Floor Inverter									
Cooling Capacity (HP)		2.0HP	2.5HP	3.0HP	4.0HP	4.0HP 3Phase	5.0HP	6.0HP		
Indoor model		MUE-18CRFNX	MUE-24CRFNX	MUE-36CRFNX	MUE-36CRFNX	MUE-40CRFNX	MUE-48CRFNX	MUE-60CRFNX		
Outdoor model		MOUX-18CFN8	MOUX-24CFN8	MOUX-30CFN8	MOUX-36CFN8	MOUX-40CFN8	MOUX-48CFN8	MOUX-60CFN8		
Power source	V/ph/Hz	220-240~/1/50	220-240~/1/50	220-240~/1/50	220-240~/1/50	380-415~/3/50	380-415~/3/50	380-415~/3/50		
Refrigerant piping	Liquid/Gas	Φ6.35/Φ12.7 (1/4"/1/2")		Φ9.52/Φ15.9(3/8"/5/8")						


	R32 Ceiling Floor Non Inverter									
Cooling Capacity (HP)		2.5HP	3.0HP	4.0HP	5.0HP					
Indoor model		MUE-25CRNX	MUE-36CRNX	MUE-36CRNX	MUE-48CRNX					
Outdoor model		MOUX-25CN8	MOUX-30CN8	MOUX-36CN8	MOUX-48CN8					
Power source	V/ph/Hz	220-240~/1/50	220-240~/1/50	380-415~/3/50	380-415~/3/50					
Refrigerant piping	Liquid/Gas		Φ9.52/Φ15.9	9(3/8"/5/8")						

AIR CONDITIONER


# LIGHT COMMERCIAL | FLOOR STANDING



#### **UNIQUE FEATURES**



**Reshape The Space** Truly Seamlessly Fit In Your Space



**Reshape The Speed** Vertical Air Outlet, Larger Airflow Volumn, Faster Cooling




**Reshape The Surrounding** Feel The Immersive CoolFrom Every Sides Of Your Room



**Reshape The Sense** Flexibly Control The Cool Airflow In The Way You Need



**Reshape The Flexi** Even Cooling, Even From Head To Toe



**Reshape The Silence** Enjoy More Even Coolness With Less

#### **GA** SERIES



#### **UNIQUE FEATURES**



**Front Air Inlet** The air inlet is located at the front of the unit to ensure better air intake.



**Golden Fin** The innovative anti-corrosion coating on the fin helps to prevent bacteria and enhance the efficiency of heat transfer.



**Self-Diagnosis & Auto-Protection** 

In the case of abnormal operation, the unit will protect the system by shutting down automatically. Meanwhile the error code enables engineers to identify the problem quickly.

	AirFeel Tower Floor Standing						
Cooling Capacity (HP)	Cooling Capacity (HP)   2.5HP Inverter (R410A)						
Indoor model		MFYA-24ARFN1					
Outdoor model		MOUX-24ARFN1					
Power source	V/ph/Hz	220-240-/1/50					
Refrigerant piping	Liquid/Gas	Φ6.35/Φ12.7 (1/4"/1/2")					

R	R32 GA Floor Standing (Non Inverter)								
Cooling Capacity (HP)		2.5HP	5.0HP						
Indoor model		MFGA-25CRNX	MFGA-48CRNX						
Outdoor model		MOUX-25CN8	MOUX-48CN8						
Power source V/ph/Hz		220-240~/1/50	380-415-/3/50						
Refrigerant piping	Liquid/Gas	Φ9.52/Φ15.9(3/8"/5/8")							

### **WINDOW TYPE**



• Application area (sq.ft): 130~190

### **PORTABLE**

• Application area (sq.ft): 90~140



• Application area (sq.ft): 200~300



• Application area (sq.ft): 250~370

### **PORTABLE**

#### AIR CONDITIONER

#### **PO Series**



Fast Cooling



Golden Fin



tive Carbon Filter



24 Hours Timer



Self Evaporative System



360 ° mobile

#### 1.0HP

#### **MPO-10CRN**

- Cooling capacity: 1.0HP
- Application area (sq.ft): 80~130

#### UNIQUE FEATURES



### Self-diagnosis and Auto-protection

Once unusual operation or parts failure happens, the unit will shut off automatically to protect the system, meanwhile it will indicate protection or error code for fast servicing



#### **Active carbon filter**

The anti-dust and active carbon filter help to capture particles including allergens such as pollen and dust. Enjoy the fresh air instantly



#### **Golden Fin\* Technology**

Quick heat exchange to assure longer duration performance, the golden fin technology is more resistant to water, rust, adherent grease, oxidation, and other corrosive elements.



### Timer functions, sleep better at night

Set various timer function using your wireless remote control. Sleeping better at night with ease



### 360° Mobile universal wheel design easy portability

Attached wheels provide greater versatility of movement, so that you can relocate the air conditioner without difficulty anywhere you want to cool (window access required).



#### **Self-evaporative System**

No drainage More efficient



## **WASHING MACHINE**

More gentleness, more care.



### **WASHER & DRYER COMBO**

WASHING MACHINE



8.5kg





#### MF200D85B



- · Capacity: Wash 8.5kg/ Dryer 6.0kg
- 45min Rapid Wash
- 90°C Drum Clean
- Steam Care Allergy Care
- Auto Clean
- Turbo Wash
- Lunar Dial
- Add Garment



WARRANTY

**3**years Full Warranty | Control Panel | Motor

10 years

#### **UNIQUE FEATURES**






focuses on Hygiene and Health Care. In MF200, HealthGuard system points to all cycles in left line, combined with Auto Clean and Stem Care.



**AUT** CLEAN

Auto Clean cycle will be automatically activated to have inner and outer drum totally cleaned. (includes programs as Cotton, Mix, Synthetic, Jeans, Cold Wash.)



Steam Care

Steam Care will have drum heated to develop steam to reach 99.99%\* Sterilization. (includes programs as Allergy Care and Steam Care)



#### **Inverter Quattro**

leads to 70% energy saving, 10.4% lower noise and more than 10 years durable life.



#### **Lunar Dial**

Inspired from the splendor and purity of luna, we have Lunar Dial as the key element of Midea Laundry Series. Different from traditional knobs, Lunar Dial integrates the functions from both knob and screen display, offering you more direct laundry experience.



#### **Drum Clean**

Manually selected from touch panel, then drum will have 1/3 water in and heated up to 90°C to have drum self-cleaned -- Anti-bacteria and hegh temperature to kill germ.







5.0kg





Quick Wash



WARRANTY 10 years **3**years Full Warranty | Control Panel | Motor

#### MF100D85B



- Capacity: Wash 8.5kg/ Dryer 5.0kg
- 45min Rapid Wash
- Auto Clean
- 90°C Drum Clean • Lunar Dial
- Turbo Wash Add Garment

16

### **FRONT LOAD**

#### WASHING MACHINE



#### UNIQUE FEATURES







#### **Lunar Dial**

Inspired from the splendor and purity of luna, we have Lunar Dial as the key element of Midea Laundry Series. Different from traditional knobs, Lunar Dial integrates the functions from both knob and screen display, offering you more direct laundry experience.



#### **Multiple Temperature**

Multiple Temperature to select for gentle wash delicate clothes delicate clothes such wool, and



### One-Touch Pre-Wash Extra Care for Dirty Clean

Adding Pre-wash program for badly messed clothes by one step, dirty clothes will be soaked and gently washed before main cycle to achieve the best washing result.

### DRYER



### 10kg

#### **MD-K1088HP**




- · Capacity: 10kg
- Condensing drying
- Interior lighting
- · Fault check display
- Button program selection
- Transparent door
- LED display
- · Electronic control
- Buzzer
- · Child lock
- Reverse tumbling
- 14 Programmes and performance



WARRANTY 2years **3**years Full Warranty | Control Panel Motor

#### **UNIQUE FEATURES**



#### DRY LAUNDRY HYGIENICALLY

After the drying cycle is completed, the inner drum will remain at the same temperature for more than 30 minutes to ensure effective sterilization.

# Cooling to condensate, reheat air flow Impeller Form air flow Store condensed

#### **HEAT PUMP TECHNOLOGY**

#### DRY MORE EFFICIENTLY AND QUICKLY

- Motor drives the impeller to generate circulating air.
- The compressor works with heat exchanger to have air flow heat, and then goes into the inner drum to dry clothes.
- The air flow goes through the filter back to the heat exchanger, then cooled down to form condensate through compressor.

#### **Energy and Time Saving**

Heat pump system can reuse the heat generated during the drying process, thus to improve energy efficiency and reduce power consumption.







#### **Gentle Care**

Heat pump drying controls the temperature in two directions to maintain the air temperature below 50°C and provides protection for high-grade fiber fabrics



### HEAT PUMP DRYING CARE MORE AND SAVE MORE

The large capacity spreads the clothes evenly, and the strong air flow flattens wrinkles and prevents entanglement. Clothes are left soft and fluffy and can be wore immediately after drying.




### 7kg

#### **MD-100A70**





- Remaining Time Display
- Buzzer
- · Safety thermostat heater
- E-LED display
- Transparent windows
- Autosensing Electronic







**2**years Full Warranty | Control Panel

†) HealthGuard

**3**vears

10 years Motor

#### **UNIQUE FEATURES**



#### **HYGIENE DRY**

#### DRY LAUNDRY HYGIENICALLY

After the drying cycle is completed, the inner drum will remain at the same temperature for more than 30 minutes to ensure effective sterilization.



#### Refresh

#### **Removed Odors**

The Refresh function improves fresh air circulation inside the drum to remove unwanted odors.



### Air Vented Drying

#### **DRY More Quickly and Easily**

- No enclosed circulation in air vented dryer
- Cold fresh air enters into drum from the gap, hot and humid air flows vent directly out of machine.



#### **ANTI-CREASE**

#### **Minimize Wrinkles**

Keeping rotating every 10 minutes in set time after mission completed, which helps to prevent wrinkle developed.



#### QUICK

#### **Drying Without Waiting**

Get less loads to dry within 40 minutes when you're in a hurry.

### **DRYER**



#### MD-C8800

- Capacity: 8kg
- Humidity Sensor
- Child Lock
- Electronic control
- Cool-down phase • Transparent windows
- Error alarm
- Delay Start
- Temperature Sensor
- LED Display
- Button program selection
- Interior lighting
- Front lint filter
- Cycle status light



#### **MD-7388**

- Capacity: 7kg
- Electronic control
- Cool-down phase
- · Front lint filter
- Error alarm
- Buzzer
- Button program selection
- Transparent door
- Crease guard option
- Cycle status light














#### 15' Quick Wash

A Cycle for small loads of laundry will be finished within 15 minutes. Never in a hurry, and always be at your best.



#### **Water Cub Tub**

Imitate hand washing to provide gentle care for clothes.



#### **Pulsator**

Lifting flow propelled by the impeller prevents tangle and knot.



- Lunar Dial
- 15' Quick Wash
- Auto Clean
- Hygiene
- Water Cub Tub
- Pulsator
- One-Touch Smart Wash
- Easy-to-clean Metal Lint Filter
- Lunar Dial15' Quick Wash
- Auto Clean
- Auto CleanHygiene
- Water Cub Tub
- Pulsator

WARRANTY
S Jears

Full Warranty | Control Panel |

- One-Touch Smart Wash
- Easy-to-clean Metal Lint Filter

**5**years

Motor

WARRANTY									
<b>2</b> years	<b>3</b> years	10 years							
Full Warranty	Control Panel	Motor							

### UNIQUE FEATURES



#### Water Cub Tub

Imitate hand washing to provide gentle care for clothes.



#### Easy-to-clean

#### Metal Lint Filter

Cleaning the filter regularly ensures a better washing result.



#### **Pulsator**

Lifting flow propelled by the impeller prevents tangle and knot.

#### Easy-to-clean Metal Lint Filter



**1.** Lint, hair, tissues and residues are effectively collected.



**2.** Flush water through to clean up the filter.



3. Click. All set.

## **FULLY AUTO**





7.5kg

MA200W75 NEW

• Capacity: Wash 7.5kg

8.5kg

MA200W85 NEW

· Capacity: Wash 8.5kg

9.5kg



• Capacity: Wash 9.5kg

Wash 10.5kg

INVERTER

MA200W105D NEW

• Capacity: Wash 10.5kg

- Inverter Quattro\*
- AirFresh
- Lunar Dial
- One Touch Wash

Wash 13kg INVERTER

MA200W130D

• Capacity: Wash 13kg

- Easy-to-clean Metal Lint Filter
- Soft Close Lid
- Auto Stop
- Child Lock

- Auto Clean
- Hygiene+
- Deep Clean
- Turbo

WARRANTY 2 years **3**years 10 vears Full Warranty | Control Panel | Motor

\* Inverter Quattro only for model MA200W105D & MA200W130D

#### **UNIQUE FEATURES**





**Soft Close** Matte Glass Lid



Airfresh All-around Fresh Care






**3D Cyclone Cleaning System** 

The water cube impeller and drum form cyclone water flows to deeply clean the mixed clothes of different types and prevent them from twining at the same time.









3+1 CHANNELS

The 3+1 powerful water flows can effectively prevent tangles from







#### WATER CUBE TUB The water cube tub is designed to imitate hand

washing which provides


gentle care for clothes

generating.

### **FULLY AUTO**

WASHING MACHINE









#### **Soft Touch Drum**

The drum with water drop design, wash the clothes

#### **Tempered Glass Cover**

The cover was made of Tempered glass, bears up to **150kg**, safe and durable.

#### **Streamlined Design**

Curve integrated glass, Streamlined design.

#### **Super Window**

Integrated transparent cover, bigger window, easy to monitor the washing status.

#### **Soft Close Lid**

Safe, smooth and elegant lid opening and closing operation is designed to avoid finger pinching and eliminate the sound of slamming.



#### **UNIQUE FEATURES**



During spinning, air outside is circulated into the tub to refresh and dry clothes.



#### **Tub Clean**

Tub Clean program is specially set for tub cleaning, you can select this program to regularly clean up the residue and bacteria in the tub.




#### **Soft Touch Tub**

The tub with water drop design, wash the clothes gently like hand, the spray water from the holes removes the stains effectively.

#### **3D Waterfall Current**

### **Agitate Flow**

Reduce the tangle



soaking performance



Tube Clean



- Fuzzy
- Error Alarm
- LED Display Auto-power Off
- Child Lock · Colour: Grey
- Memory Of Power Interrupt
- Auto Unbalancing Detection



13kg

MT100W130 NEW

• Capacity: Wash 13kg

15kg

MT100W150 NEW

• Capacity: Wash 15kg

- Durable Body
- Large Knob Design
- Dual Force Pulsator • Water Inlet Selection
- Higher Back Control Panel
- Humanized Hook Design
- Metal Lint Filter
- · Air Fresh

#### **UNIQUE FEATURES**



#### **Durable Body**

The body design is mainly made of anti-rust material, which is hardly rusted and more flexible than steel

Even in tough circumstances, it's more durable and hard to be dented.



### **Higher Back Control**

Best viewing angle for better user experience.



#### **Large Knob Design**

Easy to operate and recognize functions displayed.



#### **Humanized Hook Design**

The washing tank cover is removable. And the hook is designed as kit for hanging the cover to free your hands.



#### **Dual Force Pulsator**

The independent big and small pulsators will generate different water flows in multiple directions and levels to stimulate handwashing performance.



#### **Airfresh**

Thanks to the unique AirFresh design, the water can be effectively taken away from clothes by the inner and outer air circulation.



### **Easy-to-clean Metal Lint**

The removable filter is made of Metal material which ensure **HYGIENE** condition during the washing process, enhance rinsing effect. it can also be easily taken out, so that leading it to be simple to clean up the Hence there's no need to move lint, fluff and particles.

It only takes a small effort to keep your machine working its best.



#### **Water Inlet Selection**

The switch can control water inlet direction, switch to left to let water flow in wash drum and right to let water flow in spin drum which can

water inlet pipe anymore.





#### **MSW-7118P**

• Capacity: Wash 7kg





#### MSW-8008P

• Capacity: Wash 8kg

WARRA	NTY
<b>1</b> year	<b>5</b> years
Full Warranty	Motor



#### **MSW-1508P**

• Capacity: Wash 15kg

WARRA	NTY
<b>1</b> <sub>year</sub> <b>Full Warranty</b>	5 years Motor





Wash 6kg

#### MSW-6008P

• Capacity: Wash 6kg

Wash 11kg

#### **MSW-1108P**

• Capacity: Wash 11kg

Wash 9kg

#### MSW-9008P

• Capacity: Wash 9kg

Wash 13kg


#### MSW-1308P


• Capacity: Wash 13kg



#### **Front Load** Model MF100W75 MF100W85B MF100W95B Wash 8.5kg Capacity Wash 7.5kg Wash 9.5kg Gross Weight (kg) 63 72 76 60 68 Net Weight (kg) 71 Carton Dimension (WxDxH) (mm) 575x650x885 660x680x875 695x680x875 Net Dimension (WxDxH) (mm) 495x595x850 595x565x850 595x565x850







#### **Fully Auto** Model MFW-952S MFW-1055CV MFW-1255CV MFW-1655CVI Wash 12.5kg Wash 10.5kg Capacity Wash 9.5kg Wash 16kg CEKAP AIR Wooter Efficient ★☆☆ ★☆☆ \*\*\* ₩ater Efficient 00 00 00 Gross Weight (kg) 45 53 59 41 Net Weight (kg) 37 46 54 Carton Dimension (WxDxH) (mm) 621x630x1025 664x679x1075 660x685x1065 729x761x1075 Net Dimension (WxDxH) (mm) 550x565x955 580x596x968 580x596x968 640x684x1024



### Semi Auto











Model	MSW-6008P	MSW-7118P	MSW-8008P	MSW-9008P	MSW-1108P
Capacity	Wash 6kg	Wash 7kg	Wash 8kg	Wash 9kg	Wash 11kg
Gross Weight (kg)	20.5	20.5	23	24.5	26
Net Weight (kg)	18	18	19	21	23
Carton Dimension (WxDxH) (mm)	453x760x885	453x760x885	475x778x918	505x840x900	546x886x992
Net Dimension (WxDxH) (mm)	430x735x845	430x735x845	448x761x885	485x827x865	572x870x957









			NEW	NEW
Model	MSW-1308P	MSW-1508P	MT100W70	MT100W80
Capacity	Wash 13kg	Wash 15kg	Wash 7kg	Wash 8kg
Gross Weight (kg)	34.5	43.5	21	23
Net Weight (kg)	30	38	18.5	20
Carton Dimension (WxDxH) (mm)	580x950x1050	575x1015x1200	760x453x885	778x475x920
Net Dimension (WxDxH) (mm)	537x902x984	555x995x1155	735x430x855	761x448x885









	NEW	NEW	NEW	NEW
Model	MT100W90	MT100W110	MT100W130	MT100W150
Capacity	Wash 9kg	Wash 11kg	Wash 13kg	Wash 15kg
Gross Weight (kg)	25	27	34	43.5
Net Weight (kg)	22	23	29.5	37.5
Carton Dimension (WxDxH) (mm)	870x520x950	886x546x1000	950x580x1020	1020x580x1185
Net Dimension (WxDxH) (mm)	827x485x895	870x512x950	902x537x974	995x555x1105



# **REFRIGERATOR**

Touch freshness before tasting it





- Gross Capacity: 560L
- Net capacity: 479L
- Premium Tempered Glass Door PT Fresh
- 2-Cooling System
- LED Display Control
- Interior LED light
- Multi Air Flow System
- Super Cooling and super freezing function
- \* Visual for reference & illustration purpose only.

#### **UNIQUE FEATURES**





LED display control



Detachable Ice-Maker



**Double Crispers** Sliding Tray with Drawer rollers



Crisper Drawer with rollers



**INVERTER** COMPRESSOR WIDE VOLTAGE 154V-276V ENERGY SAVING 24%

Dimension (WxDxH)(r

833x738x1840



#### **VACATION MODE**

Model

MFT-585WEGBI

When vacation mode is activated, the fridge compartment will stop functioning.







Gross Capacity 519L






- MDRF632FGF28
- Gross Capacity: 519L • Door Panel : VCM Black
- Multi Air Flow System
- Single Cooling Zone System
- Super cooling & super freezing Function
- PT Fresh : Platinum Fresh
- LED Display Control
- Interior LED Light

Model Dimension (WxDxH)(mm) MDRF632FGF28 833x653x1775



## Smart\*Co\*ling

with Inverter Quattro





**Changeover Crisper** Drawers on the first floor of the freezer can be switched over to a bigger space. Which is used to hold large food.



360° Air Cooling Keeping original taste, great shape and bright color



Vario Box
The left crisper in the fridge can be controlled directly through the external digital control panel. The temperature can be adjusted as 6°C, 2°C and -1°C. Equipped with temperature sensor and separate air duct, the crisper leads accurate temp for different food.



#### **Inverter Quattro**

Compressor and fan inverter, speed in response to cooling demand. It uses less energy, minimizes noise and makes temperature stable.



#### **Platinum Fresh**

Effectively solve odor problem and create a odorless environment in refrigerator.



Tempered Glass Super strong glass shelf; maximum load bearing 36kg.



#### **No Frost**

No need to defrost. Remain clear and clean.



#### **Anti-Fall Bins**

The bottom row door bins of the fridge are increased by 2cm to prevent the big bottles from dumping.



- Black VCM Door
- High Temperature Alarm Mode
- Multi Air Flow System
- Twist Ice Maker & Ice Tray
- Frost Free

**COMPRESSOR** 

- Interior Led Light
- Durable Storage Racks
- Big Crisper Drawer
- Super Cooling And Super Freezing Function
- High Temperature Alarm Mode
  - Multi Air Flow System
- Twist Ice Maker & Ice Tray
- Frost Free
- Interior Led Light
- Durable Storage Racks
- Big Crisper Drawer
- Super Cooling And Super Freezing Function





Model Dimension (WxDxH)(mn MSS-582WEGBI 895x745x1788



Model



#### **UNIQUE FEATURES**



#### **Multi Air Flow**

Air duct and circulation system ensuring no-frost in the cooling and freezing compartments so the user does not have to manually defrost the refrigerator and food remains fresh.





#### **VACATION MODE**

When vacation mode is activated, the fridge compartment will stop functioning.


### **DOUBLE DOOR**







#### **UNIQUE FEATURES**



#### **Inverter Quattro**

Compressor and fan inverter, speed in response to cooling demand. It uses less energy, minimizes noise and makes temperature stable.




#### **Smart Sensor**

Special built-in smart sensors will detect fluctuating external temperature to maintain an optimum internal cooling temperature for longer freshness. Superefficient built-in Inverter compressor will ensure optimum energy saving



#### **Digital Temperature Control**

4 precise temperature settings to suit all your cooling needs. Super Cooling function is especially useful for speedy cooling.



#### **True Big Capacity**

Compact body with larger interior space, achieved using advanced foaming technology for an ultra-thin insulated wall. Up to 8% more space vs. conventional foaming for a more spacious interior for storage.




#### **Humidity control**

Humidity adjustable crisper, which can store different food using at different temperature and humidity setting.



#### **Chiller Box**

Convenient storage for deli, fresh fish or meat. Chilled at 0°C to maintain freshness without the freeze for time saving food preparation.



#### **Expandable Egg Trays**

Uniquely designed egg trays are space saving yet practical.



#### **Active-C Fresh**

Built-in layered carbon removes odor so that food stays fresher longer.



Quattro

True big

capacity







Cooling







#### MDRT268MTB28-MY


- Net capacity: 179L
- Inverter Quattro
- Active-C Fresh
- Big Cooling Zone
- Smart sensor
- Electronic Control
- Special Egg Tray

## MDRT307MTB28-MY

### • Net capacity: 203L

- Big Ice Tray
- Highlight-LED
- 2L door rack (only MDRT346MTB28-MY avalaible)





MDRT346MTB28-MY

• Net capacity: 236L



## **DOUBLE DOOR**







#### MDRT489MTB46-MY

- Net capacity: 338L • Inverter Quattro
- Active-C Fresh
- Big Cooling Zone
- 2L Bottle Rank
- · Color: Bru Steel Color
- Smart sensor
- Electronic Control
- Big Vegetable Box
- Humidity Control

Model MDRT489MTB46-MY Dimension (WxDxH)(mm 595x695x1724







#### MDRT580MTB46-MY

- Net capacity: 413L • Inverter Quattro
- Active-C Fresh
- Big Cooling Zone
- 2L Bottle Rank • Dual LED lamp
- Color: Bru Steel color
- Smart sensor
- Electronic Control
- Big Vegetable Box
- Humidity Control

Model MDRT580MTB46-MY Dimension (WxDxH)(mn 700x670x1723





185L



High Gloss and Hairline Dark Panel



Recess handle



Durable Top Cover

- Net capacity: 165L
- Color: Black

**MD-228B** 

- Fast Cool
- 2L bottle rack
- Oversized Crisper
- Frost free
- Interior LED light
- Multi Air Flow System
- High Gloss and Hairline Dark Panel
- Crisper with humidity control optional
- Sink-style top cover optional
- Electronic temparature control
- Crisper can be pulled out when the door opened at 90°





Model MD-228B Dimension (WxDxH) 510x585x1344

## SINGLE DOOR

REFRIGERATOR





Gross Capacity
163L

#### MDRD229FGD28-MY

NEW

• Net capacity: 158L

• Color: Jazz Black





Gross Capacity
163L

#### MDRD229FGD42-MY

NEW

• Net capacity: 158L

• Color: Silver



Gross Capacity

#### MDRD268FGD28-MY



- Net capacity: 190L
- Color: Jazz Black





 Model
 Dimension (WxbxH)(mr

 MDRD229FGD28-MY
 520X540x1086

 MDRD229FGD42-MY
 520X540x1086

 MDRD268FGD28-MY
 520X540x1246

#### **UNIQUE FEATURES**



#### **Handle Cap**



New Structure For Freezer Compartment which is foaming; independent compartment; low defrost; no odor.

#### **Larger Storage Compartment**

- Low defrost/no odor
- More clean and tiny
- No need to defrost frequently.
- Only just to twist the knob to "defrost", the defrosting water will be out from the drain hole of the freezer compartment.

#### Easy to defrost without oddor

- No need to defrost frequently.
- Only just to twist the knob to "defrost", the defrosting water will be out from the drain hole of the freezer compartment.

#### **Plastic tray**

Temperature control position changed to refrigerator compartment.

## SINGLE DOOR



## **MINI BAR**

REFRIGERATOR







Separate chiller compartment

#### MDRD86FGG NEW





- Reversible door
- Adjustable leg
- Mechanical temperature control





Model Dimension (WxDxH)(m MDRD86FGG 472x450x492

## **SHOWCASE-CHILLER**









310L

MDRZ432FGG30 NEW

• Net capacity: 309L

MDRZ302FGG30 NEW

• Net capacity: 210L





Model	Dimension (WxDxH)(mm)	
MDRZ302FGG30	520x610x1747	
MDRZ432FGG30	595x610x2005	

#### MSC-186BE

• Net capacity: 186L





Model	Dimension (WxDxH)(mm)
MSC-186BE	520x610x1375

#### **UNIQUE FEATURES**



Hollow Tempered Glass



Recessed handle

Multi-layer shelf





Ventilation Duct



Interior fan





Built-in Lock



- Flexible Size Compartment to fit various sizes of food and beverages packing sizes
- Easy To Operate

## **UPRIGHT FREEZER**



- Net capacity: 232L
- Stainless Steel Door
- Air Duct Design
- · Door Open Alarm
- Power consumption: Rated power 150W

 Model
 Dimension (WxDxH)(m)

 MUF-307SS
 595x635x1720



#### **UNIQUE FEATURES** (for all Upright Freezer)



#### **Zero Clearance**

When the door is opened at a **90 degree angle**, the fruit and vegetable crispers open completely

#### **SPACE SAVE**

Space save and well-fit with furniture is very important for families.



Convenience Flip Cover in 90° Angle

# Drawer Side-

## recessed Handles More convenient access to

More convenient access food

#### Max box

Provides the ultimate in flexible storage



#### **Low Noise**

(Available in MUF-307SS)
The centrifugal integrated fan is used to generate wind pressure, a more uniform temperature and lower noise levels.

Midea product design

Midea product design < 40db



## **Dual Mode: Fridge** or Freezer

(Available in MUF-307SS)



#### MD-RC151FZB01

• Net capacity: 99L

130L

Gross Capacity

#### MD-RC207FZB01

• Net capacity: 142L



1 year Full Warranty Compressor

 Model
 Dimension (WxDxH)(mm)

 MD-RC151FZB01
 545x495x850

 MD-RC207FZB01
 632x550x850

#### **UNIQUE FEATURES**



**Door Handle** 

Comfortable recessed handle design, makes consumers feel much easier when open the fridge door



**Wire Basket** 

It is easy to clean and easy to take



**Adjustable Legs** 

Adjust the height and balance for a perfect fit in your kitchen



## **Mechanical Temperature Control**

Convenient for users to easily adjust the chest freezer temperature manually



**Adjustable Thermostats** 

The adjustable thermostat allows you to control the temperature from -12°C to -24°C so you can always store your frozen foods at their optimum temperature. The chest freezer can operate at -15 degrees below the ambient temperature and it's suitable for use in a watertight garage or outbuilding



**Humanization Design** 

Multi-angle hover, Ergonomics design Convenient to find out any food you want



#### **Energy Saving**

Engineered to significantly improve energy efficiency of the unit

## **CHEST FREEZER**



**WD-130WA** 

• Net capacity: 99L

**WD-186WA** 

• Net capacity: 142L

**WD-260WA** 

• Net capacity: 198L

REFRIGERANT

Full Warranty | Compressor

Model	Dimension (WxDxH)(mm)	
WD-130WA	545x495x850	
WD-186WA	632x550x850	
WD-260WA	816x550x850	

#### **UNIQUE FEATURES**



**Built-in Hinges** 

The initiative built in hinges realize reducing the freezer space cover.



**Grip handle** 

Easy to hold the grip to open and close the door



Mechanical **Temperature Control** 

Set the desirable temperature for the hinges to store different types of food



**Recessed Hinge** 

Unique Design more durable Big window area to let go



**Heat Release Grill** 

the heat



- Net capacity: 295L
- Power consumption: Rated power 115W

Model	Dimension (WxDxH)(mm)	
WD-300W	1124x685x850	

- Net capacity: 418L
- Power consumption: Rated power 250W

Model	<b>Dimension</b> (WxDxH)(mn	
WD-500WR	1416x750x825	

## CHEST FREEZER



- Net capacity: 515L • Power consumption: Rated power 340W
- · Net capacity: 702L • Power consumption: Rated power 330W

Model	Dimension (WxDxH)(mm)
WD-670WR	1640x675x875
WD-860WR	2110x795x825

#### **UNIQUE FEATURES** (for all Freezer)



Super durable white inner wall for easy cleaning



Removable storage basket



Big strong wheels







Silence hinges



Rollers for easy



Temperature Lowest -24°C






Temperature

## D<sup>+</sup> Quick-Freezing System


#### Fitted D-Shaped Tube Refrigeration



Line contact Small heat exchange area Low refrigeration efficiency



Large heat exchange area High refrigeration efficiency



Midea Freezer D+ Quick-Freezing System

#### **Two-way Uniform Refrigeration Technology**



Coil shaped cooling tubes with extra cooling at the top

Cool air sprials from bottom to top for consistant cooling

## The advantages of R290 refrigerant-Latest Technology

#### **Deep Freeze**

The temperature reaches -36° C versus a previous -18°C.



**Fast Freezing** Reduction of freezing time by 50%



**Fresh Preservation** Lock-in Fresh



**Environmentally Friendly** 

Freon-free to protect the ozone layer and create an environmentally friendly home.



<sup>\*</sup> Models with R290 refrigerator WD-500WR, WD-670WR & WD-860WR

## **SPECIFICATION**

### 4 Door Refrigerator




#### Side by Side Refrigerator



Model	MDRF632FGF28	MFT-585WEGBI	MSS-580WEVB	MSS-582WEGBI
Gross Capacity	519L	560L	587L	580L
Net Capacity		479L	510L	525L
Dimension (WxDxH) (mm)	833x653x1775	833x738x1840	895x690x1788	895x745x1788

#### **Double Door Refrigerator** MDRT268MTB28-MY MDRT307MTB28-MY MDRT346MTB28-MY MDRT489MTB46-MY MDRT580MTB46-MY Model MD-228B **Gross Capacity** 185L 200L 400L **Net Capacity** 165L 179L 203L 236L 338L 413L **Energy Efficiency Star Rating** Dimension (WxDxH) (mm) 510x585x1344 545x610x1267 545x610x1372 545x610x1522 595x695x1724 700x670x1723



## **SPECIFICATION**

520x610x1375

Dimension (WxDxH) (mm)

#### **Showcase-Chiller Upright Freezer** NEW MDRZ302FGG30 MDRZ432FGG30 MUF-208SD MUF-307SS Model MSC-186BE **Gross Capacity** 187L 211L 310L 188L 300L 186L 210L 309L 157L 232L **Net Capacity**

520x610x1747

520x610x2005

550x550x1420

595x635x1720



Model	WD-300W	WD-500WR	WD-670WR	WD860WR
<b>Gross Capacity</b>	390L	500L	670L	860L
Net Capacity	295L	418L	515L	702L
Dimension (WxDxH) (mm)	1124x685x850	1416x750x825	1640x675x875	2110x795x825
Refrigerant	R600a	R290a	R290a	R290a



#### Midea Scott & English Electronics Sdn Bhd (194517-X)

No. 16, Jalan Chan Sow Lin, 55200 Kuala Lumpur Tel: 03-9221 1033 Fax: 03-9221 7204 / 03-9221 1434 / 03-9221 3509

#### **PENANG**

No. 35, Jalan Perniagaan Gemilang 1, Pusat Perniagaan Gemilang, 14000 Bukit Mertajam, Pulau Pinang. Tel: 04-548 3938 Fax: 04-548 9698

#### **JOHOR**

No. 25, Jalan Seri Impian 1, Taman Impian Emas, 81300 Skudai, Johor.

Tel: 07-562 4898 Fax: 07-557 7898

#### **PERAK**

No. 38, Persiaran Perindustrian Pengkalan 10, Kawasan Perindustrian Pengkalan, 31500 Lahat. Perak.

Tel: 05-323 2529 Fax: 05-323 2529

#### **PAHANG**

No. 258, Ground Floor, Jalan Air Putih, Taman Air Putih Mewah, 25350 Kuantan, Pahang Darul Makmur. Tel: 09-560 6668 Fax: 09-09-560 5050

#### **MALACCA**

No. 385-L, Taman Peringgit Jaya, 75400 Peringgit, Melaka. Tel: 06-292 1940 Fax: 06-286 7107

#### **KOTA BHARU**

PT 1436, Ground Floor, Taman Koperatif, Tanjung Chat, 15300 Kota Bharu, Kelantan. Tel/Fax: 09-743 1202

#### **SABAH**

Inanam Suria Commercial Centre, Lot B, Unit 0-9, Unit 1-9, Ground Floor and First Floor, 88450, Kota Kinabalu, Sabah. Tel: 088-421 428 Fax: 088-431 427

#### **SARAWAK**

1st Floor, Lot 8517, Stutong Commercial Centre, Jalan Stutong, 93350 Kuching, Sarawak.

Tel: 082-363 167 Fax: 082-366 167

Dealer's Stamp:

Available at lazada & Shopee



shopee.com.my/midea.os



lazada.com.my/shop/ Lazada midea-official-store



midea malaysia



Midea Malaysia



my.midea.com

<sup>\*</sup> Visual for reference & illustration purpose only.