

BRINGING INNOVATION HOME Vol.17 2023



INTELLIGENT HOME APPLIANCES

* Visual for reference & illustration purpose only.





AIR CONDITIONER Cool homes the natural way



WALL MOUNTED airsti AIR CONDITIONER airstill SERIES R32 INVERTER



- Cooling capacity: 1.0HP
- Application area (sq.ft): 100~160

UNIQUE FEATURES



World's 1st TwinFlap with Mini-holes



Speed Cool your space in the Boost mode thanks to the high-speed fan and powerful compressor.

- Cooling capacity: 1.5HP
- Application area (sq.ft): 130~190



Soft 7928 Mini-hole matrix leaving purely the cool in still air.



Silent Optimized duct and turbine design makes the air conditioner much quieter during its operation.



Surround 3-Way Airflow, Providing 360° even, immersive cooling



Smart Control Your AC, Anytime and Anywhere



Sense Flexible Twin-flap Design Choosing from 3-mode sensitive care



Saving Save icco Just click the SmartSavE ieco button to activate the mode: your AC can keep you cool over an 8-hour night period, saving up to 60% energy. *

WALL MOUNTED ALLEASY Pro AIR CONDITIONER









air magic (Super Ionizer)



Smart Control

(optional)



1.0HP

MSEP-10CRFN8

• Cooling capacity: 1.0HP

R32 INVERTER

- iECO Mode (Energy Saving)
- Golden Fin (Cooling Coil)
- High Density Filter
- 2-way Draining
- Dual Filtration
- air magic (Super Ionizer) • Cold Catalyst Filter
- 3D Airflow
- Wired Controller (optional)
- WIFI Control (optional)



MSEP-19CRFN8

- Cooling capacity: 2.0HP
- Application area (sq.ft): 200~300



2.5HP **MSEP-25CRFN8**

- Cooling capacity: 2.5HP
- Application area (sq.ft): 300~450



R32 NON INVERTER

- Golden Fin (Cooling Coil)
- High Density Filter
- 2-way Draining
- Dual Filtration
- air magic (Super Ionizer)

1.0HP

MSAPB-10CRN8

• Cooling capacity: 1.0HP

• Application area (sq.ft): 100~160

UNIQUE FEATURES



1 Screw, 1 Minute for Deep Clean With the innovative 1-screw fixed

design, it only takes 1 minute to dissemble the inside fan to clean. Save your time, save your technician bills.



- Wired Controller (optional)



MSAPB-13CRN8

1 Lift To Clean

soft 'click'.

No need to bother opening up the

6 round magnetic connectors on the

filter, the cover filter can be easily

removed and put back just with 1

front panel anymore. Clean your

filter as often as you want.

- Cooling capacity: 1.5HP
- Application area (sq.ft): 130~190




MSAPB-19CRN8

- Cooling capacity: 2.0HP
- Application area (sq.ft): 200~300



Fast Cooling Quickly cools from corner to corner, so you're always comfortable wherever you are.



3D Airflow

The directional air-outlet moves automatically both horizontally and vertically, directing nice and cool airflow with the angled airflow to fill in every corner of the room.








- **MSEP-13CRFN8** • Cooling capacity: 1.5HP
- Application area (sq.ft): 150~230




• Application area (sq.ft): 100~160

1.5HP



• 3D Airflow







Xtreme Inverter SERIES



- iECO Mode (Energy Saving) Golden Fin
 - Low Noise • Cold Catalyst Filter
- air magic (Super Ionizer)

• Flash Cooling

1.0HP

MSXE-10CRDN8

• Cooling capacity: 1.0HP

• Application area (sq.ft): 100~160

with Super Ionizer

and healthy air.

Upon starting up, the air magic built-

in device generates ions to remove

airborne bacteria and dust. Making

sure every breath take in clean, fresh

FAIRY SERIES

- Follow Me
 - Built-in WIFI Control

1.5HP

MSXE-13CRDN8

• Cooling capacity: 1.5HP

• Application area (sq.ft): 130~190

1.0hp, 1.5hp 2.5hp & 2.0hp



2.0HP

MSXE-19CRDN8

• Cooling capacity: 2.0HP



Gear Shift

2.5HP

MSXE-25CRDN8

- Cooling capacity: 2.5HP
- Application area (sq.ft): 240~350





Experience the air magic PrimeGuard™

Midea's PrimeGuard[™] is more resistant in oxidation & corrosion than ordinary fins for condensers to furnish a steadier and long-lasting performance. It can also efficiently prevent bacteria from breeding and oil stain from adhering, and withstand weather elements to enhance durability



• Application area (sq.ft): 200~300

Built-in WIFI Control Wherever you are, you can keep your home comfortable using the MSmartHome App.



Saving Dave IC Just click the SmartSavE ieco button to activate the mode: your AC can keep you cool over an 8-hour night period, saving up to 60% energy.

* Data base on testing lab, term & condition apply.



1.0HP

MSMF-10CRN8

- Cooling capacity: 1.0HP
- Application area (sq.ft): 100~160

2.0HP

MSMF-19CRN8

- Cooling capacity: 2.0HP
- Application area (sq.ft): 200~300

R32 NON INVERTER

1.5HP

2.5HP

MSMF-13CRN8

• Cooling capacity: 1.5HP

MSMF-25CRN8


• Cooling capacity: 2.5HP

• Application area (sq.ft): 130~190

• Application area (sq.ft): 240~350

Super Cool

- Refrigerant Leakage Detect
- High Density Filter
- Cold Catalyst Filter
- Self-cleaning
- 2-way Draining Louver Position Memory
- Auto Restart Function
- 24-hour Timer





2.5HP **MSMFMY-25CRN8**

- Cooling capacity: 2.5HP
- Application area (sq.ft): 240~350



Xtreme SavE SERIES



R32 INVERTER



- iECO Mode (Energy Saving)
- Golden Fin
- air magic (Super Ionizer)
- Flash Cooling

1.0HP

MSXS-10CRDN8

- Cooling capacity: 1.0HP
- Application area (sq.ft): 100~160

UNIQUE FEATURES

- Cold Catalyst Filter • Follow Me
- WIFI Control (optional)



MSXS-13CRDN8

- Cooling capacity: 1.5HP
- Application area (sq.ft): 130~190
- 2.0HP

MSXS-19CRDN8

- Cooling capacity: 2.0HP
- Application area (sq.ft): 200~300



MSXS-25CRDN8

• Cooling capacity: 2.5HP

• Application area (sq.ft): 240~350



Experience the air magic PrimeGuard™ with Super Ionizer

Upon starting up, the air magic builtin device generates ions to remove airborne bacteria and dust. Making sure every breath take in clean, fresh and healthy air.



Midea's PrimeGuard™ is more resistant in oxidation & corrosion than ordinary fins for condensers to furnish a steadier and long-lasting performance. It can also efficiently prevent bacteria from breeding and oil stain from adhering, and withstand weather elements to enhance durability.



WIFI Control (Optional) Wherever you are, you can keep your home comfortable using the MSmartHome App.



Saving Saving 100 Just click the SmartSavE ieco button to activate the mode: your AC can keep you cool over an 8-hour night period, saving up to 60% energy.

* Data base on testing lab, term & condition apply.

AIR CONDITIONER

Xtreme Dura SERIES



• Golden Fin

Low Noise

Follow Me

Smart Diagnosis

Smart Control air magic Flash Cooling Prime Guard (optional) (Super Ionizer)



1.0HP

MSXD-09CRN8

- Cooling capacity: 1.0HP
- Application area (sq.ft): 100~160

UNIQUE FEATURES



- Cooling capacity: 1.5HP
- Application area (sq.ft): 130~190

2.0HP

MSXD-18CRN8

- Cooling capacity: 2.0HP
- Application area (sq.ft): 200~300



MSXD-24CRN8

- Cooling capacity: 2.5HP
- Application area (sq.ft): 240~350



Experience the air magic Cold Catalyst Filter with Super Ionizer

Upon starting up, the air magic builtin device generates ions to remove airborne bacteria and dust. Making sure every breath take in clean, fresh clean and healthy air for you. and healthy air.



Cold Catalyst filtration system thoroughly eliminates harmful substances and decomposes a variety of harmful gases, providing



PrimeGuard[™]

Midea's PrimeGuard™ is more resistant in oxidation & corrosion than ordinary fins for condensers to furnish a steadier and long-lasting performance. It can also efficiently prevent bacteria from breeding and oil stain from adhering, and withstand weather elements to enhance durability.



WIFI Control (Optional) Wherever you are, you can keep your home comfortable using the MSmartHome App.

MSGD SERIES

R32 NON INVERTER



- Super Cool
- Refrigerant Leakage Detect
- High Density Filter Cold Catalyst Filter
- Self-cleaning
- 2-way Draining
- Louver Position Memory
- Auto Restart Function
- 24-hour Timer

Super Ionize Smart Control Golden Fin Follow Me (optional)



2.5HP

MSGD-24CRN8

- Cooling capacity: 2.5HP
- Application area (sq.ft): 240~350

- **MSGD-09CRN8** Cooling capacity: 1.0HP
- Application area (sq.ft): 100~160

MSGD-12CRN8

1.5HP

- Cooling capacity: 1.5HP
- Application area (sq.ft): 130~190

2.0HP **MSGD-18CRN8**

• Cooling capacity: 2.0HP • Application area (sq.ft): 200~300

1.0HP

LIGHT COMMERCIAL CEILING CASSETTE AIR CONDITIONER





UNIQUE FEATURES






Super Slim Design


Independent Vane Control (By wired controller)



Fresh Air Fresh air makes air quality healthier and more comfortable.




Reserved Air Outlet Reserves the space for air outlet from the indoor side; It's available to connect air duct from the four sides to the nearby small rooms.



Re-structure Water Pump Water pump re-structure to external, more convenience for service. Over 20% increased airflow with hidden water pump structure, 5% larger heat exchanger, achieve higher energy efficiency, even more lower noise level.



Wi-Fi Control (App: MSmartLife) Build in Wi-Fi control function (For Inverter 2.0HP and above only)



R32 INVERTER

Built-in Drain Pump The drain pump can pump the condensing water up to 1000mm.



Cool Surround 360°

Unique seamless airflow louver design equipped with DC fan motor allows cool air to diffuse and sink in 360° direction, offering uniform cooling experience throughout the space.

- Fresh Air
- Built-in Drain Pump
- Sleep Mode
- LED Display
- Wide-angle Air Flow
- Quiet Design
- Auto Restart Function
- Timer
- Wired Controller (optional)
- Golden Fin


	R32 Ceiling Cassette Inverter								
Cooling Capacity (HP)		1.5HP	2.0HP	2.5HP	3.0HP	4.0HP	4.0HP 3Phase	4.5HP	5.0HP
Indoor model		MCA3-12CRFNX	MCX-24CRFNX	MCX-24CRFNX	MCX-30CRFNX	MCX-36CRFNX	MCX-40CRFNX	MCX-42CRFNX	MCX-48CRFNX
Outdoor model		MOUX-12CFN8	MOUX-18CFN8	MOUX-24CFN8	MOUX-30CFN8	MOUX-36CFN8	MOUX-40CFN8	MOUX-42CFN8	MOUX-48CFN8
Power source	V/ph/Hz	220-240~/1/50	220-240~/1/50	220-240~/1/50	220-240~/1/50	220-240~/1/50	380-415~/3/50	220-240~/1/50	380-415~/3/50
Refrigerant piping	Liquid/Gas	Ф6.35/Ф9.52 (1/4"/3/8")	Ф6.35/Ф12.7 (1/4"/1/2")	Φ9.52/Φ15.9(3/8"/5/8")					


	R32 Ceiling Cassette Non Inverter							
Cooling Capacity (HP)		1.5HP	2.0HP	2.5HP	3.0HP	4.0HP	5.0HP	
Indoor model		MCA3-12CRN8	MCDX-18CRN8	MCDX-25CRN8	MCDX-30CRN8	MCDX-36CRN8	MCDX-48CRN8	
Outdoor model		MOUX-12CN8	MOUX-18CN8	MOUX-25CN8	MOUX-30CN8	MOUX-36CN8	MOUX-48CN8	
Power source	Power source V/ph/Hz 220-240-/1/50 220-240-/1/50 220-240-/1/50 380-415-/3/50 380-415-/3/50						380-415~/3/50	
Refrigerant piping	Liquid/Gas	Φ6.35/Φ9.52 (1/4"/3/8")	Φ6.35/Φ12.7 (1/4"/1/2")	Φ9.52/Φ15.9(3/8"/5/8")				

LIGHT COMMERCIAL CEILING CONCEALED



UNIQUE FEATURES





Up to 160Pa High Static Pressure

With new eccentric fan motor, the A6 Duct can be installed in various application that requires high static pressure up to 160Pa.



Built-in Drain Pump

The drain pump can lift the condensing water up to 750mm, which is convenient to install drainage pipes under most conditions. It also allows parts be replaced from the side where maintenance is easier.



PrimeGuard Coating for Longlasting Performance

The unique anti-corrosive golden coating on the heat exchangers can withstand the salty air, rain and other corrosive elements. It also effectively prevents bacteria from breeding and improves heat efficiency.



Light Weight and Compact Design

With the weight decreases almost 20% and the size shrinks 12.5% in comparison with conventional one, the A6 duct save lots of installation efforts and time as well as creates bigger maintenance space.

	R32 Ceiling Conceal Inverter									
Cooling Capacity (HP)		1.5HP	2.0HP	2.5HP	3.0HP	4.0HP	4.0HP 3Phase	4.5HP	5.0HP	6.0HP
Indoor model		MTI-12CRFNX	MTI-18CRFNX	MTI-24CRFNX	MTI-30CRFNX	MTI-36CRFNX	MTI-40CRFNX	MTI-42CRFNX	MTI-48CRFNX	MTI-60CRFNX
Outdoor model		MOUX-12CFN8	MOUX-18CFN8	MOUX-24CFN8	MOUX-30CFN8	MOUX-36CFN8	MOUX-40CFN8	MOUX-42CFN8	MOUX-48CFN8	MOUX-60CFN8
Power source	V/ph/Hz	220-240~/1/50	220-240~/1/50	220-240~/1/50	220-240~/1/50	220-240~/1/50	380-415~/3/50	220-240/1/50	380-415~/3/50	380-415~/3/50
Refrigerant piping	Liquid/Gas	Ф6.35/Ф9.52 (1/4"/3/8")	Φ6.35/Φ12.7 (1/4"/1/2")	Φ9.52/Φ15.9(3/8"/5/8")						

	R410A Ceiling Conceal Non Inverter						
Cooling Capacity (HP)		2.0HP	2.5HP	4.0HP	5.0HP	6.0HP	
Indoor model		MTI-18HRN1	MTI-24HRN1	MTI-36HRN1	MTI-48HRN1	MTI-60HRN1	
Outdoor model		MOU-18HN1	MOU-24HN1	MOU-36HN1	MOU-48HN1	MOU-60HN1	
Power source	V/ph/Hz 220-240-/1/50 220-240-/1/50 380-415-/3/50 380-415-/3/50 380-415-/3/50					380-415~/3/50	
Refrigerant piping	Refrigerant piping Liquid/Gas Ф6.35/Ф12.7 (1/4"/1/2") Ф9.52/Ф15.9 (3/8"/5/8") Ф9.52/Ф19 (3/8"/3/4")						

LIGHT COMMERCIAL CEILING & FLOOR



UNIQUE FEATURES



Easy Maintenance More than 60% parts and assemblies (such as fan wheels, plastic cases, metal parts etc.) are universal for 3 different bodies, which makes the production and maintenance much easier.



Air outside can be led into the room via a connection pipe, which keeps the indoor air fresh and healthy.

3D Airflow The unit has horizontal swing and auto vertical swing function, which supplies more even and comfortable air flow.

	R32 Ceiling Floor Inverter								
Cooling Capacity (HP)		2.0HP	2.5HP	3.0HP	4.0HP	4.0HP 3Phase	5.0HP	6.0HP	
Indoor model		MUE-18CRFNX	MUE-24CRFNX	MUE-36CRFNX	MUE-36CRFNX	MUE-40CRFNX	MUE-48CRFNX	MUE-60CRFNX	
Outdoor model		MOUX-18CFN8	MOUX-24CFN8	MOUX-30CFN8	MOUX-36CFN8	MOUX-40CFN8	MOUX-48CFN8	MOUX-60CFN8	
Power source	V/ph/Hz	220-240~/1/50	220-240~/1/50	220-240-/1/50 220-240-/1/50 220-240-/1/50 380-415-/3/50 380-415-/3/50					
Refrigerant piping	Liquid/Gas	Φ6.35/Φ12.7 (1/4"/1/2")		Φ 9.52/ Φ 15.9(3/8"/5/8")					

	R32 Ceiling Floor Non Inverter							
Cooling Capacity (HP)		2.5HP	3.0HP	4.0HP	5.0HP			
Indoor model		MUE-25CRNX	MUE-25CRNX MUE-36CRNX MUE-36CRNX MUE-48CRNX					
Outdoor model		MOUX-25CN8	MOUX-30CN8	MOUX-36CN8	MOUX-48CN8			
Power source	V/ph/Hz	220-240~/1/50	220-240-/1/50 220-240-/1/50 380-415-/3/50 380-415-/3/50					
Refrigerant piping	Liquid/Gas		Φ9.52/Φ15.9(3/8"/5/8")					

LIGHT COMMERCIAL FLOOR STANDING AIR CONDITIONER

AirFeel TOWER



GA SERIES



UNIQUE FEATURES



Reshape The Space Truly Seamlessly Fit In Your Space



Reshape The Surrounding Feel The Immersive CoolFrom Every Sides Of Your Room




Reshape The Flexi Even Cooling, Even From Head To Toe



Reshape The Speed Vertical Air Outlet, Larger Airflow Volumn, Faster Cooling



Reshape The Sense Flexibly Control The Cool Airflow In The Way You Need



Reshape The Silence Enjoy More Even Coolness With Less Noise

UNIQUE FEATURES





Golden Fin The innovative anti-corrosion coating on the fin helps to prevent bacteria and enhance the efficiency of heat transfer.





Self-Diagnosis & **Auto-Protection**

In the case of abnormal operation, the unit will protect the system by shutting down automatically. Meanwhile the error code enables engineers to identify the problem quickly.

AirFeel Tower Floor Standing					
Cooling Capacity (HP)	Cooling Capacity (HP) 2.5HP Inverter (R410A)				
Indoor model	MFYA-24ARFN1				
Outdoor model		MOUX-24ARFN1			
Power source	V/ph/Hz	220-240-/1/50			
Refrigerant piping	Refrigerant piping Liquid/Gas Φ6.35/Φ12.7 (1/4"/1/2")				

R32 GA Floor Standing (Non Inverter)						
Cooling Capacity (HP) 2.5HP 5.0HP						
Indoor model	ndoor model MFGA-25CRNX MFGA-48CRNX					
Outdoor model		MOUX-25CN8	MOUX-48CN8			
Power source	V/ph/Hz	220-240-/1/50 380-415-/3/50				
Refrigerant piping	Liquid/Gas 09.52/015.9(3/8"/5/8")					

WINDOW TYPE AIR CONDITIONER Auto Defrosting Self Evaporative Fresh Air System • Timer • Easy Cleaning Panel • Auto Swing (vertical) 2.5HP R410A 1.0HP R32 2.0HP 1.5HP **R32 R32 MWF-10CMN8 MWF-13CMN8 MWF-19CMN8 MWF-25CMM** • Cooling capacity: 1.0HP • Cooling capacity: 1.5HP • Cooling capacity: 2.0HP • Cooling capacity: 2.5HP • Application area (sq.ft): 90~140 • Application area (sq.ft): 130~190 • Application area (sq.ft): 200~300 • Application area (sq.ft): 250~370 PORTABLE AIR CONDITIONER **PF Series** (R410A) Ionizer Self Evaporative Sleep Mode System 1.0HP Self-diagonsis and Auto-protection MPF-09CRN1 • Auto Swing (horizontal) • Easy Installation • Cooling capacity: 1.0HP • Timer • Application area (sq.ft): 90~140 Auto Restart Function • Omni-directional Caster 1.5HP **MPF-12CRN1** • Cooling capacity: 1.5HP • Application area (sq.ft): 130~180 PH Series (R410A) 1.0HP MPH-09CRN1 Self Evaporative Sleep Mode Self-diagonsis and System Auto-protection • Cooling capacity: 1.0HP • Easy Installation • Application area (sq.ft): 80~130 • Timer Auto Restart Function • Omni-directional Caster





Self-diagnosis and

Auto-protection

Once unusual operation or parts failure happens, the unit will shut off automatically to protect the system, meanwhile it will indicate protection or error code for fast servicing



Active carbon filter

The anti-dust and active carbon filter help to capture particles including allergens such as pollen and dust. Enjoy the fresh air instantly



*Golden fin for evaporator coil only


Golden Fin* Technology Quick heat exchange to assure longer duration performance, the golden fin technology is more resistant to water, rust, adherent grease, oxidation, and other corrosive elements.




Timer functions, sleep better at night Set various timer function using your wireless remote control. Sleeping better at night with ease



360° Mobile universal wheel design easy portability Attached wheels provide greater versatility of movement, so that you can relocate the air conditioner without difficulty anywhere you want to cool (window access required).



No Bucket Design Bucket free design brings satisfying cooling power. No draining as the condensate water evaporates automatically.



Shower Cooling System The advanced water consumption design can make the condensed water of the portable air conditioners vaporize and discharge outdoors. Meanwhile, the air conditioners can bring you more comfortable living environment.

Self-evaporative System No drainage More efficient





WASHING MACHINE

More gentleness, more care.



WASHER & DRYER COMBO WASHING MACHINE






HealthGuard

Focuses on Hygiene and Health Care. In MF200, HealthGuard system points to all cycles in left line, combined with Auto Clean and Steam Care



Inverter Quattro Leads to 70% energy saving, 10.4% lower noise and more than 10 years durable lifespan.



AUT CLEAN

Auto Clean cycle will be automatically activated to have inner and outer drum totally cleaned. (includes programs as Cotton, Mix, Synthetic, Jeans, Cold . Wash.)



Lunar Dial Inspired from the splendor and purity of luna, we have Lunar Dial as the key element of Midea Laundry Series. Different from traditional knobs, Lunar Dial integrates the functions from both knob and screen display, offering you more direct laundry experience.



+ HealthGuard

🔊 Steam Care

Steam Care will have drum heated to develop steam to reach 99.99%* Sterilization. (includes programs as Allergy Care and Steam Care) Certificat



Drum Clean

Manually selected from touch panel, then drum will have 1/3 water in and heated up to 90°C to have drum self-cleaned -- Anti-bacteria and high temperature to kill germ.



+ **HealthGuard**



- Capacity: Wash 8.5kg/ Dryer 5kg
- 45min Rapid Wash
- 90°C Drum Clean

Wash

- Lunar Dial
- BLDC Motor
- Auto Clean • Turbo Wash
 - Add Garment





WASHER & DRYER COMBO WASHING MACHINE



- Capacity: Wash 10kg/ Dryer 7kg
- BLDC Motor

UNIQUE FEATURES



Smart Control

Connect your smart devices to MSmartHome, and easily control and enjoy the moment of free laundry whenever and wherever you are. Just unlock your favourite laundry program on your smart device and enjoy unlimited laundry possibilities.



BLDC Motor

• Capacity: Wash 12kg/ Dryer 8kg

Lunar Dial

The knob serves as the control center which integrates the functions of knob and screen together to facilitate your operation.Just focus on the middle of the machine, and select any program and see its information at the same time.



Auto Clean Steam Care

Enhance Your Clean And Healthy Life

HealthGuard focuses on Hygiene and Health Care. MF200 HealthGuard system points to all cycles in left line, combined with Auto Clean and Steam Care.



+ HealthGuard

Auto Clean For every wash, high-speed water flow will clean dirt and residues on the inner and outer drums to prevent secondary pollution to the clothes.



Steam Care The Steam function is activated before main wash, which will generate warm steam to reach 99.99%* sterilization and greater washing performance. • Tested by Vkan Certification & Testing Co., Ltd.



Turbo Faster and Stronger washing rhythm compared to normal wash.

40% time saving to reach the same washing performance. (Only programs with "icon" added with Turbo) (Cotton, Mix, Synthetic, Jeans, Bulky)



Drum Clean

Strong 90°C hot water flows effectively clean the inner and outer drums. With MSmartHome, users will get regular reminders to run the drum clean program and keep the washing environment clean and healthy.



Inverter Quattro 70% energy saving 10.4% lower noise 10 years durable life

FRONT LOAD WASHING MACHINE



HYGIENE 90°C

Enhanced Cleaning and Sterilization Stubborn stains, detergent residues and harmful germs are thoroughly removed when choosing the Hygiene 90°C mode, which is beneficial for children and elders who are especially sensitive to allergens.



AUTO CLEAN

High-speed water flow clears dirt residues off the inner and outer drum to prevent secondary pollution of the clothes.

Inner Drum



Lunar Dial

Inspired from the splendor and purity of luna, we have Lunar Dial as the key element of Midea Laundry Series. Different from traditional knobs, Lunar Dial integrates the functions from both knob and screen display, offering you more direct laundry experience.



Multiple Temperature

Multiple Temperature to select for gentle wash delicate clothes delicate clothes such wool, and silk.



One-Touch Pre-Wash Inverter Quattro **Extra Care for Dirty Clean** Adding Pre-wash program for badly messed clothes by one step, dirty clothes will be soaked and gently washed before main cycle to achieve the best washing result.



70% energy saving 10.4% lower noise 10 years durable life

FRONT LOAD WASHING MACHINE



Capacity: 10kgBLDC Motor

UNIQUE FEATURES



Smart Control

Connect your smart devices to MSmartHome, and easily control and enjoy the moment of free laundry whenever and wherever you are. Just unlock your favourite laundry program on your smart device and enjoy unlimited laundry possibilities.



• BLDC Motor

Lunar Dial

The knob serves as the control center which integrates the functions of knob and screen together to facilitate your operation.Just focus on the middle of the machine, and select any program and see its information at the same time.



Enhance Your Clean And Healthy Life

HealthGuard focuses on Hygiene and Health Care. MF200 HealthGuard system points to all cycles in left line, combined with Auto Clean and Steam Care.



Auto Clean For every wash, high-speed water flow will clean dirt and residues on the inner and outer drums to prevent secondary pollution to the clothes.



Steam Care The Steam function is activated before main wash, which will generate warm steam to reach 99.99%* sterilization and greater washing performance. • Tested by Vkan Certification & Testing Co., Ltd.



Turbo Faster and Stronger washing rhythm compared to normal

rhythm compared to normal wash. 40% time saving to reach the same washing performance. (Only programs with "icon" added with Turbo) (Cotton, Mix, Synthetic, Jeans, Bulky)




Drum Clean

Strong 90°C hot water flows effectively clean the inner and outer drums. With MSmartHome, users will get regular reminders to run the drum clean program and keep the washing environment clean and healthy.



Inverter Quattro 70% energy saving 10.4% lower noise 10 years durable life

DRYER



Dryer 10kg MD-K1088HPT


- Capacity: 10kg
- Heat pump drying
- Interior lighting
- Fault check display
- Button program selection
- Transparent door

NEW

- LED display
- Electronic control
- Buzzer
- Child lock
- Reverse tumbling
- 14 Programmes and performance



Heat Pump





HYGIENE DRY LAUNDRY HYGIENICALLY

After the drying cycle is completed, the inner drum will remain at the same temperature for more than 30 minutes to ensure effective sterilization.

HEAT PUMP TECHNOLOGY DRY MORE EFFICIENTLY AND QUICKLY

- Motor drives the impeller to generate circulating air.
 The compressor works with heat exchanger to have air flow heat, and
- then goes into the inner drum to dry clothes.
- The air flow goes through the filter back to the heat exchanger, then cooled down to form condensate through compressor.







Heat pump system can reuse the heat generated during the drying process, thus to improve energy efficiency and reduce power consumption.



Gentle Care Heat pump drying controls the temperature in two directions to maintain the air temperature below 50°C and provides protection for highgrade fiber fabrics.

DRYER

+ HealthGuard



Dryer 7kg

• Buzzer

MD-100A70


• Remaining Time Display

• Safety thermostat heater

- Capacity: 7kg E
 - E-LED display
 Transparent windows
 - Autosensing Electronic
 - 16 Programmes and performance



UNIQUE FEATURES



HYGIENE DRY DRY LAUNDRY HYGIENICALLY

After the drying cycle is completed, the inner drum will remain at the same temperature for more than 30 minutes to ensure effective sterilization.



Removed Odors

The Refresh function improves fresh air circulation inside the drum to remove unwanted odors.



Air Vented Drying DRY More Quickly and Easily

No enclosed circulation in air vented dryer
Cold fresh air enters into drum from the gap, hot and humid air flows vent directly out of machine.



ANTI-CREASE Minimize Wrinkles

Keeping rotating every 10 minutes in set time after mission completed, which helps to prevent wrinkle developed.



Drying Without Waiting Get less loads to dry within 40 minutes when you're in a hurry.

DRYER



- Capacity: 8kg
- Humidity Sensor
- Child Lock
- Electronic control
- Cool-down phase
- Transparent windows
- Error alarm
- Delay Start • Temperature Sensor
- LED Display
- Button program selection
- Interior lighting
- Front lint filter
 - Cycle status light



- Capacity: 7kg
- Electronic control
- Cool-down phase
- Front lint filter
- Error alarm

Button program selection

Buzzer

- Transparent door
- Crease guard option
- Cycle status light

FULLY AUTO WASHING MACHINE



AUT CLEAN

From Inner to Outer Drum Avoid secondary pollution

The water flushes between the inner and outer drums throughout the whole self-cleaning process, removing dirt and residues away to maintain a healthy washing environment.



Powerful water flow flushes between the inner and outer drums, removing dirt and residues away



Auto Clean cycle is automatically activated during drain process, ensuring a clean and safe washing condition.



+) Hygiene

Advanced Cleaning and Sanitization

For children and seniors who are more sensitive to bacterium and germs, Hygiene provides special care to protect their health.

Based on original programs, Hygiene provides:



Prolonged

washing time



and water flow

Enhanced tempo **3** times rinsing (Once more)



ONE TOUCH WASH Fuzzy Logic Technology

Just power on and press Start.

The Fuzzy Logic is activated to weigh the laundry and automatically select the proper program accordingly. Water level and time is set, offering you a worriless laundry experience.




to activate Intelligent Washing.






15' Quick Wash A Cycle for small loads of laundry will be finished within 15 minutes. Never in a hurry, and always be at your best.



Water Cub Tub Imitate hand washing to provide gentle care for clothes.



Pulsator Lifting flow propelled by the impeller prevents tangle and knot.

FULLY AUTO WASHING MACHINE





Wash 8.5kg MA100W85

Capacity: Wash 8.5kg

MA100W75

- Capacity: Wash 7.5kg
- Lunar Dial
- 15' Quick Wash
- Auto Clean
- Hygiene
- One-Touch Smart Wash

• Water Cub Tub

• Pulsator

• Easy-to-clean Metal Lint Filter

1. Lint, hair, tissues and

residues are effectively

collected.

Wash 9.5kg MA100W95

Capacity: Wash 9.5kg

UNIQUE FEATURES



Water Cub Tub Imitate hand washing to provide gentle care for clothes.



Easy-to-clean Metal Lint Filter Cleaning the filter regularly ensures a better washing result.






2. Flush water through to clean up the filter.



3. Click. All set.



Pulsator Lifting flow propelled by the impeller prevents tangle and knot.

FULLY AUTO



FULLY AUTO WASHING MACHINE



Safe, smooth and elegant lid opening and closing operation is designed to avoid finger pinching and eliminate the sound of slamming.







UNIQUE FEATURES



Air Dry

During spinning, air outside is circulated into the tub to refresh and dry clothes.



Tub Clean program is specially set for tub cleaning, you can select this program to regularly clean up the residue and bacteria in the tub.



Soft Touch Tub The tub with water drop design, wash the clothes gently like hand, the spray water from the holes removes the stains effectively.

3D Waterfall Current (Only available in MFW-952S & MFW-EC950) **Agitate Flow Constant Flow 3D Flow**











- Fuzzy • LED Display
- Child Lock
- Auto-power Off Colour: Grey

• Error Alarm

- Memory Of Power Interrupt • Auto Unbalancing Detection

SEMI AUTO WASHING MACHINE



MT100W70

• Capacity: Wash 7kg

Wash **13kg**

MT100W130

• Capacity: Wash 13kg

15kg

MT100W150

Wash

8kg

Wash

MT100W80

Capacity: Wash 8kg

Capacity: Wash 15kg



• Capacity: Wash 9kg

- Durable Body
- Large Knob Design
- Dual Force Pulsator
- Water Inlet Selection



Wash 11kg MT100W110

- Capacity: Wash 11kg
- Higher Back Control Panel
- Humanized Hook Design
- Metal Lint Filter
- Air Fresh

UNIQUE FEATURES

Durable Body

The body design is mainly made of anti-rust material, which is hardly rusted and more flexible than steel material.

Even in tough circumstances, it's more durable and hard to be dented.



Dual Force Pulsator

The independent big and small pulsators will generate different water flows in multiple directions and levels to stimulate handwashing performance.



Higher Back Control Panel Best viewing angle for better user experience.



Large Knob Design Easy to operate and recognize functions displayed.



The washing tank cover is removable. And the hook is designed as kit for hanging the cover to free your hands.



Airfresh

Thanks to the unique AirFresh design, the water can be effectively taken away from clothes by the inner and outer air circulation.



Easy-to-clean Metal Lint Filter

The removable filter is made of Metal material which ensure **HYGIENE** condition during the washing process, it can also be easily taken out, so that leading it to be simple to clean up the lint, fluff and particles.

It only takes a small effort to keep your machine working its best.



Water Inlet Selection

The switch can control water inlet direction, switch to left to let water flow in wash drum and right to let water flow in spin drum which can enhance rinsing effect.

Hence there's no need to move water inlet pipe anymore.







• Capacity: Wash 7kg



MSW-8008P

• Capacity: Wash 8kg











			Front Load		
Model	MF100W75	MF100W85B	MF100W95B	MF200W100WB	NEW MF200W120WB
Capacity	Wash 7.5kg	Wash 8.5kg	Wash 9.5kg	Wash 10.0kg	Wash 12.0kg
	CELLAP AIR *****				CERAPAR From From From A the second s
Gross Weight (kg)	58	72	76	69	77
Net Weight (kg)	55	68	71	65	72
Carton Dimension (WxDxH) (mm)	500x655x885	660x680x875	660x680x875	680x660x875	680x725x875
Net Dimension (WxDxH) (mm)	400x595x850	565x595x850	565x595x850	535x595x850	595x595x850

		Dry	/er	
Model	MD-100A70	MD-K1088HPT	MD-C8800	MD-7388
Capacity	7kg	10kg	8kg	7kg
Gross Weight (kg)	32.5	57	44	34
Net Weight (kg)	30	53	41	31.5
Carton Dimension (WxDxH) (mm)	565x665x890	695x685x885	660x680x880	565x665x890
Net Dimension (WxDxH) (mm)	555x595x840	640x595x845	615x595x845	555x595x840

		Washer & Di	ryer Combo	
Model	MF100D85B	MF200D85B	MF200D100WB	MF200D120WB
Capacity	Wash 8.5kg Dry 5kg	Wash 8.5kg Dry 6kg	Wash 10.0kg Dry 7kg	Wash 12.0kg Dry 8kg
Gross Weight (kg)	78	68	69	78
Net Weight (kg)	74	65	65	73
Carton Dimension (WxDxH) (mm)	660x680x875	555x650x885	680x660x875	680x725x875
Net Dimension (WxDxH) (mm)	565x595x850	565x595x850	535x595x850	595x595x850


Model

	Fully Auto	
MA100W75	MA100W85	MA100W95
		N44 1 0 51

Capacity	Wash 7.5kg	Wash 8.5kg	Wash 9.5kg
	CEKAPAR Under Edition The second sec	CEKAP AIR There is a second of the second of	
Gross Weight (kg)	33	34	37
Net Weight (kg)	29	30	33
Carton Dimension (WxDxH) (mm)	585x575x970	585x575x990	618x628x990
Net Dimension (WxDxH) (mm)	525x515x910	525x515x900	550x565x900

Model	MA200W75	MA200W85	MA200W95	MA200W105D	MA200W130D
Capacity	Wash 7.5kg	Wash 8.5kg	Wash 9.5kg	Wash 10.5kg	Wash 13kg
	CELLAP AIR War Consult War Con	CECAPAR Deter Claure Deter Claure Comparison Deter Claure Deter Cla	CECHAP AIR Internet Inte	CECAPAR Date Rear And And And And And And And And And And	CEKAPAR Under CRowner Construction Construct
Gross Weight (kg)	35	40	40	45	47
Net Weight (kg)	31	36	36	41	42
Carton Dimension (WxDxH) (mm)	585x575x970	628x618x990	628x618x995	630x616x1025	685x660x1065
NetDimension (WxDxH) (mm)	525x515x915	565x550x915	565x550x915	596x580x965	630x601x1000

	Fully Auto				
Model	NEW MA200W140D	NEW MA200W150D	MFW-1055CV	MFW-1255CV	MFW-1655CVI
Capacity	Wash 14.0kg	Wash 15.0kg	Wash 10.5kg	Wash 12.5kg	Wash 16kg
			CEKAP AIR Notified Financia The Second Secon	CEKAP AR Nord Read	CERAP AR Note Statement The Statement The Statement
Gross Weight (kg)	50	50	44	53	59
Net Weight (kg)	46	46	40	46	54
Carton Dimension (WxDxH) (mm)	685x660x1080	685x660x1080	616x630x1025	685x660x1065	761x729x1075
Net Dimension (WxDxH) (mm)	630x601x1010	630x601x1010	596x580x968	630x601x1000	684x640x1024



Model

	Semi Auto				
	E OLOS			- OLOS	
Model	MSW-6008P	MSW-7118P	MSW-8008P	MSW-9008P	
Capacity	Wash 6kg	Wash 7kg	Wash 8kg	Wash 9kg	
Gross Weight (kg)	20.5	20.5	23	24.5	
Net Weight (kg)	18	18	19	21	
Carton Dimension (WxDxH) (mm)	760x453x885	760x453x885	778x475x918	840x505x900	
Net Dimension (WxDxH) (mm)	735x430x845	735x430x845	761x448x885	827x485x865	



Capacity	Wash 11kg	Wash 13kg	Wash 7kg	Wash 8kg
Gross Weight (kg)	26	34.5	21	23
Net Weight (kg)	23	30	18.5	20
Carton Dimension (WxDxH) (mm)	886x546x992	950x580x1050	760x453x885	778x475x920
Net Dimension (WxDxH) (mm)	870x512x957	902x537x984	735x430x855	761x448x885



Model	MT100W90	MT100W110	MT100W130	MT100W150
Capacity	Wash 9kg	Wash 11kg	Wash 13kg	Wash 15kg
Gross Weight (kg)	26	27	34.5	43.5
Net Weight (kg)	22	23	30.5	37.5
Carton Dimension (WxDxH) (mm)	870x520x950	886x546x1000	950x580x1045	1020x580x1185
Net Dimension (WxDxH) (mm)	827x485x895	870x512x950	902x537x998	995x555x1105





REFRIGERATOR

Touch freshness before tasting it



4 DOOR REFRIGERATOR

INVERTER compressor











587L Recessed handle LED display control

MSS-580WEVB

• Net capacity: 510L

Multi Air Flow System

ECO FRIENDLY

R600a

REFRIGERANT

Model

MSS-580WEVB

- Black VCM Door • High Temperature Alarm Mode
- Frost Free
 - Interior Led Light
 - Durable Storage Racks
 - Big Crisper Drawer
- Twist Ice Maker & Ice Tray

Dimension (WxDxH)(m

895x690x1788

• Super Cooling And Super Freezing Function



UNIQUE FEATURES



Multi Air Flow

Air duct and circulation system ensuring no-frost in the cooling and freezing compartments so the user does not have to manually defrost the refrigerator and food remains fresh.





LED display control

• Interior Led Light

• Durable Storage Racks

....

• Frost Free

MSS-582WEGBI

- Net capacity: 525L
- Premium Tempered Glass Door
- High Temperature Alarm Mode
- Multi Air Flow System
- Twist Ice Maker & Ice Tray • Big Crisper Drawer
- Super Cooling And Super Freezing Function







VACATION MODE When vacation mode is activated, the fridge compartment will stop functioning.











Inverter Quattro

Compressor and fan inverter, speed in response to cooling demand. It uses less energy, minimizes noise and makes temperature stable.




Smart Sensor

Special built-in smart sensors will detect fluctuating external temperature to maintain an optimum internal cooling temperature for longer freshness. Superefficient built-in Inverter compressor will ensure optimum energy saving



Digital Temperature Control 4 precise temperature settings to suit all your cooling needs. Super Cooling function is especially useful for speedy cooling.



True Big Capacity

Compact body with larger interior space, achieved using advanced foaming technology for an ultra-thin insulated wall. Up to 8% more space vs. conventional foaming for a more spacious interior for storage.




Humidity control Humidity adjustable crisper, which can store different food using at different temperature and humidity setting.



Chiller Box

Convenient storage for deli, fresh fish or meat. Chilled at 0°C to maintain freshness without the freeze for time saving food preparation.



Expandable Egg Trays Uniquely designed egg trays are space saving yet practical.



Active-C Fresh Built-in layered carbon removes odor so that food stays fresher longer.



DOUBLE DOOR





Gross Capacity 200L

MDRT268MTB28-MY

- Net capacity: 179L
- Inverter Quattro
- Active-C FreshBig Cooling Zone
- Smart sensorElectronic Control
- Special Egg Tray



• Net capacity: 203L

- Big Ice Tray
- Highlight-LED
- 2L door rack
- (only MDRT346MTB28-MY avalaible)





Gross Capacity 280L MDRT346MTB28-MY

• Net capacity: 236L



 Model
 Dimension (WxDxH)(mm

 MDRT268MTB28-MY
 545x610x1267

 MDRT307MTB28-MY
 545x610x1372

 MDRT346MTB28-MY
 545x610x1522

DOUBLE DOOR REFRIGERATOR





Gross Capacity

MDRT489MTB46-MY

- Net capacity: 338L
- Inverter Quattro
- Active-C Fresh
- Big Cooling Zone
- 2L Bottle Rank

Model

MDRT489MTB46-MY

 Smart sensor • Electronic Control

• Colour: Bru Steel Colour

- Big Vegetable Box
- Humidity Control

Dimension (WxDxH)(mm

595x695x1724









MDRT580MTB46-MY

- Net capacity: 413L
- Inverter Quattro
- Active-C Fresh
- Big Cooling Zone
- 2L Bottle Rank • Humidity Control
- Dual LED lamp
- Model MDRT580MTB46-MY



Dimension (WxDxH)(mr

700x670x1723

• Big Vegetable Box





Gross Capacity 200L

MDRT267MTB30 NEW

- Net capacity: 179L
- Door : Black VCM
- Electronic Control
- Big Ice Tray • Highlight-LED





DOUBLE DOOR REFRIGERATOR



















Dimension (WxDxH)(mm) Model MDRT306MTB30 545x610x1372 MDRT345MTB30 545x610x1522 MDRT384MTB30 545x610x1657







MDRB431FGG28-MY

• Net Capacity : 325L

- Door Panel : VCM Jazz Black
- Flex-Zone
- Unique Flex Drawer design
- Folded Shelf





Dimension (WxDxH)(mn 595x687x1724

SINGLE DOOR



UNIQUE FEATURES



Handle Cap

0

New Structure For Freezer Compartment

Compartment which is foaming; independent compartment; low defrost; no odor.

Larger Storage Compartment

- Low defrost/no odor
- More clean and tiny
- No need to defrost frequently.
- Only just to twist the knob to "defrost", the defrosting water will be out from the drain hole of the freezer compartment.

Easy to defrost without oddor

- No need to defrost frequently.
- Only just to twist the knob to "defrost", the defrosting water will be out from the drain hole of the freezer compartment.

Plastic tray

Temperature control position changed to refrigerator compartment.

SINGLE DOOR



MINI BAR REFRIGERATOR





Gross Capacity 50L

MDRD86FGG

- Net capacity: 45L
 Reversible door
- Adjustable leg
 Separate chiller compartment
- Mechanical temperature control



Gross Capacity 60L

MDRD88FGG30

- Net capacity: 48L Door Panel : Black colour
- Separate chiller compartment
- R40 large rounded cabinet shell
- Self-closing Stainless steel side hinge





SHOWCASE-CHILLER



UPRIGHT FREEZER



- Net capacity: 232L
- Stainless Steel Door • Air Duct Design
- •

Aldes

- Power consumption: Rated power 150W

Model Dimension (WxDxH) **MUF-307SS** 595x635x1720



UNIQUE FEATURES (for all Upright Freezer)



Zero Clearance When the door is opened at a **90 degree angle**, the fruit and vegetable crispers open completely



Convenience Flip Cover in 90° Angle



Drawer Siderecessed Handles More convenient access to food

Max box Provides the ultimate in flexible storage



Model

MUF-208SD

Low Noise (Available in MUF-307SS) The centrifugal integrated fan is used to generate wind pressure, a more uniform temperature and lower noise levels. Midea product design < 40db



Dimension (WxDxH

550x550x1420

Dual Mode: Fridge or Freezer (Available in MUF-307SS)

SPACE SAVE Space save and well-fit with furniture is very important for families.



UNIQUE FEATURES



Door Handle Comfortable recessed handle design, makes consumers feel much easier when open the fridge door



Wire Basket It is easy to clean and easy to take



Adjustable Legs Adjust the height and balance for a perfect fit in your kitchen



Mechanical Temperature Control Convenient for users to easily adjust the chest freezer temperature manually



Adjustable Thermostats

The adjustable thermostat allows you to control the temperature from -12°C to -24°C so you can always store your frozen foods at their optimum temperature. The chest freezer can operate at -15 degrees below the ambient temperature and it's suitable for use in a watertight garage or outbuilding



Humanization Design Multi-angle hover, Ergonomics design Convenient to find out any food you want




Energy Saving Engineered to significantly improve energy efficiency of the unit

CHEST FREEZER



UNIQUE FEATURES



Built-in Hinges The initiative built in hinges realize reducing the freezer space cover.



Grip handle Easy to hold the grip to open and close the door



 Mechanical
 Recessed

 Temperature Control
 Unique Design

 Set the desirable temperature
 for the hinges

 to store different types of
 food



WD-130WA

WD-186WA

WD-260WA

Recessed Hinge Unique Design more durable for the hinges



545x495x850

632x550x850

816x550x850

Big window area to let go the heat



Model	Dimension (WxDxH)(m
WD-300W	1124x685x850



CHEST FREEZER



Line contact Small heat exchange area Low refrigeration efficiency



More surface contact Large heat exchange area High refrigeration efficiency



Midea Freezer D⁺ Quick-Freezing System



Cool air sprials from bottom to top for consistant cooling

The advantages of R290 refrigerant-Latest Technology

Deep Freeze The temperature reaches -36° C versus a previous -18°C.



Fast Freezing Reduction of freezing time by 50%

80m

Fresh Preservation Lock-in Fresh



Environmentally Friendly Freon-free to protect the ozone layer and create an environmentally friendly home.



* Models with R290 refrigerator WD-500WR, WD-670WR & WD-860WR

48


SPECIFICATION

<section-header><section-header>

		NEW	NEW		
Model	MDRF632FGF28	MDRF633MIF22	MDRS791MIE45	MSS-580WEVB	MSS-582WEGBI
Gross Capacity	519L	519L	730L	587L	580L
Net Capacity	474L	474L	610L	510L	525L
Dimension (WxDxH) (mm)	833x653x1775	833x653x1775	910x698x1775	895x690x1788	895x745x1788

	Double Door Refrigerator					
		-				
Model	MDRT268MTB28-MY	MDRT307MTB28-MY	MDRT346MTB28-MY	1DRT489MTB46-MY	MDRT580MTB46-MY	MDRB431FGG28
Gross Capacity	200L	240L	280L	400L	490L	400L
Net Capacity	179L	203L	236L	338L	413L	325L
Energy Efficiency Star Rating						A Constant of the second secon
Dimension (WxDxH) (mm)	545x610x1267	545x610x1372	545x610x1522	595x695x1724	700x670x1723	595x687x1724
Model	٩	IDRT267MTB30	MDRT306MTB30		345MTB30	MDRT384MTB30
Gross Capacity		200L	240L		280L	330L
Net Capacity Energy Efficiency Star Rating						
Dimension (WxDxH) (mm)		545x610x1267	545x610x1372	545>	(610x1522	545x610x1657

SPECIFICATION






SPECIFICATION

Upright Freezer



Model	MUF-208SD	MUF-307SS
Gross Capacity	188L	300L
Net Capacity	157L	232L
Dimension (WxDxH) (mm)	550x550x1420	595x635x1720





Midea Scott & English Electronics Sdn Bhd (194517-X)

No. 16, Jalan Chan Sow Lin, 55200 Kuala Lumpur Tel: 03-9221 1033 Fax: 03-9221 7204 / 03-9221 1434 / 03-9221 3509

PENANG

No. 35, Jalan Perniagaan Gemilang 1, Pusat Perniagaan Gemilang, 14000 Bukit Mertajam, Pulau Pinang. Tel: 04-548 3938 Fax: 04-548 9698

JOHOR

No. 25, Jalan Seri Impian 1, Taman Impian Emas, 81300 Skudai, Johor. Tel: 07-562 4898 Fax: 07-557 7898

PERAK

No. 38, Persiaran Perindustrian Pengkalan 10, Kawasan Perindustrian Pengkalan, 31500 Lahat. Perak. Tel: 05-323 2529 Fax: 05-323 2529

PAHANG

No. 258, Ground Floor, Jalan Air Putih, Taman Air Putih Mewah, 25350 Kuantan, Pahang Darul Makmur. Tel: 09-560 6668 Fax: 09-09-560 5050

MALACCA

No. 385-L, Taman Peringgit Jaya, 75400 Peringgit, Melaka. Tel: 06-292 1940 Fax: 06-286 7107

KOTA BHARU

PT 1436, Ground Floor, Taman Koperatif, Tanjung Chat, 15300 Kota Bharu, Kelantan. Tel/Fax: 09-743 1202

SABAH

Inanam Suria Commercial Centre, Lot B, Unit 0-9, Unit 1-9, Ground Floor and First Floor, 88450, Kota Kinabalu, Sabah. Tel: 088-421 428 Fax: 088-431 427

SARAWAK

1st Floor , Lot 8517, Stutong Commercial Centre, Jalan Stutong, 93350 Kuching, Sarawak. Tel: 082-363 167 Fax: 082-366 167

Dealer's Stamp:

Available at lazada & Shopee



shopee.com.my/midea.os



lazada.com.my/shop/ Lazada midea-official-store



midea malaysia

Midea Malaysia



midea.com/my

* Visual for reference & illustration purpose only.