


CREATING JOYOUS HOME Vol.6 2023



KITCHEN & WATER APPLIANCES

* Visual for reference & illustration purpose only.



- Auto Steam Wash Cleaning Technology
- Suction power: 1800m³/hr
- Touch control
- Gesture control (Hand wave power On/Off)
- LED lamp: 2 x 1.5W
- Duct out operation mode


UNIQUE FEATURES



Sustain Excellent Suction Performance with Self-cleaning Steam Wash



1800m³/h Strong Suction Powerful airflow to efficiently remove the most unpleasant odors, steam and grease.



- Included aluminium ducting hose
- Ducting hole dimension 180mm
- Product dimension (mm): 895(W) x 416(D) x 505(H)



Self-Cleaning Steam Wash A perfect solution for hood interior cleaning, maintaining the appliance always with a decent performance and longer serving-you time.



Complete Smoke Removal The duct out type exhausts cooking fumes outside the house thoroughly and keeps your kitchen air fresh indeed.



A convenient alternative to suspend or stop your hood when inconvenient to touch the screen.



3-Minutes Super Extraction Power Our turbo function can provide 3-minutes maximum suction (1800m³/h), perfectly suitable for stir frying.



- Suction power: 1800m³/hr
- Touch control
- Gesture control (Hand wave power On/Off)
- LED lamp: 2 x 1.5W
- Duct out operation mode

- Easy clean elongated oil cup
- 2 speeds selection with Turbo speed function
- Included aluminium ducting hose
- Ducting hole dimension 180mm
- Product dimension (mm): 895(W) x 416(D) x 505(H)

UNIQUE FEATURES



Wave Hello to Your Cooking Pleasure



A convenient alternative to suspend or stop your hood when inconvenient to touch the screen.



3D Circum Ventilation The detachable convex condensation plate leaves large air inlets for 360-degree extraction, maximizing the efficiency of cooking fume extraction.



Complete Smoke Removal The duct out type exhausts cooking fumes outside the house thoroughly and keeps your kitchen air fresh indeed.



1800m3/h Strong Suction Powerful airflow to efficiently remove the most unpleasant odors, steam and grease.



3-Minutes Super Extraction Power Our turbo function can provide 3-minutes maximum suction (1800m³/h), perfectly suitable for stir frying.



- Auto Steam Wash Cleaning Technology
- 3D Circum Ventilation
- Suction power: 2000m³/hr
- Touch control
- Gesture control (Hand wave power On/Off)
- LED Lamp: 2 x 1.5W

- Duct out operation mode
- Easy clean elongated oil cup
- 2 speeds selection with Turbo speed function
- Included aluminium ducting hose
- Ducting hole dimension 180mm
- Product dimension (mm): 895(W) x 494(D) x 609-919(H)

UNIQUE FEATURES



3D Circum Ventilation The detachable convex condensation plate, leaves large air inlets for 360-degree extraction and better control and direct smoke flow, optimizing its extraction efficiency.



2000m³/h Strong Suction Our turbo function can provide 3-minutes maximum suction (2000m³/h), perfectly suitable for stir frying, removing the most unpleasant odours, steam and grease.



Complete Smoke Removal The duct out type exhausts cooking fumes outside the house thoroughly and keep your kitchen air fresh indeed.



Easily-clean Designs Black Glass Plate Easy to wipe grease off.



More Humanized Details Injury Prevention Designs 494mm width and rounded corner.





Oil-visible Oil Cup

you to clean

Clearly indicating oil

quantity and reminding



Legible Control Panel Intuitive use with a clear picture view.



Energy Efficient LED Lights Ensure a visibility at your stovetop.

SPECIAL INDENT MODEL





- Suction Power: 1400m³/hr
- LED Lamp: 2 x 1.5W
- Washable 5-layers grease filter x 2
- 2 + Turbo speeds selection
- Included aluminium ducting hose
- Product Dimension (mm): 900(W) x 500(D) x 485(H)



- Push button control
- With charcoal filter x 2
- Duct out or recirculation operation mode
- Tempered glass
- Ducting hole dimension 150mm



MCH-90J82 NEW

- Suction Power: 1400m³/hr
- Gesture control (Hand wave power On/Off)
- Duct out or recirculation operation mode
- Easy clean concealed oil cup
- Included aluminium ducting hose • Product Dimension (mm): 900(W) x 420(D) x 535(H)
- Touch control
- LED Lamp: 2 x 1.5W
 - With charcoal filter x 2
 - 3 speeds selection

 - Ducting hole dimension 150mm

For all models



MCH-90J52

- Suction power: 1500m³/hr
- Gesture control (Hand wave power On/Off) Easy clean elongated oil cup
- Touch control • LED lamp: 2 x 1.5W
- Duct out operation mode
- 2 speeds selection
- Included aluminium ducting hose Ducting hole dimension 190mm
- Product dimension (mm): 896(W) x 460(D) x 545-1345(H)



900m³/hr Recirculation

MCH-76MBK NEW

• 76cm length

Twin motor

- Suction Power: 900m3/hr • Push button
- LED lamp • With charcoal filter x 2
 - Washable grease fliter
 - Ducting hole dimension 120mm

• Air outlet size: size: 120mm

Stainless steel

- Duct out or recirculation operation mode
- Product Dimension (mm): 757(W) x 500(D) x 140(H)



MCH-76MSS

- 76cm length
- Suction power: 900m³/hr
- LED lamp
 - Push button
- With charcoal filter x 2
- Washable grease filter x 2
- Twin motor, bigger power
- Duct out or recirculating system
- Product dimension(mm): 757(W) x 500(D) x 140(H)



- Duct Out / 900m³/hr Recirculation MCH-90F49BK NEW
- 90cm length
- LED lamp
- With charcoal filter x 2
- Twin motor
- Ducting hole dimension 120mm • Duct out or recirculation operation mode
- Product Dimension (mm): 897(W) x 500(D) x 140(H)



900m³/hr

- MCH-90F49SS
- 90cm length
- Suction power: 900m³/hr
- LED lamp
- With charcoal filter x 2
- Washable grease filter x 2
- Twin motor, bigger power
- Duct out or recirculating system
- Product dimension(mm):
- 897(W) x 500(D) x 140(H)

• Air outlet size: size: 120mm

• Suction Power: 900m3/hr

• Washable grease fliter

• Push button



BUILT-IN INDUCTION & CERAMIC HOB



MC-IHD361

- Built-in induction & ceramic hob
- Left zone: 1800W
- Right zone: 1800W
- Touch control
- 9-stages power setting
- Residual heat indicator
- Child lock
- Automatic safety switch off
- Product dimension (mm): 700(W) x 430(D) x 82(H)
- Built-in dimension (mm): 670(W) x 400(D)
- Installed electric power: 3200W
- Voltage: 220-240V



- Stainless steel • Push button

PREMIUM

Duct Out / Recirculation





Burner 5.8kW

MGH-7230GL

- Preset gas type: LPG1.5V battery ignition
- Burners: 2 x 5.8 kW
 76cm gas hob
 - Flame failure safety device

NEW

- Tempered glassFlexible cut out size
- Product dimension (mm): 760(W) x 445(D)
- Cut out dimension (mm): 645-705(W) x 340-400(D)

UNIQUE FEATURES



Premium Brass Burner Ignite Your Cooking Passion For Long

Fine burners with surprisingly durable quality, keeping company with you to always bring you food inspiration in your culinary journey.



Fully Mix Gas & O₂, Burn To The Limit Of Energy Using The Bi-Hybrid Combustion System activates the gas twice to fully mix with the O₂, releasing stronger fire with 65% energy efficiency, which makes your meal ready in lesser time and energy.




IFETIME

Even When Stir-frying, Still A Resist-Heatwave Place For You The thoughtful 1/4 anti-scalding pot ring design allows you to feel comfortable even when the biggest fire is on. At the same time, the heavy material and scientific design also stable your wok, bringing you a friendly cooking experience.



Various Flame Settings To Customize Your Delicacies

Our hobs serve you for cooking, stir-frying, steaming, braising, and gradual simmering... Precise fire control satisfies your different heating needs and avoid unnecessary gas waste.



Flexible Installation, Harmoniously Fit In Your Kitchen Built-in or Free-standing, decided by you.



Instantly Ignite The Hob Via Knob, As Well As Your Cooking Inspiration Just push and turn the knobs, the flame can be triggered instantly, so as your culinary inspiration.



Temp-Sensing Flame Failure Protection, Guard Your Safety Consciously

The fire went out all of a sudden? A flame failure device will cut off the gas flow to guard your safety. Protection against flame failure.



4-Layers Premium Tempered Glass, Enhance Your Cooking Experience Strong glass surface made of high quality 4-layers tempered glass, which is resist to HI-temperature and corrosion. Also, gently wipe the stains off, then you will regain a clean and glossy cooktop.



rom seeping



lon-slip Knob

or you

moothly wisting

Humanized Design,

Care For Every Detail In Cooking From the moment you touch Midea hobs, our thoughtful innovative design has been perfecting your culinary journey.



MGH-4360GL

- Preset gas type: LPG
- 1.5V battery ignition
- 76cm gas hob • Flexible cut out size

• Burners: 2 x 5.8kW

Solely-control Inner Flame The inner cap release straight flame dentl

Energy-saving Optimize your gas

- Tempered Glass • Flame failure safety device
- Product dimension (mm): 760(W) x 445(D)
- Cut out dimension (mm): 645-705(W) x 340-400(D)

UNIQUE FEATURES



Premium Brass Burner Ignite Your Cooking Passion For Long

225

Various Flame Settings To

Customize Your Delicacies

unnecessary gas waste.

Fine burners with surprisingly durable quality, keeping company with you to always bring you food inspiration in your culinary journey.



Fully Mix Gas & O₂, Burn To The Limit Of Energy Using

The Bi-Hybrid Combustion System activates the gas twice to fully mix with the O2, releasing stronger fire with 65% energy efficiency, which makes your meal ready in lesser time and energy.



Flexible Installation, Harmoniously Fit In Your Kitchen Built-in or Free-standing, decided by you.



LIFETIME

ARRANT

Steady Your Woks In X Pan Support, **Promise Your Safe Cooking** X pan supports strongly hold any kind of pan, large or small, reducing risks of spilling and scalding. Let the woks always stay in their place!



Instantly Ignite The Hob Via Knob, As Well As Your Cooking Inspiration Just push and turn the knobs, the flame can be triggered instantly, so as your culinary inspiration.




Our hobs serve you for cooking, stir-frying, steaming,

braising, and gradual simmering... Precise fire control satisfies your different heating needs and avoid

Temp-Sensing Flame Failure Protection, Guard Your Safety Consciously

The fire went out all of a sudden? A flame failure device will cut off the gas flow to guard your safety. Protection against flame failure.



4-Layers Premium Tempered Glass, Enhance Your Cooking Experience Strong glass surface made of high quality 4-layers tempered glass, which is resist to HI-temperature and corrosion. Also, gently wipe the stains off, then you will regain a clean and glossy cooktop.







Humanized Design,

Care For Every Detail In Cooking From the moment you touch Midea hobs, our thoughtful innovative design has been perfecting your culinary journey.



MGH-2280GL

Tempered Glass

- Preset gas type: LPG 1.5V battery ignition
- Burners: 2 x 5.8kW • 76cm gas hob
 - Flexible cut out size
- Flame failure safety device • Product dimension (mm): 760(W) x 445(D)
- Cut out dimension (mm): 645-705(W) x 340-400(D)

UNIQUE FEATURES



Flame Focused, Flavor Locked In Heat Concentration Ring gathers the flame and lets the heat directly target the bottom of the pan, providing focused fire and greater efficiency. The intense heat is ideal for searing seafood and frying other delicious meals.



Fully Mix Gas & O₂, Burn To The **Limit Of Energy Using** The Bi-Hybrid Combustion System activates the gas

twice to fully mix with the O2, releasing stronger fire with 65% energy efficiency, which makes your meal ready in lesser time and energy.



LIFETIME

Steady Your Woks In X Pan Support, **Promise Your Safe Cooking** X pan supports strongly hold any kind of pan, large or small, reducing risks of spilling and scalding. Let the woks always stay in their place!



Various Flame Settings To Customize Your Delicacies

Our hobs serve you for cooking, stir-frying, steaming, braising, and gradual simmering... Precise fire control satisfies your different heating needs and avoid unnecessary gas waste.



Flexible Installation, Harmoniously Fit In Your Kitchen Built-in or Free-standing, decided by you.



Instantly Ignite The Hob Via Knob As Well As Your Cooking Inspiration Just push and turn the knobs, the flame can be triggered instantly, so as your culinary inspiration.



Temp-Sensing Flame Failure Protection, Guard Your Safety Consciously

The fire went out all of a sudden? A flame failure device will cut off the gas flow to guard your safety. Protection against flame failure.



4-Layers Premium Tempered Glass, **Enhance Your Cooking Experience** Strong glass surface made of high quality 4-layers tempered glass, which is resist to HI-temperature and corrosion. Also, gently wipe the stains off, then you will regain a clean and glossy cooktop.











Humanized Design, **Care For Every Detail In Cooking**

From the moment you touch Midea hobs, our thoughtful innovative design has been perfecting your culinary journey.



MGH-8216SS

- Preset gas type: LPG Burners: 2 x 5.8kW
- 1.5V battery ignition 72cm gas hob
- Stainless Steel
- Flame failure safety device
- Product dimension (mm): 720(W) x 420(D)
- Cut out dimension (mm): 645(W) x 340(D)

UNIQUE FEATURES



Thermodynamic effect of heating The heat is evenly distributed in the bottom of the pan so that the food can be cooked thoroughly.

Straight Flame Inner brass burner with 48 fire holes releases forceful straight flame which directs to the pot to speedily spark more flavor.

Cyclone Flame The outer rotary burner with slanted incision blaze up the extended cyclone flame to encircle the pot to heat evenly and thoroughly.

Dual Flame Enables Even & Quick Cooking

Cyclone Flame matches with the inner straight flame to wrap the base of pans, releasing 5.8kW heating power, perfect for boiling, searing, and frying.



Fully Mix Gas & O₂, Burn To The Limit Of Energy Using The Bi-Hybrid Combustion System activates the gas

The BI-Hybrid Combustion System activates the gas twice to fully mix with the O₂, releasing stronger fire with 65% energy efficiency, which makes your meal ready in lesser time and energy.



Various Flame Settings To Customize Your Delicacies Our hobs serve you for cooking, stir-frying, steaming, braising, and gradual simmering... Precise fire control

satisfies your different heating needs and avoid

unnecessary gas waste.

Flexible Installation, Harmoniously Fit In Your Kitchen Built-in or Free-standing, Decided by you.



Instantly Ignite The Hob Via Knob, As Well As Your Cooking Inspiration Just push and turn the knobs, the flame can be triggered instantly, so as your culinary inspiration.



Temp-Sensing Flame Failure Protection, Guard Your Safety Consciously The fire went out all of a sudden? A flame failure device will cut off the gas flow to guard your safety. Protection against flame failure.



Stainless Steel Body, Strong Yet Durable







Humanized Design, Care For Every Detail

Care For Every Detail In Cooking From the moment you touch Midea hobs, our thoughtful innovative design has been perfecting your culinary journey.



SPECIAL INDENT MODEL



NEW

• 76cm gas hob



5.2kW

MGH-2461GL

- Burners: 2 x 5.2 kW
- Preset gas type: LPG 1.5V battery ignition
- Tempered glass
- Flame failure safety device
- Product dimension (mm): 760(W) x 445(D) • Cut out dimension (mm): 645(W) x 340(D)

UNIQUE FEATURES



Thermodynamic effect of heating The heat is evenly distributed in the bottom of the pan so that the food can be cooked thoroughly.

Straight Flame nner brass burner with 48 fire holes releases forceful straight flame which directs to the pot to speedily spark more flavor.

Cyclone Flame The outer rotary burner with slanted incision blaze up the extended cyclone flame to encircle the pot to heat evenly and thoroughly.

Dual Flame Enables Even & Quick Cooking

Cyclone Flame matches with the inner straight flame to wrap the base of pans, releasing 5.8kW heating power, perfect for boiling, searing, and frying.



Fully Mix Gas & O₂, Burn To The

The Bi-Hybrid Combustion System activates the gas

twice to fully mix with the O2, releasing stronger fire

with 65% energy efficiency, which makes your meal

Limit Of Energy Using

ready in lesser time and energy.

Flame Focused, Flavor Locked In Heat Concentration Ring gathers the flame and lets the heat directly target the bottom of the pan, providing focused fire and greater efficiency. The intense heat is ideal for searing seafood and frying other delicious meals.



BI-HYBRID COMBUSTION

4-Layers Premium Tempered Glass, **Enhance Your Cooking Experience** Strong glass surface made fo high quality 4-layers tempered glass, which is resist to HI-temperature and corrosion. Also, gently wipe the stains off, then you will regain a clean and glossy cooktop.



Flexible Installation, Harmoniously Fit In Your Kitchen Built-in or Free-standing, Decided by you.



Instantly Ignite The Hob Via Knob, As Well As Your Cooking Inspiration Just push and turn the knobs, the flame can be triggered instantly, so as your culinary inspiration.



Temp-Sensing Flame Failure **Protection, Guard Your Safety** Consciously The fire went out all of a sudden? A flame failure device will cut off the gas flow to guard your safety. Protection against flame failure.









- Preset gas type: LPG • 1.5V battery ignition
- Tempered glass

NEW

• Burners: 2 x 5.2 kW

• 76cm gas hob

- Flame failure safety device
- Product dimension (mm): 760(W) x 445(D) • Cut out dimension (mm): 645(W) x 340(D)





MGS-T211G

- Portable tabletop glass stove
- Preset gas type: LPG
- Burners: 2 x 4.7kW
- Tempered Glass

Breeze

evenly.

Quick Frying

- Cast iron burner cap
- High Energy Efficiency (20% less gas consumption)
- 5-claws enamel pan support
- Product Dimension (mm): 720(W) x 350(D) x 140(H)





20% Less Gas Consumption 10 Years Secure Usage for Longer "Serving you" Time

Our high-standard quality control guarantees 10-years long lifespan, sustaining your cooking enjoyment.



LIFETIME

Cast Iron Burner Cap Resistant to wear and high temperature and not easy to deform

60,000 Valve Usages

Our strict quality control guarantees over 60,000 usages of valve, ensuring a reliable long-time use.



4.7kW Strong Makes Cooking a

straight flame speeds cooking process.

Triple ring burner offers more even flame

power, promoting food cooked fully and

Fully and Evenly Cooking

4.7kW stir-frying heating power with fiercer

20% Less Gas Consumption The energy efficiency of our gas hob is enhanced to save energy and cost indeed.



Easily-clean and Effortless Designs



Guaranteed Tempered Glass Plate 6mm thickened tempered glass plate with our lifetime warranty.



Flexible Flame Adjustments, Various Cooking Options



Free Installation, Easy Use with Flexibilites

No installation needed to start your culinary pleasure, highly convenient for the situations when you need to relocate it.



Caring Child Lock Ultra Safety Protection Pushing the button and rotating the valve are needed simultaneously, providing effective protection for children from unexpected accidents with fire.

BUILT-IN OVEN





70L **MBO-D0870**

- Built- in 60cm oven
- Digital control with LED display
- Energy rating: A class
- 2 x universal trays & 1 rack
- Product Dimension (mm): 595(W) x 575(D) x 595(H)
- Build-in Dimension (mm): 560(W) x 575(D) x 600(H)

BUILT-IN MICROWAVE

Capacity size: 70 liters

8 functions with rotisserie

• 3 layers removable door

Maximum power:3000W



25L **MBM-VE8925**

- 2 in 1 Built-in microwave with Grill
- Capacity: 25 liters
- Digital control with LED display
- 10 auto menus
- Multi defrost functions
- Child safety lock
- Microwave power: 900W, Grill power: 1000W
- Product Dimension (mm): 595(W) x 410(D) x 388(H)
- Build-in Dimension (mm): 560(W) x 500(D) x 380(H)



65L **MBO-M1865**

- Built- in 60cm oven
- Mechanic knobs control
- Energy rating: A class
- 8 functions with rotisserie

• Capacity size: 65 liters

 2 lavers removable door • Maximum power:3000W

• Capacity: 25 litres

Express cooking


· Child safety lock

Rotary knobs

• Built in Microwave with grill

Speedy defrost setting

- 2 x universal trays & 1 rack



• Build-in Dimension (mm): 560(W) x 575(D) x 600(H)



25L

MBM-1925B

- 2 in 1 Built-in microwave with Grill
- Turnable diameter: 315mm
- 8 Auto cooking menus
- Multi defrost functions
- Heat-resisted glass window
- Stainless steel with black glass door
- Microwave Power: 900W
- Grill power: 1000W • Product Dimension (mm): 595(W) x 410(D) x 388(H)
- Build in dimension (mm): 560(W) x 500(D) x 380(H)

FREE STANDING DISHWASHER



WQP12-7635Q

14 Place settings

- Stainless steel
- Low noise level
 - Flexible rack system
 Auto open drying system
 Extra drying function

• Self-cleaning filter system

- 6 Washing programs
- 70°C high-temp intensive wash
 Half load function
- Half load fund
 Child lock
- Product Dimension (mm): 598(W) x 600(D) x 845(H)

UNIQUE FEATURES



Anti-bacterial* Filter Inhibits 99.99% of Bacteria

40ur filter, employed anti-bacterial material, constantly inhibits micro-organism buildup inside the tub, ensuring a high level of health protection by inhibiting 99.99% of bacteria.



Extra Drying

Extra drying function can be added into certain wash cycles, and your dishware with extraordinary drying results.



Effortless Eco-Dishwashing Dishes are beautifully cleaned with less effort and water consumption.



Flexible Rack System, Infinite Loading Flexibilities

Allow you stack more categories of tableware, glassware, utensils and even cookware, with superb 14 place setting capacity, making loading and unloading so smooth.



Half Load

A cost-effective solution for less tableware wash, especially for small families not using many dishes and bowls, with less water and energy consumption.



Intensive Wash Efficiently clean the heaviest soiled dishes and cooking utensils, guaranteeing your tableware fairly hygienic to use.



Auto Open Drying At the end of washing cycles, the door of dishwasher will open automatically and leave a gap for air exchange, promoting washed items, even plastic dishes to achieve the best drying performance.



Delicate Glass Care Wash glass meticulously and also with softened water by the build-in water softener, to deliver crystal-clear results.



Child Lock

Effectively protect your children from unexpected accidents, like being scalded by hot steam, and prevent dishwasher damages which is due to children's mistakenly operating.

FREE STANDING DISHWASHER



- 12 Place settings
- Flexible rack system
- Self-cleaning program
- 70°C high-temp intensive wash
- 7 Washing programsResidual heat drying system
 - Extra drying function

Low noise level

- Self-cleaning filter system
- Half load functionChild lock
- Product Dimension (mm): 598(W) x 600(D) x 845(H)

UNIQUE FEATURES



70°C Intensive Wash

Highly effective for cleaning the heaviest soiled dishes and other utensils, and also quite efficient for eliminating 99.99% bacteria with high temperature up to 70° C

* Bacteria elimination rate from Report No: WXw-16-30276 by CTIHEA



Power-Off Memory, A Perfect Solution For Voltage Instability

Power-off Memory function can remember the unfinished wash cycle when there is a sudden power outage and continue the washing process when power is back on, without need to operate it again.



Extra Drying Option Extra drying can be added into certain wash cycles (Intensive, ECO, Glass and 90 min), and your dishware and even plastic dishes, with extra ordinary drying results.



Self-regulated Water Leak Protection System

Our water leak protection system with overflow float switch, regulates itself to detect and cut off any categories of water leakage, not allowing your kitchen to get dirty.



Self-cleaning for Easy Maintenance Self-cleaning, 50-min high temperature (70°C) wash cycle for dishwasher itself, can consistently keep your dishwasher fresh and hygenic.




Half Load Option

A convenient and cost-effective solution for less tableware wash, expecially for small families not using many dishes and bowls, with less water and energy consumption.



Flexible Rack System, Infinite Loading Flexibilities

Our flexible rack system, including versatile cutlery basket, foldable flip tines, foldable cup shelf and removable cutlery rack, allows you stack multiple categories of cooking utensils.



Anti-bacterial* Filter Inhibits 99.99% of Bacteria 4Our filter, employed anti-bacterial material, constantly inhibits micro-organism buildup inside the tub, ensuring a high level of health protection by inhibiting 99.99% of bacteria.



Child Lock Protection Hold the F and 1/2 buttons for 3 seconds to lock or unlock the control panel, to effectively protect your children from unexpected accidents, like scalding by hot steam, and prevent dishwasher damages due to child's mistakenly operating.

TABLE TOP DISHWASHER



WQP6-3607

- 6 Place settings
- Low noise level Flexible rack system
- Easy installation 6 Washing programs
 - Residual heat drying system Self-cleaning filter system
- 70°C high-temp intensive wash • Product Dimension (mm): 550(W) x 500(D) x 438(H)

UNIQUE FEATURES



Compact Body, Easy Installation Small enough to fit anywhere in your room and they always look great.

Hi-temp Steam Wash

Delicate Glass Care

30-min Super Quick Wash

Reliable cleaning is on your demand.


Personalize Your Uncleaned Items



Self-cleaning Filter System Save your effort of cleaning by flushing major food residues.




70°C High-Temp Intensive Wash Efficiently clean the heaviest soiled dishware and glassware, make them fairly hygenic to use, especially for families with babies.



Flexible Rack System, Maximum Loading **Possibilities**



30-min Super Quick Wash Never need to worry running out of tableware when holding a multi-round party.



• Product Dimension (mm): 550(W) x 500(D) x 595(H)

INSTANT WATER HEATER

RAIN SHOWER & WITH DC PUMP





SOOTHE Provides cooling relief on hot summer day or after exercise



MASSAGE Uses pulsating jets of water to relieve stress streams to smooth and revitalize

JUMBO



* Worldwide warranty for all water heater product

INSTANT WATER HEATER

WITH DC PUMP



NON PUMP



18



stress



into a small area for fast rinsing


* Worldwide warranty for all water heater product

STORAGE WATER HEATER



Frequency (Hz)	50/60	50/60	50/60	50/60
Current (A)	6.81/6.52	6.81/6.52	6.81/6.52	6.81/6.52
Temperature Range (°C)	30-75	30-75	30-75	30-75
Maximum Working Pressure (MPa)	0.75	0.75	0.75	0.75
Max Temperature (°C)	101	101	101	101
Material Thickness (mm)	2	1.8	2	2
Outer Cabinet Material	SPCC	SPCC	SPCC	SPCC
Inner Tank	Enamel tank	Enamel tank	Enamel tank	Enamel tank
Average Thickness Of Insulation (mm)	20	22.5	20	20
Magnesium Anode Size (mm)	Ф 22х234	Φ22x234	Φ22x296	Φ22x296
Type of Heating Element	Copper/Enamel/SUS316L	Copper/Enamel/SUS316L	Copper/Enamel/SUS316L	Copper/Enamel/SUS316L
Type Of Mounting	VERTICAL/HORIZONTAL	VERTICAL/HORIZONTAL	VERTICAL/HORIZONTAL	VERTICAL/HORIZONTAL
Net Weight (kg)	14.79	18.3	26.31	28.5
Gross Weight (kg)	16.49	20.63	29.4	30.5
Dimensions (WxD) (mm)	340x593	385x711	385x1030	450x895
Carton size (WxDxH) (mm)	418x388x670	458x434x793	458x434x1125	528x498x977

KITCHEN APPLIANCES DIMENSION



Sole Distributor :

Midea Scott & English Electronics Sdn Bhd (194517-X)

No. 16, Jalan Chan Sow Lin, 55200 Kuala Lumpur Tel: 03-9221 1033 Fax: 03-9221 7204 / 03-9221 1434 / 03-9221 3509 • PENANG No. 35, Jalan Perniagaan Gemilang I, Pusat Perniagaan Gemilang, 14000 Bukit Mertajam, Pulau Pinang, Tel: 04-548 3938 Fax: 04-548 9698 • JOHOR No. 25, Jalan Seri Impian I, Taman Impian Emas, 81300 Skudai, Johor. Tel: 07-562 4898 Fax: 07-557 7898 • PERAK No. 38, Persiaran Perindustrian Pengkalan 10, Kawasan Perindustrian Pengkalan, 31500 Lahat, Perak. Tel: 05-332 3529 Fax: 05-332 3529 • PAHANG No. 258, Ground Floor, Jalan Air Putih, Taman Air Putih Mewah, 23350 Kuantan, Pahang Darul Makmur. Tel: 09-560 6668 Fax: 09-09-560 5050 • MALACCA No. 385-L, Taman Peringgit Jaya, 75400 Peringgit, Melaka. Tel: 06-292 1940 Fax: 06-286 7107 • KOTA BHARU PT 1436, Ground Floor, Taman Koperatif, Tanjung Chat, 15300 Kota Bharu, Kelantan. Tel/Fax: 09-743 1202

• SABAH Inanam Suria Commercial Centre, Lot B, Unit 0-9, Unit 1-9, Ground Floor and First Floor, 88450, Kota Kinabalu, Sabah. Tel: 088-421 428 Fax: 088-431 427 • SARAWAK 1st Floor , Lot 8517, Stutong Commercial Centre, Jalan Stutong, 93350 Kuching, Sarawak. Tel: 082-363 167 Fax: 082-361 167