

CREATING JOYLOUS HOME

Vol.1 2022



KITCHEN & WATER APPLIANCES

^{*} Visual for reference & illustration purpose only.



MCH-90B68AT

- Auto Steam Wash Cleaning Technology
- Suction power: 1800m³/hr
- Touch control
- Gesture control (Hand wave power On/Off)
- LED lamp: 2 x 1.5W
- Duct out operation mode

- Easy clean elongated oil cup
- 2 speeds selection with Turbo speed function
- Included aluminium ducting hose
- Ducting hole dimension 180mm
- Product dimension (mm): 895(W) x 416(D) x 505(H)



UNIQUE FEATURES



Sustain Excellent Suction Performance with Self-cleaning Steam Wash



1800m³/h Strong SuctionPowerful airflow to efficiently remove the most unpleasant odors, steam and grease.



Self-Cleaning Steam Wash
A perfect solution for hood interior
cleaning, maintaining the appliance always
with a decent performance and longer
serving-you time.



Complete Smoke Removal
The duct out type exhausts cooking fumes
outside the house thoroughly and keeps
your kitchen air fresh indeed.



Hand Wave Control
A convenient alternative to suspend or stop
your hood when inconvenient to touch the
screen.



3-Minutes Super Extraction Power Our turbo function can provide 3-minutes maximum suction (1800m³/h), perfectly suitable for stir frying.



MCH-90B65

- Suction power: 1800m³/hr
- Touch control
- Gesture control (Hand wave power On/Off)
- LED lamp: 2 x 1.5W
- Duct out operation mode

- Easy clean elongated oil cup
- 2 speeds selection with Turbo speed function
- Included aluminium ducting hose
- Ducting hole dimension 180mm
- Product dimension (mm): 895(W) x 416(D) x 505(H)



UNIQUE FEATURES



Wave Hello to Your Cooking Pleasure



Hand Wave Control
A convenient alternative to suspend or stop
your hood when inconvenient to touch the
screen.



1800m3/h Strong SuctionPowerful airflow to efficiently remove the most unpleasant odors, steam and grease.



3D Circum VentilationThe detachable convex condensation plate leaves large air inlets for 360-degree extraction, maximizing the efficiency of cooking fume extraction.



Complete Smoke Removal
The duct out type exhausts cooking fumes
outside the house thoroughly and keeps
your kitchen air fresh indeed.



3-Minutes Super Extraction Power Our turbo function can provide 3-minutes maximum suction (1800m³/h), perfectly suitable for stir frying.



MCH-90M80AT

- Auto Steam Wash Cleaning Technology
- 3D Circum Ventilation
- Suction power: 2000m³/hr
- Touch control
- Gesture control (Hand wave power On/Off)
- LED Lamp: 2 x 1.5W

- Duct out operation mode
- Easy clean elongated oil cup
- 2 speeds selection with Turbo speed function
- · Included aluminium ducting hose
- Ducting hole dimension 180mm
- Product dimension (mm): 895(W) x 494(D) x 609-919(H)



UNIQUE FEATURES



3D Circum Ventilation

The detachable convex condensation plate, leaves large air inlets for 360-degree extraction and better control and direct smoke flow, optimizing its extraction efficiency.



Easily-clean Designs Black Glass Plate Easy to wipe grease off.



2000m³/h Strong Suction

Our turbo function can provide 3-minutes maximum suction (2000m³/h), perfectly suitable for stir frying, removing the most unpleasant odors, steam and grease.



More Humanized Details Injury Prevention Designs 494mm width and rounded corner.



Complete Smoke Removal

The duct out type exhausts cooking fumes outside the house thoroughly and keep your kitchen air fresh indeed.



Detachable Grease Easy to detach and

clean



Oil-visible Oil Cup Clearly indicating oil quantity and reminding you to clean



Legible Control Intuitive use with a clear picture view.



Energy Efficient LED Lights Ensure a visibility at your stovetop.



- MCH-90B82
- Suction power: 1500m³/hr
- Touch control
- LED lamp: 2 x 1.5W
- Duct out operation mode
- Easy clean elongated oil cup
- 2 speeds selection
- Included aluminium ducting hose
- Ducting hole dimension 170mm
- \bullet Product dimension (mm): 895(W) x 480(D) x 510(H)



UNIQUE FEATURES



Enjoy Cooking Around So Fresh Air



1500m³/h Strong SuctionPowerful airflow to efficiently remove the most unpleasant odors, steam and grease, especially when stir frying.



Intuitive Touch ScreenClear and simple touch-function displays are easily understood and intuitively used with your finger.



Complete Smoke Removal Exhaust cooking fumes outside the

Exhaust cooking fumes outside the house thoroughly and keep your kitchen air fresh indeed.



Easily-Maintained Durable Parts

Stainless steel materials

The stainless steel body is resistant to high temperature and salt corrosion.

Easily cleaned designs

The baffle filter and large oil cup, directly contacting cooking, are designed to be more easily cleaned.



Easily-Maintained Durable Parts

Precisely framed 480mm width of the appliance and rounded corner can effectively prevent you from unexpected injuries.





Suction Power 1500m³/hr

Duct Out Only

MCH-90J15

- Suction power: 1500m³/hr
- Touch control
- Gesture control (Hand wave power On/Off)
- LED Lamp: 2 x 1.5W
- Duct out operation mode
- Easy clean elongated oil cup
- 2 speeds selection
- Included aluminium ducting hose
- Ducting hole dimension 180mm
- Product dimension (mm):
 900(W) x 347(D) x 525-1365(H)





Suction Power 1500m³/hr

Duct Out Only

MCH-90J52

- Suction power: 1500m³/hr
- · Touch control
- Gesture control (Hand wave power On/Off)
- LED lamp: 2 x 1.5W
- Duct out operation mode
- Easy clean elongated oil cup
- 2 speeds selection

Duct Out /

Recirculation

- Included aluminium ducting hose
- Ducting hole dimension 190mm
- Product dimension (mm): 896(W) x 460(D) x 545-1345(H)



Suction Power 1200m³/hr

Duct Out / Recirculation

MCH-90TM1

- Suction power: 1200m³/hr
- Touch control & digital display
- Air outlet: 150mm
- LED lamp: 2 x 1.5W
- With charcoal filter x 2
- Washable 5-layers grease filters x 3
- Duct out or recirculation operation mode
- 3 speeds selection
- Stainless steel
- Included PVC ducting hose
- Ducting hole dimension 150mm
- Product dimension(mm): 900(W) x 500(D) x 460(H)





· Push button control

• Air outlet: 150mm

• LED lamp: 2 x 1.5W

• 3 speeds selection

· Included PVC ducting hose

Product dimension(mm):

• Ducting hole dimension 150mm

900(W) x 500(D) x 485(H)

• Tempered glass

mode

• With charcoal filter x 2

• Washable 5-layers grease filters x 2

• Duct out or recirculation operation

• Suction power: 1200m3/hr

MCH-90MV1

Duct Out / Recirculation

1200m³/hr

- Suction power: 1200m³/hr
- Push button control
- LEDlamp: 2 x 1.5W
- With charcoal filter x 2
- Washable 5-layers grease filters x 2
- Duct out or recirculation operation mode
- 3 speeds selection
- Stainless steel & tempered glass
- Included PVC ducting hose
- Ducting hole dimension 150mm
- Product dimension(mm):
 900(W) x 500(D) x 485(H)





Duct Out / Recirculation

MCH-76MSS

- 76cm length
- Air outlet size: size: 120mm
- Suction power: 900m³/hr
- Stainless steel
- LED lamp
- Push button
- With charcoal filter x 2
- Washable grease filter x 2
- Twin motor, bigger powerDuct out or recirculating system
- Product dimension(mm) 757(W) x 500(D) x 140(H)



Suction Power 900m³/hr

Duct Out / Recirculation

MCH-90F49SS

- 90cm length
- Air outlet size: 120mm
- Suction power: 900m³/hr
- Stainless steel
- LED lamp
- Push button
- With charcoal filter x 2
- Washable grease filter x 3
- Twin motor, bigger power
- Duct out or recirculating system
- Product dimension(mm): 897(W) x 500(D) x 140(H)



BUILT-IN INDUCTION & CERAMIC HOB



MC-IHD361

- Built-in induction & ceramic hob
- Left zone: 1800W
- Right zone: 1800WTouch control
- 9-stages power setting
- Residual heat indicator
- Child lock
- Automatic safety switch off
- Product dimension (mm): 700(W) x 430(D) x 82(H)
- Built-in dimension (mm): 670(W) x 400(D)
- Installed electric power: 3200W
- Voltage: 220-240V









MGH-2530GL

- Preset gas type:LPG • Burners: 2 x 5.8kW
- 76cm gas hob
- Tempered Glass

PREMIUM

- Flame failure safety device
- Production dimension (mm): 760(W) x 420(D)
- Cut out dimension (mm): 645(W) x 340(D)



UNIQUE FEATURES



Premium Brass Burner Ignite Your Cooking Passion For Long

Fine burners with surprisingly durable quality, keeping company with you to always bring you food inspiration in your culinary journey.



Fully Mix Gas & O2, Burn To The

Limit Of Energy Using
The Bi-Hybrid Combustion System activates the gas twice to fully mix with the O2, releasing stronger fire with 65% energy efficiency, which makes your meal ready in lessen time and energy.



Even When Stir-frying, Still A Resist-Heatwave Place For You

The thoughtful 1/4 anti-scalding pot ring design allows you to feel confortable even when the biggest fire is on. At the same time, the heavy material and scientific design also stable your wok, bringing you a friendly cooking experience.



Various Flame Settings To Customize Your Delicacies

Our hobs serve you for cooking, stir-frying, steaming, braising, and gradual simmering... Precise fire control satisfies your different heating needs and avoid unnecessary gas waste.



Flexible Installation, **Harmoniously Fit In Your Kitchen**

Built-in or Free-standing, Dicided by you.



Instantly Ignite The Hob Via Knob, As Well As Your Cooking Inspiration

Just push and turn the knobs, the flame can be triggered instantly, so as your culinary inspiration.



Temp-Sensing Flame Failure Protection, Guard Your Safety Consciously

The fire went out all of a sudden? A flame failure device will cut off the gas flow to guard your safety. Protection against flame failure.



4-Layers Premium Tempered Glass, **Enhance Your Cooking Experience**

Strong glass surface made fo high quality 4-layers tempered glass, which is resist to HI-temperature and corrosion. Also, gently wipe the stains off, then you will regain a clean and glossy cooktop.



Child Lock Avoid accidenta contact with



lon-slip Knob



Design Prevent soup from seeping



Detachable Easy to clean

Humanized Design,

Care For Every Detail In Cooking

From the moment you touch Midea hobs, our thoughtful innovative design has been perfecting your culinary journey.



MGH-4360GL



- Preset gas type: LPG
- Burners: 2 x 5.8kW
- 1.5V battery ignition
- 76cm gas hob
- Tempered Glass
- Flame failure safety device
- Product dimension (mm): 760(W)×445(D)
- Cut out dimension (mm): 645-705(W)×340-400(D)



UNIQUE FEATURES



Premium Brass Burner Ignite Your Cooking Passion For Long

Fine burners with surprisingly durable quality, keeping company with you to always bring you food inspiration in your culinary journey.



Fully Mix Gas & O2, Burn To The **Limit Of Energy Using**

The Bi-Hybrid Combustion System activates the gas twice to fully mix with the O2, releasing stronger fire with 65% energy efficiency, which makes your meal ready in lessen time and energy.




Steady Your Woks In X Pan Support, **Promise Your Safe Cooking**

X pan supports strongly hold any kind of pan, large or small, reducing risks of spilling and scalding. Let the woks always stay in their place!



Various Flame Settings To Customize Your Delicacies

Our hobs serve you for cooking, stir-frying, steaming, braising, and gradual simmering... Precise fire control satisfies your different heating needs and avoid unnecessary gas waste.



Flexible Installation, **Harmoniously Fit In Your Kitchen** Built-in or Free-standing, Dicided by you.




Instantly Ignite The Hob Via Knob, As Well As Your Cooking Inspiration

Just push and turn the knobs, the flame can be triggered instantly, so as your culinary inspiration.



Temp-Sensing Flame Failure Protection, Guard Your Safety Consciously

The fire went out all of a sudden? A flame failure device will cut off the gas flow to guard your safety. Protection against flame failure.



4-Layers Premium Tempered Glass, **Enhance Your Cooking Experience**

Strong glass surface made fo high quality 4-layers tempered glass, which is resist to HI-temperature and corrosion. Also, gently wipe the stains off, then you will regain a clean and glossy cooktop.





Leakage-proof Design



Detachable Parts

Humanized Design,

Care For Every Detail In Cooking

From the moment you touch Midea hobs, our thoughtful innovative design has been perfecting your culinary journey.



MGH-2280GL NEW

- Preset gas type: LPG
- 1.5V battery ignition
- Tempered Glass
- Flame failure safety device
- Product dimension (mm): 760(W)×445(D)
- Cut out dimension (mm): 645-705(W)×340-400(D)

• Burners: 2 x 5.8kW

• 76cm gas hob



UNIQUE FEATURES



Flame Focused, Flavor Locked In Heat Concentration Ring gathers the flame and lets the heat directly target the bottom of the pan, providing focused fire and greater efficiency. The intense heat is ideal for searing seafood and frying other delicious meals.




Fully Mix Gas & O₂, Burn To The Limit Of Energy Using
The Bi-Hybrid Combustion System activates the gas

The Bi-Hybrid Combustion System activates the gas twice to fully mix with the O₂, releasing stronger fire with 65% energy efficiency, which makes your meal ready in lessen time and energy.



Steady Your Woks In X Pan Support, Promise Your Safe Cooking

X pan supports strongly hold any kind of pan, large or small, reducing risks of spilling and scalding. Let the woks always stay in their place!



Various Flame Settings To

Customize Your Delicacies

Our hobs serve you for cooking, stir-frying, steaming, braising, and gradual simmering.. Precise fire control satisfies your different heating needs and avoid unnecessary gas waste.



Flexible Installation, Harmoniously Fit In Your Kitchen Built-in or Free-standing, Decided by you.



Instantly Ignite The Hob Via Knob, As Well As Your Cooking Inspiration Just push and turn the knobs, the flame can be triggered instantly, so as your culinary inspiration.



Temp-Sensing Flame Failure Protection, Guard Your Safety Consciously

The fire went out all of a sudden? A flame failure device will cut off the gas flow to guard your safety. Protection against flame failure.



4-Layers Premium Tempered Glass, Enhance Your Cooking Experience

Strong glass surface made fo high quality 4-layers tempered glass, which is resist to HI-temperature and corrosion. Also, gently wipe the stains off, then you will regain a clean and glossy cooktop.



Child Lock Avoid accidental contact with



Non-slip Knob For your smoothly twisting



Leakage-proof Design Prevent soup from seeping into the hob



Detachable Parts Easy to clean

Humanized Design, Care For Every Detail In Cooking

From the moment you touch Midea hobs, our thoughtful innovative design has been perfecting your culinary journey.



MGH-8216SS



- Preset gas type: LPG Burners: 2 x 5.8kW
- 1.5V battery ignition 72cm gas hob
- Stainless Steel
- Flame failure safety device
- Product dimension (mm): 720(W)×420(D)
- Cut out dimension (mm): 645(W)×340(D)

UNIQUE FEATURES



Dual Flame Enables Even & Quick Cooking

Cyclone Flame matches with the inner straight flame to wrap the base of pans, releasing 5.8kW heating power, perfect for boiling, searing, and frying.



Flexible Installation, Harmoniously Fit In Your Kitchen
Built-in or Free-standing, Decided by you.



Stainless Steel Body, Strong Yet Durable



Fully Mix Gas & O2, Burn To The

Limit Of Energy Using
The Bi-Hybrid Combustion System activates the gas twice to fully mix with the O2, releasing stronger fire with 65% energy efficiency, which makes your meal ready in lessen time and energy.



Instantly Ignite The Hob Via Knob, **As Well As Your Cooking Inspiration** Just push and turn the knobs, the flame can be triggered instantly, so as your culinary inspiration.



Non-slip Knob





Parts Easy to clean

Humanized Design, Care For Every Detail In Cooking From the moment you touch Midea hobs, our thoughtful innovative design has been perfecting your culinary journey.

Leakage-proof Design

Prevent soun



Various Flame Settings To **Customize Your Delicacies**

Our hobs serve you for cooking, stir-frying, steaming, braising, and gradual simmering... Precise fire control satisfies your different heating needs and avoid unnecessary gas waste.



Temp-Sensing Flame Failure **Protection, Guard Your Safety** Consciously

The fire went out all of a sudden? A flame failure device will cut off the gas flow to guard your safety. Protection against flame failure.





5.0kW

MGH-2460GL NEW

- Preset gas type:LPG • Burners: 2 x 5.0kW
- 1.5V battery ignition
- 76cm gas hob
- Tempered Glass
- Flame failure safety device
- Product dimension (mm): 760(W)×445(D)
- Cut out dimension (mm): 645(W)×340(D)

WARRANTY

TEMPERED GLASS



Fully Mix Gas & O2, Burn To The Limit Of Energy Using The Bi-Hybrid Combustion System activates the gas

twice to fully mix with the O2, releasing stronger fire with 65% energy efficiency, which makes your meal ready in lessen time and energy.

UNIQUE FEATURES



Flame Focused, Flavor Locked In

Heat Concentration Ring gathers the flame and lets the heat directly target the bottom of the pan, providing focused fire and greater efficiency. The intense heat is ideal for searing seafood and frying other delicious meals.



Instantly Ignite The Hob Via Knob, As Well As **Your Cooking** Inspiration

Just push and turn the knobs, the flame can be triggered instantly, so as your culinary inspiration.



Temp-Sensing Flame Failure Protection, Guard Your Safety Consciously

The fire went out all of a sudden? A flame failure device will cut off the gas flow to guard vour safety.



Avoid accidental contact with



Non-slip Knob

Humanized Design, **Care For Every Detail In Cooking**

From the moment you touch Midea hobs, our thoughtful innovative design has been perfecting your culinary journey.



eakage-proof Design





Burner 5.0kW

MGH-2432GL

- Preset gas type: LPG
- Burners: 2 x 5kW • 1.5V battery ignition
- 76cm gas hob Tempered Glass
- Cast Iron pan support
- Flame failure safety device
- Product dimension (mm): 760(W) x 450(D)
- Cut out dimension (mm): 645(W) x 340(D)



Burner 4.8kW

MGH-2411GL

- Preset gas type: LPG
- 72cm gas hob
- Burners: 2 x 4.8kW • 1.5V battery ignition
- Tempered Glass
- Cast Iron pan support

- Flame failure safety device
- Optional gas type: Natural gas
- Product dimension (mm): 720(W) x 420(D)
- Cut out dimension (mm): 645(W) x 340(D)



Burner 5.0kW

MGH-76Q60A

- Preset gas type: LPG • Burners: 2 x 5kW
- 76cm gas hob
- 1.5V battery ignition
- Tempered Glass
- Cast Iron pan support
- Flame failure safety device
- Product dimension (mm): 760(W) x 445(D)
- Cut out dimension (mm): 645(W) x 340(D)





5-levels Flame Control to suit your cooking



High Efficiency Burners



Classy & High Quality Tempered Glass Surface for easy cleaning



Child Lock Push Button for safety purpose

TABLETOP GLASS STOVE Burner 4.7kW

MGS-T211G

- Portable tabletop glass stove
- Preset gas type: LPG
- Burners: 2 x 4.7kW
- Tempered Glass
- Cast iron burner cap
- High Energy Efficiency (20% less gas consumption)
- 5-claws enamel pan support
- Product Dimension (mm): 720(W) x 350(D) x 140(H)



UNIQUE FEATURES



4.7kW Strong Makes Cooking a Breeze

Quick Frying

4.7kW stir-frying heating power with fiercer straight flame speeds cooking process.

Fully and Evenly Cooking

Triple ring burner offers more even flame power, promoting food cooked fully and evenly.



20% Less Gas Consumption 10 Years Secure Usage for Longer "Serving you" Time

Our high-standard quality control guarantees 10-years long lifespan, sustaining your cooking enjoyment.



Cast Iron Burner Cap

Resistant to wear and high temperature and not easy to deform

60,000 Valve Usages

Our strict quality control guarantees over 60,000 usages of valve, ensuring a reliable long-time use.



20% Less Gas Consumption

The energy efficiency of our gas hob is enhanced to save energy and cost indeed.



Easily-clean and Effortless Designs



Guaranteed Tempered Glass Plate 6mm thickened tempered glass plate with our lifetime warranty.



Flexible Flame Adjustments, Various Cooking Options



Free Installation, Easy Use with Flexibilities

No installation needed to start your culinary pleasure, highly convenient for the situations when you need to relocate it.



Caring Child Lock Ultra Safety Protection

Pushing the button and rotating the valve are needed simultaneously, providing effective protection for children from unexpected accidents with fire.

BUILT-IN OVEN

















• Capacity size: 70 liters

• 8 functions with rotisserie

• 3 layers removable door












70L

- Built- in 60cm oven
- · Digital control with LED display
- Energy rating: A class
- 2 x universal trays & 1 rack
- Maximum power:3000W • Product Dimension (mm): 595(W) x 575(D) x 595(H)
- Build-in Dimension (mm): 560(W) x 575(D) x 600(H)





Double Grill

Double Grill With Fan

65L

MBO-M1865

- Built- in 60cm oven
- Mechanic knobs control
- Energy rating: A class
- 2 x universal trays & 1 rack
- Capacity size: 65 liters • 8 functions with rotisserie
- 2 layers removable door
- Maximum power:3000W
- Product Dimension (mm): 595(W) x 575(D) x 595(H) • Build-in Dimension (mm): 560(W) x 575(D) x 600(H)

BUILT-IN MICROWAVE



25L

MBM-VE8925

- 2 in 1 Built-in microwave with Grill
- Capacity: 25 liters
- · Digital control with LED display
- 10 auto menus
- Multi defrost fuctions
- Child safety lock
- Microwave power: 900W, Grill power: 1000W
- Product Dimension (mm): 595(W) x 410(D) x 388(H)
- Build-in Dimension (mm): 560(W) x 500(D) x 380(H)



25L

MBM-1925B

- 2 in 1 Built-in microwave with Grill
- Turnable diameter: 315mm
- 8 Auto cooking menus
- Multi defrost fuctions
- Heat-resisted glass window
- Stainless steel with black glass door
- Microwave Power: 900W
- Rotary knobs
 - Grill power: 1000W

• Capacity: 25 litres

· Express cooking

· Child safety lock

• Built in Microwave with grill

· Speedy defrost setting

- Product Dimension (mm): 595(W) x 410(D) x 388(H) • Build in dimension (mm): 560(W) x 500(D) x 380(H)
- 13

FREE STANDING DISHWASHER



- 14 Place settings
- Stainless steel
- 6 Washing programs
- 70°C high-temp intensive wash
- · Half load funtion
- Child lock
- Low noise level
- Flexible rack system • Auto open drying system
- Extra drying funtion
- Self-cleaning filter system



• Product Dimension (mm): 598(W) x 600(D) x 845(H)

UNIQUE FEATURES



Anti-bacterial* Filter Inhibits 99.99% of Bacteria

40ur filter, employed anti-bacterial material, constantly inhibits micro-organism buildup inside the tub, ensuring a high level of health protection by inhibiting 99.99% of bacteria.



Extra Drying

Extra drying function can be added into certain wash cycles, and your dishware with extraordinary drying results.



Effortless Eco-Dishwashing

Dishes are beautifully cleaned with less effort and water consumption.



Flexible Rack System, Infinite **Loading Flexibilities**

Allow you stack more categories of tableware, glassware, utensils and even cookware, with superb 14 place setting capacity, making loading and unloading so smooth.



Intensive Wash

Efficiently clean the heaviest soiled dishes and cooking utensils, guaranteeing your tableware fairly hygienic to use.



Auto Open Drying

At the end of washing cycles, the door of dishwasher will open automatically and leave a gap for air exchange, promoting washed items, even plastic dishes to achieve the best drying performance.



Half Load

A cost-effective solution for less tableware wash, especially for small families not using many dishes and bowls, with less water and energy consumption.



Delicate Glass Care

Wash glass meticulously and also with softened water by the build-in water softener, to deliver crystal-clear results.



Child Lock

Effectively protect your children from unexpected accidents, like being scalded by hot steam, and prevent dishwasher damages which is due to children's mistakenly operating.

FREE STANDING DISHWASHER



- 12 Place settings
- Flexible rack system
- Self-cleaning program
- 70°C high-temp intensive wash
- Half load funtion
- · Child lock

- Low noise level
- 7 Washing programs
- · Residual heat drying system
- Extra drying funtion
- Self-cleaning filter system



UNIQUE FEATURES



• Product Dimension (mm): 598(W) x 600(D) x 845(H)

70°C Intensive Wash


Highly effective for cleaning the heaviest soiled dishes and other utensils, and also quite efficient for eliminating 99.99%* bacteria with high temperature up to 70°C

* Bacteria elimination rate from Report No: WXw-16-30276 by CTIHEA



Self-regulated Water Leak Protection System

Our water leak protection system with overflow float switch, regulates itself to detect and cut off any categories of water leakage, not allowing your kitchen to get dirty.



Flexible Rack System, Infinite Loading **Flexibilities**

Our flexible rack system, including versatile cutlery basket, foldable flip tines, foldable cup shelf and removable cutlery rack, allows you stack multiple categories of cooking utensils.



Power-Off Memory, A Perfect Solution For Voltage Instability

Power-off Memory function can remember the unfinished wash cycle when there is a sudden power outage and continue the washing process when power is back on, without need to operate it again.



Self-cleaning for Easy Maintenance

Self-cleaning, 50-min high temperature (70°C) wash cycle for dishwasher itself, can consistently keep your dishwasher fresh and hygenic.



Anti-bacterial* Filter Inhibits 99.99% of Bacteria

40ur filter, employed anti-bacterial material, constantly inhibits micro-organism buildup inside the tub, ensuring a high level of health protection by inhibiting 99.99% of bacteria.



Extra Drying Option

Extra drying can be added into certain wash cycles (Intensive, ECO, Glass and 90 min), and your dishware and even plastic dishes, with extra ordinary drying results.



Half Load Option

A convenient and cost-effective solution for less tableware wash, expecially for small families not using many dishes and bowls, with less water and energy consumption.



Child Lock Protection

Hold the F and 1/2 buttons for 3 seconds to lock or unlock the control panel, to effectively protect your children from unexpected accidents, like scalding by hot steam, and prevent dishwasher damages due to child's mistakenly operating.

TABLE TOP DISHWASHER



- 6 Place settings
- Easy installation
- 6 Washing programs
- 70°C high-temp intensive wash
- Low noise level
- Flexible rack system
- Residual heat drying system
- Self-cleaning filter system





UNIQUE FEATURES



Compact Body, Easy InstallationSmall enough to fit anywhere in your room and they always look great.



Intuitive Control with Legible Panel

Simple four-button setting and clear program indicators make your operation so smooth.



Flexible Rack System, Maximum Loading **Possibilities**



Personalize Your Uncleaned Items Reliable cleaning is on your demand.

70°C High-Temp Intensive Wash Efficiently clean the heaviest soiled dishware and glassware, make them fairly hygenic to use, especially for families with babies.



30-min Super Quick Wash

Never need to worry running out of tableware when holding a multi-round party.



Delicate Glass Care

Wash glass meticulously and also with softened water by the build-in water softener, to deliver crystal-clear results.



Off-peak Wash

Preset your delayed timer to start dishwashing auto matically at night to save your electricity cost when you are sleeping.



Self-cleaning Filter System

Save your effort of cleaning by flushing major food residues.

INSTANT WATER HEATER

EU3 SERIES (WITH DC PUMP)



- DC Pump
- Rain Showerhead
- 5 Versatiles Shower Modes
- Digital Display
- Color : Grey

- MWH-38EU3-GR
- DC Pump
- Digital Display
- 3 Versatile Shower Modes
- · Colour: Grey

EU3 SERIES (WITH DC PUMP)



- DC Pump • 3 Versatile Shower Modes
- · Colour: White

SET YOUR PREFERRED TEMPERATURE PRECISELY







Smart Control System with LED display for precise temperature setting.







GENERAL FEATURE:



Antibacterial

101

Built-in Auto

Flow Sensor



Fault Indicator

Copper Heating



Japan JST Connector



Overheat Protection

Splash-proof IP25 Standard



DC Pump

3.8kW Power

Output



Nylon Glass

Double Relay



Earthing

Protection

Whirl Flow Tech



Anti Dry-heating Protection

Precise Thermal

Cut-out















5 VERSATILE SHOWER MODES



Standard Full body sprays relieve muscle invigorate your body.



Built-in ELCB

Soothe



Combo



Massage Uses pulsating jets of water to relieve stress



Jumbo Concentrates a stream of water into a small area for fast rinsing

For all Instant Water Heater:



^{*} Worldwide warranty for all water heater product

INSTANT WATER HEATER



MWH-38P3-RS (BLACK)

- Stepless Electronic Pump Control
- Rain Showerhead
- 5 Versatile Shower Modes
- 5 versatile SnAuto Test
- DC pump



MWH-38P3 (BLACK)

- Stepless Electronic Pump Control
- 5 Versatile Shower Modes
- Auto Test
- DC pump



MWH-38P3 (WHITE)

- Stepless Electronic Pump Control
- 3 Versatile Shower Modes
- Auto Test
- DC pump

Q SERIES (NO PUMP)



Power 3800W

MWH-38Q

- No Pump
- 3 Versatile Shower Modes
- White body & Black panel

V SERIES (NO PUMP)



Power 3800W

MWH-38V-WT



- No Pump
- 3 Versatile Shower Modes
- Colour: White

GENERAL FEATURE:



Grounding Fault Indicator



Japan JST Connector



Overheat Protection



Low Noise DC Pump



Nylon Glass



Whirl Flow Tech



Anti Dry-heating Protection



Precise Thermal







SAFETY









Copper Heating



Duilt-in ELC



Splash-proof IP25 Standard



3.8kW Power Output



Double Relay



Earthing Protection

3 VERSATILE SHOWER MODES




StandardFull body sprays relieve muscle tension to rejuvenate and invigorate your body.



Jumbo Concentrates a stream of water into a small area for fast rinsing



Massage
Uses pulsating jets of water
to relieve stress





* Worldwide warranty for all water heater product

STORAGE WATER HEATER





Power 1500W

MSH-50VH • Capacity: 50L



Horizontal Or Vertical Mount



Sapphire Enamel Heating

Incoloy 800 or 840 stainless steel with enamel tech, maintains best performance under high temperature & pressure conditions.



Electric Water Heater with Electricity Shock Proof

Built-in electricity guard technology supports the safeguard for the excessive voltage to be neutralized in the water heater. It's a reliable shield that protects you from electrical shocks unlike other conventional water heater. Basically, it is never been safer for bathing.



- 1. Sapphire Enamel Inner Container
- 2. Overall Polyurethane Foam
- 3. 27% thicker Magnesium anoda
- 4. Sapphire Enamel Heating Element
- 5. Stepless Control







Waterproof

Grade: IPX4

Power 1500W

MSH-30VH

• Capacity: 30L



Magnesium Anode





Protection



Anti Over-Pressure

Protection



Enamel Tank












Protection Polyurethane Foam

Protection

STORAGE WATER HEATER SPECIFICATIONS

	MSH-30VH	MSH-50VH	MSH-80VH	MSH-100VH
Capacity (L)	30	50	80	100
Rated Power (W)	1500	1500	1500	1500
Voltage (V~)	220/230	220/230	220/230	220/230
Frequency (Hz)	50/60	50/60	50/60	50/60
Current (A)	6.81/6.52	6.81/6.52	6.81/6.52	6.81/6.52
Temperature Range (°C)	30-75	30-75	30-75	30-75
Maximum Working Pressure (MPa)	0.75	0.75	0.75	0.75
Max Temperature (°C)	101	101	101	101
Material Thickness (mm)	2	1.8	2	2
Outer Cabinet Material	SPCC	SPCC	SPCC	SPCC
Inner Tank	Enamel tank	Enamel tank	Enamel tank	Enamel tank
Average Thickness Of Insulation (mm)	20	22.5	20	20
Magnesium Anode Size (mm)	Ф 22x234	Ф 22х234	Ф 22x296	Ф 22х296
Type of Heating Element	Copper/Enamel/SUS316L	Copper/Enamel/SUS316L	Copper/Enamel/SUS316L	Copper/Enamel/SUS316L
Type Of Mounting	VERTICAL/HORIZONTAL	VERTICAL/HORIZONTAL	VERTICAL/HORIZONTAL	VERTICAL/HORIZONTAL
Net Weight (kg)	14.79	18.3	26.31	28.5
Gross Weight (kg)	16.49	20.63	29.4	30.5
Dimensions (WxD) (mm)	340x593	385x711	385x1030	450x895
Carton size (WxDxH) (mm)	418x388x670	458x434x793	458x434x1125	528x498x977

KITCHEN APPLIANCES DIMENSION



Midea Scott & English Electronics Sdn Bhd (194517-X)

- No. 16, Jalan Chan Sow Lin, 55200 Kuala Lumpur Tel: 03-9221 1033 Fax: 03-9221 7204 / 03-9221 1434 / 03-9221 3509

 PENANG No. 35, Jalan Perniagaan Gemilang I, Pusat Perniagaan Gemilang, I4000 Bukit Mertajam, Pulau Pinang. Tel: 04-548 3938 Fax: 04-548 9698 JOHOR No. 25, Jalan Seri Impian I, Taman Impian Emas, 81300 Skudai, Johor. Tel: 07-562 4898 Fax: 07-557 7898

 PERAK No. 38, Persiaran Perindustrian Pengkalan 10, Kawasan Perindustrian Pengkalan, 31500 Lahat, Perak. Tel: 05-323 2529 Fax: 05-323 2529 PAHANG No. 258, Ground Floor, Jalan Air Putih, Taman Air Putih Mewah, 25350 Kuantan, Pahang Darul Makmur. Tel: 09-560 6668 Fax: 09-09-560 5050
- MALACCA No. 385-L, Taman Peringgit Jaya, 75400 Peringgit, Melaka. Tel: 06-292 1940 Fax: 06-286 7107 KOTA BHARU PT 1436, Ground Floor, Taman Koperatif, Tanjung Chat, 15300 Kota Bharu, Kelantan. Tel/Fax: 09-743 1202
- * SABAH Inanam Suria Commercial Centre, Lot B, Unit 0-9, Unit 1-9, Ground Floor and First Floor, 88450, Kota Kinabalu, Sabah. Tel: 088-421 428 Fax: 088-431 427 * SARAWAK 1st Floor , Lot 8517, Stutong Commercial Centre, Jalan Stutong, 93350 Kuching, Sarawak. Tel: 082-363 167 Fax: 082-366 167