



**Visual for reference & illustration purpose only.*

CREATING A JOYOUS HOME

KITCHEN & WATER APPLIANCES

COOKER HOOD

RFID SERIES



Steam Cleaning



Gesture Control

Duct Out Only

Suction Power
2000m³/hr

MCH-90J83

Black



- Suction power: 2000 m³/hr
- 2 x 2W LED light
- 4 fan speeds with Boost mode
- Touch control + Gesture control
- Noise level: ≤59 dB(A)

- Motor type: BLDC
- IoT (MSmartHome App)
- Inter link hood & hob (RFID)
- Self-cleaning steam wash
- MegaCapture all-around suction

- Ducting air outlet : 190mm
- Product dimension (mm): 899(W) x 350(D) x 752(H)
- Applicable replacement filter: MCH-HONEYCOMB3

UNIQUE FEATURES



Hob To Hood Synergy

Connect your hood and hob, and enable your hood automatically start working once the hob is turned on.



Energy-saving with remote shut down

Convenient to switch off hoods or its lights instantly through your smart devices directly no matter where you are, helping you greatly save energy and electricity costs.



Powerful, Quiet, Energy Efficient

The BLDC motor helps the hood work smoothly and quietly with low vibration. This innovative improvement ensures steady performance and durable quality.




110°C Hi-Temp Self-Cleaning Steam Wash

Release high-temp and high-pressure steam to thoroughly clean and sterilize the motor of the hood in just 15 minutes, with 99.99% of germs removed. No chemical detergent needed, no chemical residue.



Wave To Get Freshness

No need to touch the button with your oily hands. Freshen up your cooktop have never been so easy.




3 Exhaust Fan Speeds

Adjustable airflow to meet different cooking need




COOKER HOOD





Dry Cleaning



Gesture Control

Duct Out Only

Suction Power
2000m³/hr

MCH-90M86

Black




- Suction power: 2000 m³/hr
- 1 x 2W LED light
- 4 fan speeds with Boost mode
- Touch control + Gesture control
- Noise level: ≤70 dB(A)
- Motor type: BLDC
- Auto dry cleaning
- Dual-zone innovative system
- OrdorZero 3 min delayed shutdown
- Ducting air outlet: 190mm
- Product dimension (mm): 895(W) x 512(D) x 659(H)
- Applicable replacement filter: MCH-HONEYCOMB3

UNIQUE FEATURES



Mega Capture All-Around Suction

The revolutionary twin-chamber design creates a 3D suction network - smoke gets captured the moment it rises, delivering wok-frying freedom with zero




Dual-Zone Innovative System

Cook freely with no smoke mixing! Independent ducts provide precise suction: strong for stir-frying, gentle for simmering. Breathe easy in your kitchen.



High-Boost Power Mode

Our intelligent high boost power instantly ramps up to 2000 m³/h hurricane suction, capturing of grease and odors within seconds.




Auto Dry Clean

Keep the motor spinning at a high speed to shake the oil and dirt off.



OdorZero™

Your kitchen resets to pristine in 180 seconds. After cooking, the device will continue to run for 3 minutes, reducing power, effectively removing residual smoke and odor, and keeping the kitchen air fresh.



3 Exhaust Fan Speeds

Adjustable airflow to meet different cooking need



COOKER HOOD



Duct Out/Recirculation

Suction Power
400m³/hr

MCH-60L03

White



- Telescopic hood
- Suction power: 400 m³/hr
- Motor power: 210W
- 1 x 1.5W LED light
- 2 fan speeds
- Pull & push mechanism
- Noise level: ≤69 dB(A)
- With charcoal filter x 2
- Dishwasher-safe
- Ducting air outlet: 120mm
- Product dimension (mm): 595(W) x 308(D) x 175(H)

UNIQUE FEATURES



4-Layer Grease Filter

Effectively filter out grease and other solid particles with the maximized 4-layer mesh, ensuring you maximized freshness. And impress you more with minimized cleaning effort, as the filter is easy to detach and wash in your dishwasher.



2 Exhaust Fan Speeds

Powerful airflow to efficiently remove the most unpleasant odors, steam and grease.



Clean With Ease

It features a flat-surfaced grease filter, designed for effortless cleaning and efficient grease capture, ensuring a pristine kitchen environment with minimal maintenance.




Energy Efficient LED Light

The LED light with 1.5W small power, can save the energy and also ensure a decent visibility at your stove-top.



COOKER HOOD

RFID SERIES



Dry Cleaning



Gesture Control

Duct Out Only

Suction Power
2400m³/hr

MCH-90X311(RFID)

Black

- Suction power: 2400 m³/hr
- 2 x 1.5W LED light
- 4 fan speeds with Boost mode
- Touch control + Gesture control
- Noise level: ≤70 dB(A)
- Motor type: BLDC
- IoT (MSmartHome APP)
- Inter link hood & hob (RFID)
- Grey SPCC + Black glass
- Auto dry clean
- Ducting air outlet: 180mm
- Product dimension (mm): 895(W) x 380(D) x 986(H)
- Applicable replacement filter: MCH-HONEYCOMB3


UNIQUE FEATURES



Unique structure brings powerful extraction



Large suction area ensures excellent fume capture



COOKER HOOD

RFID SERIES



Steam Cleaning



Gesture Control



Duct Out Only

Suction Power
2400m³/hr

MCH-90XS388(RFID)

Black

- Suction power: 2400 m³/hr
- 2 x 1.5W LED light
- 4 fan speeds with Turbo mode
- Touch control + Gesture control
- Noise level: ≤70 dB(A)
- Motor type: BLDC
- IoT (MSmartHome APP)
- Inter link hood & hob (RFID)
- iSmokeSensor
- Auto clean steam wash
- Ultra-real screen
- Grey SPCC + Black glass
- Ducting air outlet: 180mm
- Product dimension (mm): 895(W) x 380(D) x 986(H)
- Applicable replacement filter: MCH-HONEYCOMB3

UNIQUE FEATURES



Unique structure brings powerful extraction



Large suction area ensures excellent fume capture

HOB TO HOOD SYERGY

Connect your hood and hob, and enable your hood automatically start working once the hob is turned on.



iSmokeSensor AUTO-ADJUSTING AIRFLOW

The iSmokeSensor constantly detects the amount of fumes and adjusts the ventilation speed accordingly, freeing you from the hassles of frequent hood adjustments.



POWERFUL, QUIET, ENERGY EFFICIENT

The BLDC motor helps the hood work smoothly and quietly with low vibration. This innovative improvement ensures steady performance and durable quality.



110°C HI-TEMP SELF-CLEANING STEAM WASH

Release high-temp and high-pressure steam to thoroughly clean and sterilize the motor of the hood in just 15 minutes, with 99.99% of germs removed.



COOKER HOOD

RFID SERIES



Steam Cleaning



Gesture Control



Duct Out Only

Suction Power
1800m³/hr

MCH-90B68AT(RFID)

Black

- Suction power: 1800 m³/hr
- 2 x 1.5W LED light
- 4 fan speeds with Boost mode
- Touch control + Gesture control
- Noise level: ≤70 dB(A)
- Motor type: BLDC
- IoT (MSmartHome APP)
- Inter link hood & hob (RFID)
- iSmokeSensor
- Auto clean steam wash
- Black SPCC + Black glass
- Ducting air outlet: 190mm
- Product dimension (mm): 896(W) x 416(D) x 505(H)

UNIQUE FEATURES



Self-cleaning Steam Wash

A perfect solution for hood interior cleaning, maintaining the appliance always with a decent performance and longer serving-you time.



Hand Wave Control

A convenient alternative to suspend or stop your hood when inconvenient to touch the screen.




1800m³/h Strong Suction

Powerful airflow to efficiently remove the most unpleasant odors, steam and grease.



Complete Smoke Removal

The duct out type exhausts cooking fumes outside the house thoroughly and keeps your kitchen air fresh indeed.



8-Minute Super Extraction Power

Our turbo function can provide 8-minute maximum suction (1800m³/h), perfectly suitable for stir frying.



COOKER HOOD



Duct Out Only
Suction Power
1500m³/hr
MCH-90B88(BK)
Black

- Suction power: 1500 m³/hr
- 2x 1.5W LED light
- 3 fan speeds
- Touch control + Gesture control (Hand wave power On/Off)
- Noise level: ≤70 dB(A)
- Heat auto-clean
- Grey SPCC + Black glass
- With oil cup
- Glass front plate
- Ducting air outlet: 180mm
- Product dimension (mm): 895(W) x 480(D) x 580-900(H)
- Applicable replacement filter: MCH-HONEYCOMB3

UNIQUE FEATURES



Enjoy Cooking Around So Fresh Air



Intuitive Touch Screen

Clear and simple touch-function displays are easily understood and intuitively used with your finger.



1500m³/h Strong Suction

Powerful airflow to efficiently remove the most unpleasant odors, steam and grease, especially when stir frying.



Complete Smoke Removal

Exhaust cooking fumes outside the house thoroughly and keep your kitchen air fresh indeed.



Injury Prevention Designs

Precisely framed 480mm width of the appliance and rounded corner can effectively prevent you from unexpected injuries.



COOKER HOOD



Duct Out Only

Suction Power
2000m³/hr

MCH-90M80AT

Black



Steam Cleaning



Gesture Control

- Suction power: 2000 m³/hr
- 2 x 1.5W LED light
- 3 fan speeds with Boost mode
- Touch control
- Gesture control (Hand wave power On/Off)
- Noise level: ≤69 dB(A)
- Auto clean steam wash
- 3D circum ventilation
- Easy clean elongated oil cup
- Included aluminium ducting hose
- Ducting air outlet: 190mm
- Product dimension(mm): 896(W) x 494 (D) x 672-904(H)
- Applicable replacement filter: MCH-HONEYCOMB3



Duct Out Only

Suction Power
1800m³/hr

MCH-90B65

Black



Gesture Control

- Suction power: 1800 m³/hr
- 2 x 1.5W LED light
- 3 fan speeds with Boost mode
- Touch control
- Gesture control (Hand wave power On/Off)
- Noise level: ≤70 dB(A)
- 3D circum ventilation
- Included aluminium ducting hose
- Ducting air outlet: 180mm
- Product dimension (mm): 895(W) x 416(D) x 505(H)
- Applicable replacement filter: MCH-HONEYCOMB3



Duct Out Only

Suction Power
1500m³/hr

MCH-90J52

Black



Gesture Control

- Suction power: 1500 m³/hr
- 2 x 1.5W LED light
- 2 fan speeds
- Touch control
- Gesture control (Hand wave power On/Off)
- Noise level: ≤68 dB(A)
- 3D circum ventilation
- Included aluminium ducting hose
- Ducting air outlet: 190 mm
- Product dimension (mm): 896(W) x 460(D) x 480-800(H)
- Applicable replacement filter: MCH-HONEYCOMB3



COOKER HOOD



Duct Out / Recirculation

Suction Power
900m³/hr

MCH-76MBK

Black

- Suction power: 900 m³/hr
- 76cm length
- 1.5W LED light
- 3 fan speeds
- Push button
- With charcoal filter x 2
- Washable grease filter
- Twin motor
- Duct out or recirculation operation mode
- Ducting air outlet: 120 mm
- Product dimension (mm): 757(W) x 500(D) x 140(H)



Duct Out / Recirculation

Suction Power
900m³/hr

MCH-90F49BK

Black

- Suction power: 900 m³/hr
- 90cm length
- 1.5W LED light
- 3 fan speeds
- Push button
- With charcoal filter x 2
- Washable grease filter
- Twin motor
- Duct out or recirculation operation mode
- Ducting air outlet: 120 mm
- Product dimension (mm): 897(W) x 500(D) x 140(H)



Duct Out / Recirculation

Suction Power
900m³/hr

MCH-76MSS

Stainless Steel

- Suction power: 900 m³/hr
- 76cm length
- 1.5W LED light
- 3 fan speeds
- Push button
- With charcoal filter x 2
- Washable grease filter x 2
- Twin motor
- Duct out or recirculating system
- Ducting air outlet: 120 mm
- Product dimension (mm): 757(W) x 500(D) x 140(H)



Duct Out / Recirculation

Suction Power
900m³/hr

MCH-90F49SS

Stainless Steel

- Suction power: 900 m³/hr
- 90cm length
- 1.5W LED light
- 3 fan speeds
- Push button
- With charcoal filter x 2
- Washable grease filter x 2
- Twin motor
- Duct out or recirculating system
- Ducting air outlet: 120 mm
- Product dimension (mm): 897(W) x 500(D) x 140(H)



COOKER HOOD



Duct Out / Recirculation

Suction Power
1400m³/hr

MCH-90V71

Black

- Suction power: 1400 m³/hr
- 2 x 1.5W LED light
- 3 fan speeds with Turbo mode
- Push button control
- Noise level: ≤72 dB(A)
- With charcoal filter x 2
- Washable 5-layers grease filter x 2
- Tempered glass
- Dishwasher safe
- Included aluminium ducting hose
- Duct out or recirculation operation mode
- Ducting air outlet (mm): 120 (with flange) or 150 (without flange)
- Product dimension (mm): 900(W) x 500(D) x 448-783(H)



Duct Out / Recirculation

Suction Power
1400m³/hr

MCH-90V33

Black

- Suction power: 1400 m³/hr
- 2 x 1.5W LED light
- 3 fan speed with Turbo mode
- Touch control
- Gesture control (Hand wave power On/Off)
- Noise level: ≤72 dB(A)
- With charcoal filter x 2
- Washable 3-layers stainless steel filter x 2
- Black tempered glass
- Dishwasher safe
- Included aluminium ducting hose
- Duct out or recirculation operation mode
- Ducting air outlet (mm): 120 (with flange) or 150 (without flange)
- Product dimension (mm): 900(W) x 500(D) x 485(H)



Gesture Control



Duct Out Only

Suction Power
1800m³/hr

MCH-90J18

Black

- Suction power: 1800 m³/hr
- 2 x 1.5W LED light
- 3 fan speed with Turbo mode
- Touch control
- Gesture control (Hand wave power On/Off)
- Noise level: ≤68 dB(A)
- Duct out operation mode
- Easy clean elongated oil cup
- Included aluminium ducting hose
- Ducting air outlet: 180 mm
- Product dimension (mm): 896(W) x 416(D) x 573(H)
- Applicable replacement filter: MCH-HONEYCOMB3



Dry Cleaning



Gesture Control



BUILT-IN GAS HOB



Burner
5.2kW

MGH-9020GL

- Burners: 2 x 5.2kW
- Preset gas type: LPG
- D battery, 2 x 1.5V
- Tempered glass
- Brass burner cap & spreader
- 4 claws pan supports
- Product dimension (mm): 880 x 520 x 160
- Cutout dimension (mm): (640-840) x (340-480)



Burner
5.2kW

MGH-9030GL

- Burners: 2 x 5.2kW & 1 x 1.8kW
- Preset gas type: LPG
- D battery, 2 x 1.5V
- Tempered glass
- Brass burner cap & spreader
- 4 claws pan supports
- Product dimension (mm): 880 x 520 x 160
- Cutout dimension (mm): (640-840) x (340-480)

UNIQUE FEATURES



5.2kW Strong Flame For Powerful Heating

Fulfills your high flame cooking needs and it's perfect for stir-frying.



No Worrying About Accidental Flameout

With Midea stable combustion system, the flame can keep steady even if it is small.



Flex Installation, Harmoniously Fit In Your Kitchen



Instant Ignition, Flavor Comes Without Waiting

Just push and turn the knobs, the flame will be triggered instantly.



Various Flame Settings To Customize Your Delicacies

Our hobs serve you for cooking, stir-frying, steaming, braising, gradual simmering.



Solely-Control Inner Flame

The inner cap can release straight flame independently. The mild flame is great for you to heat a cup of milk.



BUILT-IN GAS HOB

RFID SERIES



Burner
5.2kW

MGH-259OGL(RFID)

Black

- Burners: 2 x 5.2kW
- Preset gas type: LPG
- D battery, 2 x 1.5V
- Tempered glass
- Inter link hood & hob (RFID)
- 5-claw cast iron pan support
- Fine brass (copper) burner with straight flame
- Automatic electric ignition
- Flame failure device (Safety Device)
- Bi-Hybrid combustion system
- Product dimension (mm): 760(W) x 445(D) x 145(H)
- Cutout dimension (mm): 647-705(W) x 340-400(D)

UNIQUE FEATURES



Premium Brass Burner Ignite Your Cooking Passion For Long

Fine burners with surprisingly durable quality, keeping company with you to always bring you food inspiration in your culinary journey.




Fully Mix Gas & O2, Burn To The Limit Of Energy Using

The Bi-Hybrid Combustion System activates the gas twice to fully mix with the O2, releasing stronger fire with 65% energy efficiency, which makes your meal ready in lesser time and energy.



Even When Stir-frying, Still A Resist-Heatwave Place For You

The thoughtful 1/4 anti-scalding pot ring design allows you to feel comfortable even when the biggest fire is on. At the same time, the heavy material and scientific design also stable your wok, bringing you a friendly cooking experience.



Various Flame Settings To Customize Your Delicacies

Our hobs serve you for cooking, stir-frying, steaming, braising, and gradual simmering... Precise fire control satisfies your different heating needs and avoid unnecessary gas waste.



Flexible Installation, Harmoniously Fit In Your Kitchen

Built-in or Free-standing, decided by you.



Instantly Ignite The Hob Via Knob, As Well As Your Cooking Inspiration

Just push and turn the knobs, the flame can be triggered instantly, so as your culinary inspiration.



BUILT-IN GAS HOB



Burner
5.8kW

MGH-7230GL

Black

- Burners: 2 x 5.8kW
- Preset gas type: LPG

- D battery, 2 x 1.5V
- Tempered glass
- Flame failure safety device
- Bi-Hybrid combustion system
- Product dimension (mm): 760(W) x 445(D) x 145(H)
- Cutout dimension (mm): 645-705(W) x 340-400(D)



UNIQUE FEATURES



Premium Brass Burner Ignite Your Cooking Passion For Long

Fine burners with surprisingly durable quality, keeping company with you to always bring you food inspiration in your culinary journey.




Fully Mix Gas & O₂, Burn To The Limit Of Energy Using

The Bi-Hybrid Combustion System activates the gas twice to fully mix with the O₂, releasing stronger fire with 65% energy efficiency, which makes your meal ready in lesser time and energy.



Even When Stir-frying, Still A Resist-Heat/wave Place For You

The thoughtful 1/4 anti-scalding pot ring design allows you to feel comfortable even when the biggest fire is on. At the same time, the heavy material and scientific design also stable your wok, bringing you a friendly cooking experience.



Various Flame Settings To Customize Your Delicacies

Our hobs serve you for cooking, stir-frying, steaming, braising, and gradual simmering... Precise fire control satisfies your different heating needs and avoid unnecessary gas waste.



Flexible Installation, Harmoniously Fit In Your Kitchen

Built-in or Free-standing, decided by you.



Instantly Ignite The Hob Via Knob, As Well As Your Cooking Inspiration

Just push and turn the knobs, the flame can be triggered instantly, so as your culinary inspiration.




Temp-Sensing Flame Failure Protection, Guard Your Safety Consciously

The fire went out all of a sudden? A flame failure device will cut off the gas flow to guard your safety. Protection against flame failure.



4-Layers Premium Tempered Glass, Enhance Your Cooking Experience

Strong glass surface made of high quality 4-layers tempered glass, which is resist to HI-temperature and corrosion. Also, gently wipe the stains off, then you will regain a clean and glossy cooktop.



Humanized Design, Care For Every Detail In Cooking

From the moment you touch Midea hobs, our thoughtful innovative design has been perfecting your culinary journey.

BUILT-IN GAS HOB



Burner
5.8kW
MGH-4360GL
Black

- Burners: 2 x 5.8kW
- Preset gas type: LPG
- D battery, 2 x 1.5V
- Tempered glass
- Product dimension (mm): 760(W) x 445(D) x 145(H)
- Cutout dimension (mm): 645-705(W) x 340-400(D)



Burner
5.8kW
MGH-2280GL
Black

UNIQUE FEATURES

Releasing Straight Flame
Evenly distributed fire holes emit powerful straight flames in 5.8kW, target to the bottom of the pan.

Anti-corrosion
Not afraid of corrosion to serve you longer.

Deformation Resistance
Strongly keeping their shape for long.

Leakage Proof Design
Thoughtful design of inner burner cap, keep the flame, also protect your safety.

BI-HYBRID COMBUSTION SYSTEM

HEATING CONCENTRATION

- Premium MATT Enamel
- Heavy Material
- R Angle Claw
- Small milk pot
- Large Wok
- Large Range of Applicable Pan Size

Premium Brass Burner Ignite Your Cooking Passion For Long

Fine burners with surprisingly durable quality, keeping company with you to always bring you food inspiration in your culinary journey.

Fully Mix Gas & O₂, Burn To The Limit Of Energy Using

The Bi-Hybrid Combustion System activates the gas twice to fully mix with the O₂, releasing stronger fire with 65% energy efficiency, which makes your meal ready in lesser time and energy.

Steady Your Woks In X Pan Support, Promise Your Safe Cooking

X pan supports strongly hold any kind of pan, large or small, reducing risks of spilling and scalding. Let the woks always stay in their place!

225° Wide Range

Solely-control Inner Flame
The inner cap releases straight flame independently

Energy-saving
Optimize your gas usage

Various Flame Settings To Customize Your Delicacies

Our hobs serve you for cooking, stir-frying, steaming, braising, and gradual simmering... Precise fire control satisfies your different heating needs and avoid unnecessary gas waste.

Built-in or Free-standing, Decided by You!

Flexibly Cutout, Perfectly Integrate in Your Cooking Bench.

Flexible Installation, Harmoniously Fit In Your Kitchen

Built-in or Free-standing, decided by you.



Instantly Ignite The Hob Via Knob, As Well As Your Cooking Inspiration

Just push and turn the knobs, the flame can be triggered instantly, so as your culinary inspiration.



Temp-Sensing Flame Failure Protection, Guard Your Safety Consciously

The fire went out all of a sudden? A flame failure device will cut off the gas flow to guard your safety. Protection against flame failure.

Tempered Glass SG Class

Glass Fiber Fabric Extra reinforce protection

Aluminum Film Thermal shield

Sponge Strip Damping & Waterproof

4-Layers Premium Tempered Glass, Enhance Your Cooking Experience

Strong glass surface made of high quality 4-layers tempered glass, which is resist to HI-temperature and corrosion. Also, gently wipe the stains off, then you will regain a clean and glossy cooktop.

Child Lock
Avoid accidental contact with children

Leakage-proof Design
Prevent soup from seeping into the hob

Detachable Parts
Easy to clean

Humanized Design, Care For Every Detail In Cooking

From the moment you touch Midea hobs, our thoughtful innovative design has been perfecting your culinary journey.

BUILT-IN GAS HOB




Burner
5.8kW

MGH-8216SS

Stainless Steel

- Burners: 2 x 5.8kW
- Preset gas type: LPG
- D battery, 2 x 1.5V
- DualFlame enables even & quick cooking
- Flame failure safety device
- Product dimension (mm): 720(W) x 420(D) x 150(H)
- Cutout dimension (mm): 645(W) x 340(D)

UNIQUE FEATURES



Thermodynamic effect of heating
The heat is evenly distributed in the bottom of the pan so that the food can be cooked thoroughly.

Straight Flame

Inner brass burner with 48 fire holes releases forceful straight flame which directs to the pot to speedily spark more flavor.

Cyclone Flame

The outer rotary burner with slanted incision blaze up the extended cyclone flame to encircle the pot to heat evenly and thoroughly.


Dual Flame Enables Even & Quick Cooking

Cyclone Flame matches with the inner straight flame to wrap the base of pans, releasing 5.8kW heating power, perfect for boiling, searing, and frying.



Fully Mix Gas & O2, Burn To The Limit Of Energy Using

The Bi-Hybrid Combustion System activates the gas twice to fully mix with the O2, releasing stronger fire with 65% energy efficiency, which makes your meal ready in lesser time and energy.



Various Flame Settings To Customize Your Delicacies

Our hobs serve you for cooking, stir-frying, steaming, braising, and gradual simmering. Precise fire control satisfies your different heating needs and avoid unnecessary gas waste.



- Stainless Steel
- Anti-hot Knob
- Anti-corrosion
- Easy to Clean
- Tough & Safe

Stainless Steel Body, Strong Yet Durable



Instantly Ignite The Hob Via Knob, As Well As Your Cooking Inspiration

Just push and turn the knobs, the flame can be triggered instantly, so as your culinary inspiration.



Temp-Sensing Flame Failure Protection, Guard Your Safety Consciously

The fire went out all of a sudden? A flame failure device will cut off the gas flow to guard your safety. Protection against flame failure.



Burner
5.2kW

MGH-76Q60B

Black

- Burners: 2 x 5.2kW
- Preset gas type: LPG
- D battery, 2 x 1.5V
- Tempered glass
- Flame failure safety device
- Product dimension (mm): 760(W) x 445(D) x 140(H)
- Cutout dimension (mm): 645(W) x 340(D)



BUILT-IN GAS HOB

Burner
5.2kW

MGH-2461GL


Black



- Burners: 2 x 5.2kW
- Preset gas type: LPG
- D battery, 2 x 1.5V
- Tempered glass
- Flame failure safety device
- Product dimension (mm): 760(W) x 445(D) x 140(H)
- Cutout dimension (mm): 645(W) x 340(D)



UNIQUE FEATURES



Thermodynamic effect of heating
The heat is evenly distributed in the bottom of the pan so that the food can be cooked thoroughly.

Straight Flame
Inner brass burner with 48 fire holes releases forceful straight flame which directs to the pot to speedily spark more flavor.

Cyclone Flame
The outer rotary burner with slanted incision blaze up the extended cyclone flame to encircle the pot to heat evenly and thoroughly.

Dual Flame Enables Even & Quick Cooking

Cyclone Flame matches with the inner straight flame to wrap the base of pans, releasing 5.8kW heating power, perfect for boiling, searing, and frying.



Flame Focused, Flavor Locked In

Heat Concentration Ring gathers the flame and lets the heat directly target the bottom of the pan, providing focused fire and greater efficiency. The intense heat is ideal for searing seafood and frying other delicious meals.



- Tempered Glass** SG Class
- Glass Fiber Fabric** Extra reinforce protection
- Aluminum Film** Thermal shield
- Sponge Strip** Damping & Waterproof

4-Layers Premium Tempered Glass, Enhance Your Cooking Experience

Strong glass surface made of high quality 4-layers tempered glass, which is resistant to high-temperature and corrosion. Also, gently wipe the stains off, then you will regain a clean and glossy cooktop.



Fully Mix Gas & O₂, Burn To The Limit Of Energy Using

The Bi-Hybrid Combustion System activates the gas twice to fully mix with the O₂, releasing stronger fire with 65% energy efficiency, which makes your meal ready in lesser time and energy.



Instantly Ignite The Hob Via Knob, As Well As Your Cooking Inspiration

Just push and turn the knobs, the flame can be triggered instantly, so as your culinary inspiration.



Temp-Sensing Flame Failure Protection, Guard Your Safety Consciously

The fire went out all of a sudden? A flame failure device will cut off the gas flow to guard your safety. Protection against flame failure.

TABLETOP GAS STOVE

Burner
4.7kW

MGS-T211S

Stainless Steel

- Burners: 2 x 4.7 kW
- Preset gas type: LPG
- Stainless steel (SUS430)
- 5-claw enamel pan supports
- Leakage proof design
- Product dimension (mm): 710(W) x 370(D) x 138(H)



TABLETOP GLASS STOVE



Burner
4.7kW

MGS-T211G

Black

- Burners: 2 x 4.7kW
- Preset gas type: LPG
- Tempered glass

- Cast iron burner cap
- 5-claws enamel pan support
- High energy efficiency (20% less gas consumption)
- Product dimension (mm): 720(W) x 350(D) x 140(H)



UNIQUE FEATURES



4.7kW Strong Makes Cooking a Breeze

Quick Frying 4.7kW stir-frying heating power with fiercer straight flame speeds cooking process.

Fully and Evenly Cooking Triple ring burner offers more even flame power, promoting food cooked fully and evenly.



20% Less Gas Consumption 10 Years Secure Usage for Longer "Serving you" Time

Our high-standard quality control guarantees 10-years long lifespan, sustaining your cooking enjoyment.



Cast Iron Burner Cap

Resistant to wear and high temperature and not easy to deform

60,000 Valve Usages

Our strict quality control guarantees over 60,000 usages of valve, ensuring a reliable long-time use.



Caring Child Lock Ultra Safety Protection

Pushing the button and rotating the valve are needed simultaneously, providing effective protection for children from unexpected accidents with fire.



Easily-clean and Effortless Designs



Guaranteed Tempered Glass Plate

6mm thickened tempered glass plate with our lifetime warranty.



Burner
3.3kW

MGS-T2133S

- Burners: 2 x 3.3kW
- Preset gas type: LPG
- Diameter of burner: $\phi 100$
- Stainless steel burner (Black SS burner cap)
- Detachable enamel 5 claws pan support
- Single ring with cyclone flame
- Top plate: Stainless steel metal
- Piezo electric ignition
- Product dimension (mm): 710(W) x 385(D) x 125(H)



FREE STANDING DISHWASHER



- 12 place settings
- Noise level: <55dB(A)
- Flexible rack system
- 7 washing programs
- Self-cleaning program
- Residual heat drying system
- 70°C high-temp intensive wash
- Half load function
- Self-cleaning filter system
- Child lock
- Product dimension (mm): 598(W) x 600(D) x 845(H)

1/2
load

Half Load

Eco-friendly

Low Noise Level

12
Place Settings

70°C
High Temperature Wash

50-min Wash

7 Washing Programs Mode

Self-cleaning

Child Lock

UNIQUE FEATURES



70°C Intensive Wash

Highly effective for cleaning the heaviest soiled dishes and other utensils, and also quite efficient for eliminating 99.99%* bacteria with high temperature up to 70°C

* Bacteria elimination rate from Report No: WXW-16-30276 by CTIHEA



Self-regulated Water Leak Protection System

Our water leak protection system with overflow float switch, regulates itself to detect and cut off any categories of water leakage, not allowing your kitchen to get dirty.



Flexible Rack System, Infinite Loading Flexibilities

Our flexible rack system, including versatile cutlery basket, foldable flip tines, foldable cup shelf and removable cutlery rack allows you stack multiple categories of cooking utensils.



Power-Off Memory, A Perfect Solution For Voltage Instability

Power-off Memory function can remember the unfinished wash cycle when there is a sudden power outage and continue the washing process when power is back on, without need to operate it again.



Self-cleaning for Easy Maintenance

Self-cleaning, 50-min high temperature (70°C) wash cycle for dishwasher itself, can consistently keep your dishwasher fresh and hygienic.



Anti-bacterial* Filter Inhibits 99.99% of Bacteria

4Our filter, employed anti-bacterial material, constantly inhibits micro-organism buildup inside the tub, ensuring a high level of health protection by inhibiting 99.99% of bacteria.



Half Load Option

A convenient and cost-effective solution for less tableware wash, especially for small families not using many dishes and bowls, with less water and energy consumption.



Child Lock Protection

Hold the F and 1/2 buttons for 3 seconds to lock or unlock the control panel, to effectively protect your children from unexpected accidents, like scalding by hot steam, and prevent dishwasher damages due to child's mistakenly operating.

TABLETOP DISHWASHER



WQP8-3802G

- 8 place settings
- Noise level: <49dB(A)
- Flexible rack system
- Easy installation
- 8 washing programs system
- Auto-open drying
- WiFi control
- 70°C high-temp intensive wash
- Product dimension (mm): 550(W) x 500(D) x 595(H)
- Self-cleaning filter system

UNIQUE FEATURES



Highly effective for cleaning the heaviest soiled dishware and other utensils, delivering you fairly hygienic tableware and guaranteeing your secure use.



Ultra quickly cleaning your tableware, meaningful for the situations like holding a multi-round party.



Rinse your delicate glasses gently with low temperature and grant you a spotless & sparkling finish.



More Cycles with Cloud Wash



Kitchen Corner



Next to the sink

Flexible Installation, compact Body, Ideal for Tiny Kitchens



49 dB(A) Quiet Wash



Connect & Control Anytime Anywhere in Your Style

A simple touch or a voice command, and it's done without the limit of time and space.



1-24 Hours Delay Start

You can delay the start of wash cycle by 3/6/9 hours and even to 24 hours with the app control, which enables you to benefit from off-peak power rates.

INSTANT WATER HEATER

RAIN SHOWER WITH DC PUMP

FEATURING



Rain Shower

Tap

Power
4500W

MWH-4555EMBPMY(B)-BRS

- DC Inverter pump
- Voltage: 240V
- Noise level: 38dB(A)
- 5 versatile shower modes
- 2 memory temp. setting
- Built-in ELCB
- Accurate temperature control
- Water proof class: IP25
- Product dimension(mm): 200(W) x 104(D) x 420(H)



* Worldwide warranty for all water heater product

GENERAL FEATURE:



4.5kW High Power Fast-Heating



V0 Fireproof



Dry Heating Prevention



Transient Voltage Resistant Up to 300V



Longer Lifespan



Auto Power Off For Overheat Protection



38dB(A) Quiet Operation



1.5L/min Low Water Pressure Startup



Energy-saving inverter



High Applicability to Wide Voltage Work

5 VERSATILE SHOWER MODES



STANDARD

Full body sprays relieve muscle tension to rejuvenate and invigorate your body



SOOTHE

Provides cooling relief on hot summer day or after exercise



COMBO

Mixes standard sprays with pulsating streams to smooth and revitalize



MASSAGE

Uses pulsating jets of water to relieve stress



JUMBO

Concentrates a stream of water into a small area for fast rinsing

UNIQUE FEATURES



Accurate Temp Control With Display, No Need To Adjust Again & Again

No need to adjust and test the temp with your hands again and again, so that you won't feel a chill or get scalded with the uncomfortable water.



Spiral Flow Heating System: Durable & Fast-Heating

The spiral heating system, the unseen core of the tank, expand the contact area with water and heat more evenly and efficiently.



Create Shower Profiles, Care Each Family Member

M1 and M2 mode are designed to care for different temperature preference for each family member. Long press for 3s to set the temp, creating shower profiles for the elders, kids or even pets.

USD 20 million
Insurance Coverage by **Allianz**

Approved by:
Suruhanjaya Tenaga



INSTANT WATER HEATER

RAIN SHOWER WITH DC PUMP

Power
3800W

MWH-38EU3-RS-GR



SET YOUR PREFERRED TEMPERATURE PRECISELY



Smart Control System with LED display for precise temperature setting.



* Worldwide warranty for all water heater product

GENERAL FEATURE:



Ag+ Antibacterial



Grounding Fault Indicator



Japan JST Connector



Overheat Protection



Low Noise DC Pump



Nylon Glass Fibre



Whirl Flow Tech



Anti Dry-heating Protection



Built-in Auto Flow Sensor



Copper Heating Element



Built-in ELCB



Splash-proof IP25 Standard



3.8kW Power Output



Double Relay



Earthing Protection



Precise Thermal Cut-out

- DC Pump
- Voltage: 240V
- Noise level: 38dB(A)
- 5 versatile shower modes
- 1 memory temp. setting
- Built-in ELCB
- Water proof class: IP25
- Ag+ anti-bacterial
- Product measurement (mm): 200(W) x 400(D) x 97(H)

UNIQUE FEATURES



Omni-Ag+ Anti-bacteria System, All-round Care for You

The Ag+ anti-bacteria material, employed in all water-contacting parts of the electric water heater, efficiently inhibits escherichia coli and staphylococcus aureus to 99.99%, offering all-round and high-standard hygiene for your healthy bathing.



Constant Temperature Constantly Caring Your Skin

Our constant temperature technology, intelligently adjusting its power when you experience the situation of unstable water pressure, always offers you a constant temperature bathing experience, caring your sensitive skin more, especially for the baby.



Your Long-lasting Comfy Bathing, Backed by the Spiral Flow Heating

The spiral design of heating element, significantly expanding the contacting area to water, promotes water heating more evenly and efficiently.



No More Worries about Low Water Pressure

The high-quality DC pump greatly increases water pressure, offering you a more enjoyable shower, and also the 38dB(A) noise level never disturbs your peaceful life.



Ensure Your Safe Use Each Time

The safety check indicator keeps on when the water heater running normally, while it blinks to suggest a connection fault, effectively giving a risk warning to you.



Dual Powerful Protection, Guarantees Your Carefree Bathing

Our built-in temperature sensor, automatically cuts off the power when detecting conditions of overheat or dry heating.

USD 20 million
Insurance Coverage by Allianz

Approved by:



INSTANT WATER HEATER




- DC inverter pump
- Voltage: 240V
- Noise level: 38dB(A)
- 5 versatile shower modes
- Color: Obsidian Black
- Built-in ELCB
- Minimum flow rate: 1.5 liters/minute
- Auto power off for overheat protection




* Worldwide warranty for all water heater product

GENERAL FEATURE:



5 VERSATILE SHOWER MODES



STANDARD
Full body sprays relieve muscle tension to rejuvenate and invigorate your body



SOOTHE
Provides cooling relief on hot summer day or after exercise



COMBO
Mixes standard sprays with pulsating streams to smooth and revitalize



MASSAGE
Uses pulsating jets of water to relieve stress



JUMBO
Concentrates a stream of water into a small area for fast rinsing

UNIQUE FEATURES



Power-On-Demand Heating System Saves Energy

Midea Instant Water Heater provides you with a comfortable shower, while saving the energy consumed.



Spiral Flow Heating System: Durable & Fast-Heating

The spiral heating system, the unseen core of the tank, expand the contact area with water and heat more evenly and efficiently.



IP25 Splash-Proof

Our IP25 splash-proof protection, as a significant shield, against water seepage into the heater's interior, effectively avoids short circuits and as such ensures your safe use.

USD 20 million
Insurance Coverage by

Approved by:



INSTANT WATER HEATER



- DC inverter pump
- Voltage: 240V
- Noise level: 38dB(A)
- 3 versatile shower modes
- Built-in ELCB
- Minimum flow rate: 1.5 liters/minute
- Auto power off for overheat protection
- Color: Charcoal Grey



* Worldwide warranty for all water heater product

GENERAL FEATURE:



VO Fireproof



Dry Heating Prevention



Transient Voltage Resistant Up to 300V



Auto Power Off For Overheat Protection



38dB(A) Quiet Operation



1.5L/min Low Water Pressure Startup



Energy-saving inverter



IP25 Water Proof



DC Pump



Water & Electricity Separation Heating Element

3 VERSATILE SHOWER MODES



STANDARD

Full body sprays relieve muscle tension to rejuvenate and invigorate your body



SOOTHE

Provides cooling relief on hot summer day or after exercise



COMBO


Mixes standard sprays with pulsating streams to smooth and revitalize

UNIQUE FEATURES



Power-On-Demand Heating System Saves Energy

Midea Instant Water Heater provides you with a comfortable shower, while saving the energy consumed.



Dual Inlet Water Filtration

To keep the shower water clean, sediment, rust and large particulate matter from municipal supply are filtered through two ultra-fine filters in the control valve and inlet pipe.



IP25 Splash-Proof

Our IP25 splash-proof protection, as a significant shield, against water seepage into the heater's interior, effectively avoids short circuits and as such ensures your safe use.

USD 20 million
Insurance Coverage by Allianz

Approved by:
Suruhanjaya Tenaga



INSTANT WATER HEATER



Power
3800W

MWH-38U3-SL



Power
3800W

MWH-38P3 (WHITE)



- DC pump
- Voltage: 240V
- Noise level: 38 dB(A)
- 3 versatile shower modes
- Built-in ELCB



* Worldwide warranty for all water heater product

3 VERSATILE SHOWER MODES



STANDARD
Full body sprays relieve muscle tension to rejuvenate and invigorate your body



COMBO
Mixes standard sprays with pulsating streams to smooth and revitalize



SOOTHE
Provides cooling relief on hot summer day or after exercise

UNIQUE FEATURES



Ag+ Antibacterial

Releasing silver ion from the water inlet pipe which can inhibit the breeding of harmful bacteria in water; Midea is the member of Hygiene Association SIAA.



Spiral Flow Heating System:

Dual copper heating elements expand the contact area with water and heat more evenly and efficiently



IP25 Splash-Proof


Our IP25 splash-proof protection, as a significant shield, against water seepage into the heater's interior, effectively avoids short circuits and as such ensures your safe use.

USD 20 million
Insurance Coverage by

Approved by:
 Suruhanjaya Tenaga



INSTANT WATER HEATER



Power
3800W

MWH-38MVNMY(C)-WB


- Non pump
- Voltage: 240V
- 3 versatile shower modes
- Color: Charcoal grey with slider wall bar
- Minimum flow rate: 1.5 liters/min



Power
3800W

MWH-38MVNMY(W)-WS

- Non pump
- Voltage: 240V
- 3 versatile shower modes
- Color: White with shower wall stand
- Minimum flow rate: 1.2 liters/min



Power
3800W

MWH-38Q

- Non pump
- Voltage: 240V
- 3 versatile shower modes
- Color: White body & Black panel
- Minimum flow rate: 2 liters/min

GENERAL FEATURE:



Grounding Fault Indicator



Japan JST Connector



Overheat Protection



Low Noise DC Pump



Nylon Glass Fibre



Whirl Flow Tech



Anti Dry-heating Protection



Precise Thermal Cut-out



Built-in Auto Flow Sensor



Copper Heating Element



Built-in ELCB



Splash-proof IP25 Standard



3.8kW Power Output



Double Relay



Earthing Protection

3 VERSATILE SHOWER MODES



STANDARD
Full body sprays relieve muscle tension to rejuvenate and invigorate your body



MASSAGE
Uses pulsating jets of water to relieve stress



JUMBO
Concentrates a stream of water into a small area for fast rinsing

USD 20 million

Insurance Coverage by **Allianz**



* Worldwide warranty for all water heater product

STORAGE WATER HEATER




Power
1500W
MSH-30VH

• Capacity: 30L

Power
1500W
MSH-50VH

• Capacity: 50L



Horizontal Or Vertical Mount



Sapphire Enamel Heating Element

Incoloy 800 or 840 stainless steel with enamel tech, maintains best performance under high temperature & pressure conditions.



Electric Water Heater with Electricity Shock Proof

Built-in electricity guard technology supports the safeguard for the excessive voltage to be neutralized in the water heater. It's a reliable shield that protects you from electrical shocks unlike other conventional water heater. Basically, it is never been safer for bathing.



1. Sapphire Enamel Inner Container
2. Overall Polyurethane Foam
3. 27% thicker Magnesium anoda
4. Sapphire Enamel Heating Element
5. Stepless Control



Waterproof Grade: IPX4



Thicker Magnesium Anode



Anti Dry-Heating Protection



Anti Over-Pressure Protection



Sapphire Enamel Tank



Thermometer



Overheat Protection



Overall Polyurethane Foam



Earthing Protection

SPECIFICATION

STORAGE WATER HEATER

MODEL	MSH-30VH	MSH-50VH
Capacity (L)	30	50
Rated Power (W)	1500	1500
Voltage (V-)	220/230	220/230
Frequency (Hz)	50/60	50/60
Current (A)	6.81/6.52	6.81/6.52
Temperature Range (°C)	30-75	30-75
Maximum Working Pressure (MPa)	0.75	0.75
Max Temperature (°C)	101	101
Material Thickness (mm)	2	1.8
Outer Cabinet Material	SPCC	SPCC
Inner Tank	Enamel tank	Enamel tank
Average Thickness Of Insulation (mm)	20	22.5
Magnesium Anode Size (mm)	Φ 22x234	Φ 22x234
Type of Heating Element	Copper/Enamel/SUS316L	Copper/Enamel/SUS316L
Type Of Mounting	VERTICAL/HORIZONTAL	VERTICAL/HORIZONTAL
Net Weight (kg)	14.79	18.3
Gross Weight (kg)	16.49	20.63
Dimensions (WxD) (mm)	340x593	385x711
Carton size (WxDxH) (mm)	418x388x670	458x434x793

