


CREATING JOYOUS HOME

Vol.6 2023



KITCHEN & WATER APPLIANCES

^{*} Visual for reference & illustration purpose only.



- Auto Steam Wash Cleaning Technology
- Suction power: 1800m³/hr
- Touch control
- Gesture control (Hand wave power On/Off)
- LED lamp: 2 x 1.5W
- Duct out operation mode

- Easy clean elongated oil cup
- 2 speeds selection with Turbo speed function
- Included aluminium ducting hose
- Ducting hole dimension 180mm
- Product dimension (mm): 895(W) x 416(D) x 505(H)

UNIQUE FEATURES



Sustain Excellent Suction Performance with Self-cleaning Steam Wash



1800m³/h Strong SuctionPowerful airflow to efficiently remove the most unpleasant odors, steam and grease.



Self-Cleaning Steam Wash
A perfect solution for hood interior
cleaning, maintaining the appliance always
with a decent performance and longer
serving-you time.



Complete Smoke Removal
The duct out type exhausts cooking fumes
outside the house thoroughly and keeps
your kitchen air fresh indeed.



Hand Wave Control
A convenient alternative to suspend or stop
your hood when inconvenient to touch the
screen.



3-Minutes Super Extraction PowerOur turbo function can provide 3-minutes maximum suction (1800m³/h), perfectly suitable for stir frying.



- Suction power: 1800m³/hr
- Touch control
- Gesture control (Hand wave power On/Off)
- LED lamp: 2 x 1.5W
- Duct out operation mode

- Easy clean elongated oil cup
- 2 speeds selection with Turbo speed function
- Included aluminium ducting hose
- Ducting hole dimension 180mm
- Product dimension (mm): 895(W) x 416(D) x 505(H)

UNIQUE FEATURES



Wave Hello to Your Cooking Pleasure



Hand Wave Control
A convenient alternative to suspend or stop
your hood when inconvenient to touch the
screen.



1800m3/h Strong SuctionPowerful airflow to efficiently remove the most unpleasant odors, steam and grease.



3D Circum VentilationThe detachable convex condensation plate leaves large air inlets for 360-degree extraction, maximizing the efficiency of cooking fume extraction.



Complete Smoke Removal
The duct out type exhausts cooking fumes
outside the house thoroughly and keeps
your kitchen air fresh indeed.



3-Minutes Super Extraction Power Our turbo function can provide 3-minutes maximum suction (1800m³/h), perfectly suitable for stir frying.



- Auto Steam Wash Cleaning Technology
- 3D Circum Ventilation
- Suction power: 2000m³/hr
- Touch control
- Gesture control (Hand wave power On/Off)
- LED Lamp: 2 x 1.5W

- Duct out operation mode
- Easy clean elongated oil cup
- 2 speeds selection with Turbo speed function
- · Included aluminium ducting hose
- Ducting hole dimension 180mm
- Product dimension (mm): 895(W) x 494(D) x 609-919(H)

UNIQUE FEATURES



3D Circum Ventilation

The detachable convex condensation plate, leaves large air inlets for 360-degree extraction and better control and direct smoke flow, optimizing its extraction efficiency.



2000m³/h Strong Suction

Our turbo function can provide 3-minutes maximum suction (2000m³/h), perfectly suitable for stir frying, removing the most unpleasant odours, steam and grease.



Complete Smoke Removal

The duct out type exhausts cooking fumes outside the house thoroughly and keep your kitchen air fresh indeed.



Easily-clean Designs Black Glass Plate

Easy to wipe grease off.



Injury Prevention Designs 494mm width and rounded corner.



More Humanized Details

Detachable Grease

Easy to detach and

clean

Oil-visible Oil Cup Clearly indicating oil quantity and reminding you to clean



Legible Control Intuitive use with a

clear picture view.



Energy Efficient LED Lights Ensure a visibility at

your stovetop.

SPECIAL INDENT MODEL







One-Press DryClean For Your Ever Clean And **Strong Hood**



Boost Mode, Guarantee You The Crisp Air Even When Stir-Frying

1800m³/hr MCH-90J18



- Suction Power: 1800m³/hr
- Gesture control (Hand wave power On/Off)
- Duct out operation mode
- 2 + Turbo speeds selection
- Ducting hole dimension 180mm
- Product Dimension (mm): 896(W) x 416(D) x 573(H)

Duct Out

Only

- Touch control
- LED Lamp: 2 x 1.5W
- Easy clean elongated oil cup
- Included aluminium ducting hose



1400m³/hr

Duct Out / Recirculation

MCH-90V33



- Suction Power: 1400m³/hr
- LED Lamp: 2 x 1.5W
- Washable 3-layers stainless steel filter
- Gesture Control (Hand wave power On/Off) 2 + Turbo speeds selection

DUAL MODE DESIGNED, FIT IN ANY KITCHEN

- Black Tempered glass
- Ducting hole dimension 150mm
- Product Dimension (mm): 900(W) x 500(D) x 485(H)

Extraction Mode

backflow.

Smooth smoke exhaustion without

- Touch control
- With charcoal filter x 2
- Duct out or recirculation operation mode
- Included aluminium ducting hose



Suction Power 1400m³/hr

Duct Out / Recirculation

MCH-90V71 NEW



- Suction Power: 1400m³/hr
- LED Lamp: 2 x 1.5W
- Washable 5-layers grease filter x 2
- 2 + Turbo speeds selection
- Included aluminium ducting hose
- Push button control
- With charcoal filter x 2
- Duct out or recirculation operation mode

Recirculation Mode

With carbon filter inside, filters out

odours and oils.

- Tempered glass
- Ducting hole dimension 150mm
- Product Dimension (mm): 900(W) x 500(D) x 485(H)



Clarify The Fume And Grease With Dual Filtration System



1400m3/hr

Duct Out / Recirculation For all models

MCH-90J82 NEW



- Suction Power: 1400m³/hr • Gesture control (Hand wave power On/Off)
- Duct out or recirculation operation mode
- Easy clean concealed oil cup
- Included aluminium ducting hose
- Touch control
- LED Lamp: 2 x 1.5W
- With charcoal filter x 2
- 3 speeds selection
- Ducting hole dimension 150mm

• Product Dimension (mm): 900(W) x 420(D) x 535(H)







Duct Out Only

MCH-90J52

900m3/hr

MCH-76MBK

• With charcoal filter x 2

• 76cm length

• LED lamp

Twin motor

- Suction power: 1500m³/hr
- Gesture control (Hand wave power On/Off)
- Easy clean elongated oil cup

- LED lamp: 2 x 1.5W • Duct out operation mode • 2 speeds selection

• Touch control

• Suction Power: 900m3/hr

• Ducting hole dimension 120mm

· Air outlet size: size: 120mm

• Stainless steel

• Push button

• Washable grease fliter

• Push button

- Included aluminium ducting hose Ducting hole dimension 190mm
- Product dimension (mm): 896(W) x 460(D) x 545-1345(H)

Duct Out /

Recirculation

NEW

• Duct out or recirculation operation mode





Duct Out Only

MCH-90B82

- Suction power: 1500m³/hr
- LED lamp: 2 x 1.5W
- Easy clean elongated oil cup
- · Included aluminium ducting hose
- Ducting hole dimension 170mm
- Product dimension (mm): 895(W) x 480(D) x 510(H)



900m3/hr

Duct Out / Recirculation

MCH-90F49BK NEW

- 90cm length
- LED lamp
- With charcoal filter x 2
- Twin motor
- Suction Power: 900m3/hr

Touch control

• 2 speeds selection

· Duct out operation mode

- Push button
- Washable grease fliter • Ducting hole dimension 120mm
- Duct out or recirculation operation mode
- Product Dimension (mm): 897(W) x 500(D) x 140(H)



• Product Dimension (mm): 757(W) x 500(D) x 140(H)

900m3/hr

Duct Out / Recirculation

MCH-76MSS

- 76cm length
- Suction power: 900m³/hr
- LED lamp
- With charcoal filter x 2
- Washable grease filter x 2
- Twin motor, bigger power
- Duct out or recirculating system
- Product dimension(mm): 757(W) x 500(D) x 140(H)



900m3/hr

Duct Out / Recirculation

MCH-90F49SS

- 90cm length
- Suction power: 900m³/hr
- LED lamp
- With charcoal filter x 2
- Washable grease filter x 2
- Twin motor, bigger power
- Duct out or recirculating system
- Product dimension(mm): 897(W) x 500(D) x 140(H)
- · Air outlet size: size: 120mm · Stainless steel

PREMIUM

• Push button



For all models

BUILT-IN INDUCTION & CERAMIC HOB



MC-IHD361

- Built-in induction & ceramic hob
- Left zone: 1800W
- Right zone: 1800W
- Touch control
- 9-stages power setting
- · Residual heat indicator
- · Child lock

- · Automatic safety switch off
- Product dimension (mm): 700(W) x 430(D) x 82(H)
- Built-in dimension (mm): 670(W) x 400(D)
- Installed electric power: 3200W
- Voltage: 220-240V









MGH-7230GL

• Burners: 2 x 5.8 kW

• Flame failure safety device

• 76cm gas hob

- Preset gas type: LPG
- 1.5V battery ignition
- Tempered glass
- Flexible cut out size
- Product dimension (mm): 760(W) x 445(D)
- Cut out dimension (mm): 645-705(W) x 340-400(D)



UNIQUE FEATURES



Premium Brass Burner Ignite Your Cooking Passion For Long

Fine burners with surprisingly durable quality, keeping company with you to always bring you food inspiration in your culinary journey.




Fully Mix Gas & O2, Burn To The Limit Of Energy Using

The Bi-Hybrid Combustion System activates the gas twice to fully mix with the O2, releasing stronger fire with 65% energy efficiency, which makes your meal ready in lesser time and energy.




Even When Stir-frying, Still A Resist-Heatwave Place For You

The thoughtful 1/4 anti-scalding pot ring design allows you to feel comfortable even when the biggest fire is on. At the same time, the heavy material and scientific design also stable your wok, bringing you a friendly cooking experience.



Various Flame Settings To Customize Your Delicacies

Our hobs serve you for cooking, stir-frying, steaming, braising, and gradual simmering... Precise fire control satisfies your different heating needs and avoid unnecessary gas waste.



Flexible Installation, **Harmoniously Fit In Your Kitchen**

Built-in or Free-standing, decided by you.



Instantly Ignite The Hob Via Knob, As Well As Your Cooking Inspiration

Just push and turn the knobs, the flame can be triggered instantly, so as your culinary inspiration.



Temp-Sensing Flame Failure Protection, Guard Your Safety Consciously

The fire went out all of a sudden? A flame failure device will cut off the gas flow to guard your safety. Protection against flame failure.



4-Layers Premium Tempered Glass, **Enhance Your Cooking Experience**

Strong glass surface made of high quality 4-layers tempered glass, which is resist to HI-temperature and corrosion. Also, gently wipe the stains off, then you will regain a clean and glossy cooktop.



Child Lock Avoid accidenta contact with



lon-slip Knob



Design Prevent soup



Detachable Parts Easy to clean

Humanized Design,

Care For Every Detail In Cooking

From the moment you touch Midea hobs, our thoughtful innovative design has been perfecting your culinary journey.



MGH-4360GL

- Preset gas type: LPG
- 1.5V battery ignition
- Tempered Glass
- Flame failure safety device
- Product dimension (mm): 760(W) x 445(D)
- Cut out dimension (mm): 645-705(W) x 340-400(D)

• Burners: 2 x 5.8kW

· Flexible cut out size

• 76cm gas hob



UNIQUE FEATURES



Premium Brass Burner Ignite Your Cooking Passion For Long

Fine burners with surprisingly durable quality, keeping company with you to always bring you food inspiration in your culinary journey.



Fully Mix Gas & O2, Burn To The **Limit Of Energy Using**

The Bi-Hybrid Combustion System activates the gas twice to fully mix with the O2, releasing stronger fire with 65% energy efficiency, which makes your meal ready in lesser time and energy.



Steady Your Woks In X Pan Support, **Promise Your Safe Cooking**

X pan supports strongly hold any kind of pan, large or small, reducing risks of spilling and scalding. Let the woks always stay in their place!



Various Flame Settings To Customize Your Delicacies

Our hobs serve you for cooking, stir-frying, steaming, braising, and gradual simmering... Precise fire control satisfies your different heating needs and avoid unnecessary gas waste.



Flexible Installation, Harmoniously Fit In Your Kitchen Built-in or Free-standing, decided by you.




Instantly Ignite The Hob Via Knob, As Well As Your Cooking Inspiration

Just push and turn the knobs, the flame can be triggered instantly, so as your culinary inspiration.



Temp-Sensing Flame Failure Protection, Guard Your Safety Consciously

The fire went out all of a sudden? A flame failure device will cut off the gas flow to guard your safety. Protection against flame failure.



4-Layers Premium Tempered Glass, **Enhance Your Cooking Experience**

Strong glass surface made of high quality 4-layers tempered glass, which is resist to HI-temperature and corrosion. Also, gently wipe the stains off, then you will regain a clean and glossy cooktop.





Leakage-proof Design



Humanized Design,

Care For Every Detail In Cooking

From the moment you touch Midea hobs, our thoughtful innovative design has been perfecting your culinary journey.



MGH-2280GL

- Preset gas type: LPG
- 1.5V battery ignition
- Tempered Glass
- Flame failure safety device
- Product dimension (mm): 760(W) x 445(D)
- Cut out dimension (mm): 645-705(W) x 340-400(D)

Burners: 2 x 5.8kW76cm gas hob

• Flexible cut out size

LIFETIME WARRANTY TOMERED GLASS (natural creek)

UNIQUE FEATURES



Flame Focused, Flavor Locked In Heat Concentration Ring gathers the flame and lets the heat directly target the bottom of the pan, providing focused fire and greater efficiency. The intense heat is ideal for searing seafood and frying other delicious meals.




Fully Mix Gas & O₂, Burn To The Limit Of Energy Using The Ri-Hybrid Combustion System activates the

The Bi-Hybrid Combustion System activates the gas twice to fully mix with the O₂, releasing stronger fire with 65% energy efficiency, which makes your meal ready in lesser time and energy.



Steady Your Woks In X Pan Support, Promise Your Safe Cooking

X pan supports strongly hold any kind of pan, large or small, reducing risks of spilling and scalding. Let the woks always stay in their place!



Various Flame Settings To

Customize Your Delicacies

Our hobs serve you for cooking, stir-frying, steaming, braising, and gradual simmering.. Precise fire control satisfies your different heating needs and avoid unnecessary gas waste.



Flexible Installation, Harmoniously Fit In Your Kitchen Built-in or Free-standing, decided by you.



Instantly Ignite The Hob Via Knob, As Well As Your Cooking Inspiration Just push and turn the knobs, the flame can be triggered instantly, so as your culinary inspiration.



Temp-Sensing Flame Failure Protection, Guard Your Safety Consciously

The fire went out all of a sudden? A flame failure device will cut off the gas flow to guard your safety. Protection against flame failure.



4-Layers Premium Tempered Glass, Enhance Your Cooking Experience

Strong glass surface made of high quality 4-layers tempered glass, which is resist to HI-temperature and corrosion. Also, gently wipe the stains off, then you will regain a clean and glossy cooktop.



Child Lock Avoid accidental contact with



Non-slip Knob For your smoothly twisting



Leakage-proof Design Prevent soup from seeping into the hob



Detachable Parts Easy to clean

Humanized Design, Care For Every Detail In Cooking

From the moment you touch Midea hobs, our thoughtful innovative design has been perfecting your culinary journey.



MGH-8216SS

- Preset gas type: LPG Burners: 2 x 5.8kW
- 1.5V battery ignition 72cm gas hob
- Stainless Steel
- Flame failure safety device
- Product dimension (mm): 720(W) x 420(D)
- Cut out dimension (mm): 645(W) x 340(D)

UNIQUE FEATURES



Dual Flame Enables Even & Quick Cooking

Cyclone Flame matches with the inner straight flame to wrap the base of pans, releasing 5.8kW heating power, perfect for boiling, searing, and frying.



Flexible Installation, Harmoniously Fit In Your Kitchen
Built-in or Free-standing, Decided by you.



Stainless Steel Body, Strong Yet Durable



Fully Mix Gas & O2, Burn To The Limit Of Energy Using The Bi-Hybrid Combustion System activates the gas

twice to fully mix with the O2, releasing stronger fire with 65% energy efficiency, which makes your meal ready in lesser time and energy.



Instantly Ignite The Hob Via Knob, **As Well As Your Cooking Inspiration** Just push and turn the knobs, the flame can be triggered instantly, so as your culinary inspiration.



Customize Your Delicacies

Our hobs serve you for cooking, stir-frying, steaming, braising, and gradual simmering... Precise fire control satisfies your different heating needs and avoid unnecessary gas waste.



Temp-Sensing Flame Failure **Protection, Guard Your Safety** Consciously

The fire went out all of a sudden? A flame failure device will cut off the gas flow to guard your safety. Protection against flame failure.



Leakage-proof Design

Prevent soun



Parts Easy to clean

Non-slip Knob

Humanized Design, Care For Every Detail In Cooking From the moment you touch Midea hobs, our thoughtful innovative design has been perfecting your culinary journey.



SPECIAL INDENT MODEL





MGH-2461GL

- Preset gas type: LPG • 1.5V battery ignition
- Tempered glass
- Flame failure safety device
- Product dimension (mm): 760(W) x 445(D)
- Cut out dimension (mm): 645(W) x 340(D)



Fully Mix Gas & O2, Burn To The **Limit Of Energy Using**

The Bi-Hybrid Combustion System activates the gas twice to fully mix with the O2, releasing stronger fire with 65% energy efficiency, which makes your meal ready in lesser time and energy.



UNIQUE FEATURES



Thermodynamic effect of heating The heat is evenly distributed in the bottom of the pan so that the food can be cooked thoroughly.

• Burners: 2 x 5.2 kW

• 76cm gas hob

nner brass burner with 48 fire holes releases forceful straight flame which directs to the pot to speedily spark more flavor.

The outer rotary burner with slanted incision blaze up the extended cyclone flame to encircle the pot to heat evenly and thoroughly.


Dual Flame Enables Even & Quick Cooking

Cyclone Flame matches with the inner straight flame to wrap the base of pans, releasing 5.8kW heating power, perfect for boiling, searing, and frying.



Flame Focused, Flavor Locked In

Heat Concentration Ring gathers the flame and lets the heat directly target the bottom of the pan, providing focused fire and greater efficiency. The intense heat is ideal for searing seafood and frying other delicious meals.



4-Layers Premium Tempered Glass, Enhance Your Cooking Experience

Strong glass surface made fo high quality 4-layers tempered glass, which is resist to HI-temperature and corrosion. Also, gently wipe the stains off, then you will regain a clean and glossy cooktop.



Flexible Installation, Harmoniously Fit In Your Kitchen Built-in or Free-standing, Decided by you.

Instantly Ignite The Hob Via Knob, **As Well As Your Cooking Inspiration** Just push and turn the knobs, the flame can be

triggered instantly, so as your culinary inspiration



Temp-Sensing Flame Failure **Protection, Guard Your Safety** Consciously

The fire went out all of a sudden? A flame failure device will cut off the gas flow to guard your safety. Protection against flame failure.



5.2kW

MGH-76Q60B

- Preset gas type: LPG • Burners: 2 x 5.2 kW
- 1.5V battery ignition • 76cm gas hob
- Tempered glass
- Flame failure safety device
- Product dimension (mm): 760(W) x 445(D)
- Cut out dimension (mm): 645(W) x 340(D)



TABLETOP GLASS STOVE



MGS-T211G

- Portable tabletop glass stove
- Preset gas type: LPG
- Burners: 2 x 4.7kW
- Tempered Glass
- Cast iron burner cap
- High Energy Efficiency (20% less gas consumption)
- 5-claws enamel pan support
- Product Dimension (mm): 720(W) x 350(D) x 140(H)



UNIQUE FEATURES



4.7kW Strong Makes Cooking a Breeze

Quick Frying

4.7kW stir-frying heating power with fiercer straight flame speeds cooking process.

Fully and Evenly Cooking

Triple ring burner offers more even flame power, promoting food cooked fully and evenly.



20% Less Gas Consumption 10 Years Secure Usage for Longer "Serving you" Time

Our high-standard quality control guarantees 10-years long lifespan, sustaining your cooking enjoyment.



Cast Iron Burner Cap

Resistant to wear and high temperature and not easy to deform

60,000 Valve Usages

Our strict quality control guarantees over 60,000 usages of valve, ensuring a reliable long-time use.



20% Less Gas Consumption

The energy efficiency of our gas hob is enhanced to save energy and cost indeed.



Easily-clean and Effortless Designs



Guaranteed Tempered Glass Plate 6mm thickened tempered glass plate with our lifetime warranty.



Flexible Flame Adjustments, Various Cooking Options



Free Installation, Easy Use with Flexibilities

No installation needed to start your culinary pleasure, highly convenient for the situations when you need to relocate it.



Caring Child Lock Ultra Safety Protection

Pushing the button and rotating the valve are needed simultaneously, providing effective protection for children from unexpected accidents with fire.

BUILT-IN OVEN











Conventional

Bottom Heater Cooking

With Fan

Double Grill

























Cooking









Double Grill

Double Grill

70L

MBO-D0870

- Built- in 60cm oven
- · Digital control with LED display
- Energy rating: A class
- 2 x universal trays & 1 rack
- Capacity size: 70 liters
- 8 functions with rotisserie
- 3 layers removable door
- Maximum power:3000W
- Product Dimension (mm): 595(W) x 575(D) x 595(H) • Build-in Dimension (mm): 560(W) x 575(D) x 600(H)

65L

MBO-M1865

- Built- in 60cm oven
- Mechanic knobs control
- Energy rating: A class
- 2 x universal trays & 1 rack
- Capacity size: 65 liters • 8 functions with rotisserie
- 2 lavers removable door
- Maximum power:3000W
- Product Dimension (mm): 595(W) x 575(D) x 595(H)
- Build-in Dimension (mm): 560(W) x 575(D) x 600(H)

BUILT-IN MICROWAVE



25L

MBM-VE8925

- 2 in 1 Built-in microwave with Grill
- Capacity: 25 liters
- · Digital control with LED display
- 10 auto menus
- Multi defrost functions
- Child safety lock
- Microwave power: 900W, Grill power: 1000W
- Product Dimension (mm): 595(W) x 410(D) x 388(H)
- Build-in Dimension (mm): 560(W) x 500(D) x 380(H)



25L

MBM-1925B

- 2 in 1 Built-in microwave with Grill
- Turnable diameter: 315mm
- 8 Auto cooking menus
- Multi defrost functions
- Heat-resisted glass window
- Stainless steel with black glass door
- Microwave Power: 900W
- Product Dimension (mm): 595(W) x 410(D) x 388(H)
- Capacity: 25 litres
- Built in Microwave with grill
- · Speedy defrost setting
- · Express cooking
- · Child safety lock
- Rotary knobs
- Grill power: 1000W
- Build in dimension (mm): 560(W) x 500(D) x 380(H)

FREE STANDING DISHWASHER



- 14 Place settings
- Stainless steel
- 6 Washing programs
- 70°C high-temp intensive wash
- Half load function
- Child lock

- Low noise level
- Flexible rack system
- Auto open drying system
- Extra drying funtion
- Self-cleaning filter system



• Product Dimension (mm): 598(W) x 600(D) x 845(H)

UNIQUE FEATURES



Anti-bacterial* Filter Inhibits 99.99% of Bacteria

40ur filter, employed anti-bacterial material, constantly inhibits micro-organism buildup inside the tub, ensuring a high level of health protection by inhibiting 99.99% of bacteria.



Extra Drying

Extra drying function can be added into certain wash cycles, and your dishware with extraordinary drying results.



Effortless Eco-Dishwashing

Dishes are beautifully cleaned with less effort and water consumption.



Flexible Rack System, Infinite **Loading Flexibilities**

Allow you stack more categories of tableware, glassware, utensils and even cookware, with superb 14 place setting capacity, making loading and unloading so smooth.



Intensive Wash

Efficiently clean the heaviest soiled dishes and cooking utensils, guaranteeing your tableware fairly hygienic to use.



Auto Open Drying

At the end of washing cycles, the door of dishwasher will open automatically and leave a gap for air exchange, promoting washed items, even plastic dishes to achieve the best drying performance.



Half Load

A cost-effective solution for less tableware wash, especially for small families not using many dishes and bowls, with less water and energy consumption.



Delicate Glass Care

Wash glass meticulously and also with softened water by the build-in water softener, to deliver crystal-clear results.



Child Lock

Effectively protect your children from unexpected accidents, like being scalded by hot steam, and prevent dishwasher damages which is due to children's mistakenly operating.

FREE STANDING DISHWASHER



- 12 Place settings
- Flexible rack system
- Self-cleaning program
- 70°C high-temp intensive wash
- Half load function
- · Child lock

- Low noise level
- 7 Washing programs
- · Residual heat drying system
- Extra drying funtion
- Self-cleaning filter system



• Product Dimension (mm): 598(W) x 600(D) x 845(H)

UNIQUE FEATURES



70°C Intensive Wash

Highly effective for cleaning the heaviest soiled dishes and other utensils, and also quite efficient for eliminating 99.99%* bacteria with high temperature up to 70°C

* Bacteria elimination rate from Report No: WXw-16-30276 by CTIHEA



Self-regulated Water Leak Protection System

Our water leak protection system with overflow float switch, regulates itself to detect and cut off any categories of water leakage, not allowing your kitchen to get dirty.



Flexible Rack System, Infinite Loading **Flexibilities**

Our flexible rack system, including versatile cutlery basket, foldable flip tines, foldable cup shelf and removable cutlery rack, allows you stack multiple categories of cooking utensils.



Power-Off Memory, A Perfect Solution For Voltage Instability

Power-off Memory function can remember the unfinished wash cycle when there is a sudden power outage and continue the washing process when power is back on, without need to operate it again.



Self-cleaning for Easy Maintenance Self-cleaning, 50-min high temperature (70°C) wash cycle for dishwasher itself, can consistently keep

your dishwasher fresh and hygenic.

Anti-bacterial* Filter Inhibits 99.99% of Bacteria

40ur filter, employed anti-bacterial material, constantly inhibits micro-organism buildup inside the tub, ensuring a high level of health protection by inhibiting 99.99% of bacteria.



Extra Drying Option

Extra drying can be added into certain wash cycles (Intensive, ECO, Glass and 90 min), and your dishware and even plastic dishes, with extra ordinary drying results.



Half Load Option

A convenient and cost-effective solution for less tableware wash, expecially for small families not using many dishes and bowls, with less water and energy consumption.



Child Lock Protection

Hold the F and 1/2 buttons for 3 seconds to lock or unlock the control panel, to effectively protect your children from unexpected accidents, like scalding by hot steam, and prevent dishwasher damages due to child's mistakenly operating.

TABLE TOP DISHWASHER



- 6 Place settings
- Easy installation
- 6 Washing programs
- 70°C high-temp intensive wash
- · Low noise level
- Flexible rack system
- Residual heat drying system
- Self-cleaning filter system
- Product Dimension (mm): 550(W) x 500(D) x 438(H)

UNIQUE FEATURES



Compact Body, Easy Installation

Small enough to fit anywhere in your room and they always look great.



Personalize Your Uncleaned Items

Reliable cleaning is on your demand.




Self-cleaning Filter System

Save your effort of cleaning by flushing major food residues.



70°C High-Temp Intensive Wash

Efficiently clean the heaviest soiled dishware and glassware, make them fairly hygenic to use, especially for families with babies.



Flexible Rack System, Maximum Loading



30-min Super Quick Wash

Never need to worry running out of tableware when holding a multi-round party.


WiFi Control



WQP8-3802G • 8 Place Settings



- 8 Washing Programs system
- Wifi Control • Easy Installation
- 70°C high-temp intensive wash



INSTANT WATER HEATER

RAIN SHOWER & WITH DC PUMP





MWH-38EU3-RS-GR

- DC Pump
- 5 Versatiles Shower Modes
- · Color: Grey
- Rain Showerhead
- Digital Display

GENERAL FEATURE:





Built-in Auto

Flow Sensor



Fault Indicator

Copper Heating

Element



Connector

Built-in ELCB



Overheat Protection

Splash-proof

IP25 Standard



Antibacterial

DC Pump

3.8kW Power

Output



Nylon Glass Fibre

Double Relay



Whirl Flow Tech

Earthing

Protection



Anti Dry-heating Protection

Precise Thermal

Cut-out







SAFETY









STANDARD Full body sprays relieve muscle tensionto rejuvenate and invigorate your



SOOTHE Provides cooling relief on hot summer day or after exercise



СОМВО Mixes standard sprays with pulsating streams to smooth and revitalize



MASSAGE Uses pulsating jets of water to relieve stress



Concentrates a stream of water into a small area for fast rinsing





* Worldwide warranty for all water heater product

INSTANT WATER HEATER

WITH DC PUMP







Connector

Protection

DC Pump

Tech

Protection

Cut-out











Copper Heating



Built-in ELCB



Splash-proof IP25 Standard



3.8kW Power Output



Double Relay



Earthing Protection





* Worldwide warranty for all water heater product





3 VERSATILE SHOWER MODES



STANDARD Full body sprays relieve muscle tensionto rejuvenate and invigorate your



MASSAGE Uses pulsating jets of water to relieve



Concentrates a stream of water into a small area for fast rinsing

STORAGE WATER HEATER





Horizontal Or Vertical Mount



Sapphire Enamel Heating

Incoloy 800 or 840 stainless steel with enamel tech, maintains best performance under high temperature & pressure conditions.





· Capacity: 50L



MSH-80VH

· Capacity: 80L



Electric Water Heater with Electricity Shock Proof

Built-in electricity guard technology supports the safeguard for the excessive voltage to be neutralized in the water heater. It's a reliable shield that protects you from electrical shocks unlike other conventional water heater. Basically, it is never been safer for bathing.

- 1. Sapphire Enamel Inner Container
- 2. Overall Polyurethane Foam
- 3. 27% thicker Magnesium anoda
- 4. Sapphire Enamel Heating Element
- 5. Stepless Control













Magnesium Anode



Protection







Enamel Tank





Overheat

Protection





Polyurethane Foam


Earthing Protection

STORAGE WATER HEATER SPECIFICATIONS

Protection

	MSH-30VH	MSH-50VH	MSH-80VH	MSH-100VH
Capacity (L)	30	50	80	100
Rated Power (W)	1500	1500	1500	1500
Voltage (V~)	220/230	220/230	220/230	220/230
Frequency (Hz)	50/60	50/60	50/60	50/60
Current (A)	6.81/6.52	6.81/6.52	6.81/6.52	6.81/6.52
Temperature Range (°C)	30-75	30-75	30-75	30-75
Maximum Working Pressure (MPa)	0.75	0.75	0.75	0.75
Max Temperature (°C)	101	101	101	101
Material Thickness (mm)	2	1.8	2	2
Outer Cabinet Material	SPCC	SPCC	SPCC	SPCC
Inner Tank	Enamel tank	Enamel tank	Enamel tank	Enamel tank
Average Thickness Of Insulation (mm)	20	22.5	20	20
Magnesium Anode Size (mm)	Ф 22x234	Ф 22х234	Ф 22х296	Ф 22x296
Type of Heating Element	Copper/Enamel/SUS316L	Copper/Enamel/SUS316L	Copper/Enamel/SUS316L	Copper/Enamel/SUS316L
Type Of Mounting	VERTICAL/HORIZONTAL	VERTICAL/HORIZONTAL	VERTICAL/HORIZONTAL	VERTICAL/HORIZONTAL
Net Weight (kg)	14.79	18.3	26.31	28.5
Gross Weight (kg)	16.49	20.63	29.4	30.5
Dimensions (WxD) (mm)	340x593	385x711	385x1030	450x895
Carton size (WxDxH) (mm)	418x388x670	458x434x793	458x434x1125	528x498x977

KITCHEN APPLIANCES DIMENSION



Midea Scott & English Electronics Sdn Bhd (194517-X)

- No. 16, Jalan Chan Sow Lin, 55200 Kuala Lumpur Tel: 03-9221 1033 Fax: 03-9221 7204 / 03-9221 1434 / 03-9221 3509

 PENANG No. 35, Jalan Perniagaan Gemilang I, Pusat Perniagaan Gemilang, I4000 Bukit Mertajam, Pulau Pinang. Tel: 04-548 3938 Fax: 04-548 9698 JOHOR No. 25, Jalan Seri Impian I, Taman Impian Emas, 81300 Skudai, Johor. Tel: 07-562 4898 Fax: 07-557 7898

 PERAK No. 38, Persiaran Perindustrian Pengkalan 10, Kawasan Perindustrian Pengkalan, 31500 Lahat, Perak. Tel: 05-323 2529 Fax: 05-323 2529 PAHANG No. 258, Ground Floor, Jalan Air Putih, Taman Air Putih Mewah, 25350 Kuantan, Pahang Darul Makmur. Tel: 09-560 6668 Fax: 09-09-560 5050
- MALACCA No. 385-L, Taman Peringgit Jaya, 75400 Peringgit, Melaka. Tel: 06-292 1940 Fax: 06-286 7107 KOTA BHARU PT 1436, Ground Floor, Taman Koperatif, Tanjung Chat, 15300 Kota Bharu, Kelantan. Tel/Fax: 09-743 1202
- * SABAH Inanam Suria Commercial Centre, Lot B, Unit 0-9, Unit 1-9, Ground Floor and First Floor, 88450, Kota Kinabalu, Sabah. Tel: 088-421 428 Fax: 088-431 427 * SARAWAK 1st Floor , Lot 8517, Stutong Commercial Centre, Jalan Stutong, 93350 Kuching, Sarawak. Tel: 082-363 167 Fax: 082-366 167